

Certified Nurse Midwife

ICD-10-CM 2014: Reference Mapping Card

Description

- * Only applicable to maternity patients aged 12-55 years inclusive.
- # Only applicable to female patients.
- % Considered unacceptable as a principal diagnosis as it describes a circumstance which influences an individual's health status but not a current illness or injury, or the diagnosis may not be a specific manifestation but may be due to an underlying cause.
- ^ Considered exempt from POA reporting.

ICD-9-CM	ICD-10-CM
616.1 Vaginitis and vulvovaginitis, unspecified	N76.0 Acute vaginitis * Applicable to: <i>Acute vulvovaginitis</i> <i>Vaginitis NOS</i> <i>Vulvovaginitis NOS</i>
	N76.1 Subacute and chronic vaginitis * Applicable to: <i>Chronic vulvovaginitis</i> <i>Subacute vulvovaginitis</i>
	N76.2 Acute vulvitis * Applicable to: <i>Vulvitis NOS</i>
	N76.3 Subacute and chronic vulvitis *
623.5 Noninfect vag leukorrhea	N89.8 Other specified noninflammatory disorders of vagina * Applicable to: <i>Leukorrhea NOS</i> <i>Old vaginal laceration</i> <i>Pessary ulcer of vagina</i>
625.9 Female genital symptoms, unspecified	N94.89 Other specified conditions associated with female genital organs and menstrual cycle R10.12 Pelvic and perineal pain
644.03 Threatened premature labor, antepartum condition or complication	O60.02 Preterm labor without delivery, second trimester O60.03 Preterm labor without delivery, third trimester
644.13 Threatened labor NEC, antepartum	O47.02 False labor before 37 completed weeks of gestation, second trimester O47.03 False labor before 37 completed weeks of gestation, third trimester O47.1 False labor at or after 37 completed weeks of gestation

ICD-9-CM

650 Normal delivery

ICD-10-CM

O80 Encounter for full-term uncomplicated delivery * # ^
Applicable to:
Delivery requiring minimal or no assistance, with or without episiotomy, without fetal manipulation (e.g., rotation version) or instrumentation (forceps) of a spontaneous, cephalic, vaginal, full-term, single, live-born infant.

This code is for use as a single diagnosis code and is not to be used with any other code from Chapter 15.

Use additional code to indicate outcome of delivery (Z37.0 Single live birth).

654.21 Previous C-section NOS, delivered	O34.21 Maternal care for scar from previous cesarean delivery * #
655.73 Decreased fetal movements antepartum condition	O36.8120 Decreased fetal movements, second trimester O36.8130 Decreased fetal movements, third trimester O36.8190 Decreased fetal movements
659.63 Advanced maternal age, antepartum condition	O09.521 Supervision of elderly multigravida, first trimester * # % O09.522 Supervision of elderly multigravida, second trimester * # % O09.523 Supervision of elderly multigravida, third trimester * # %
795.09 Other abnormal Papanicolaou smear of cervix and cervical HPV	R87.820 Cervical low risk human papillomavirus (HPV) DNA test positive
V22.0 Supervision of normal first pregnancy	Z34.0 Encounter for supervision of normal first pregnancy
V22.2 Pregnant state, incidental	Z33.1 Pregnant state, incidental * # % Applicable to: <i>Pregnant state NOS</i>
V23.81 Supervision of high-risk pregnancy elderly primigravida	O09.511 Supervision of elderly primigravida, first trimester * # %
V23.82 Supervision of high-risk pregnancy elderly multigravida	O09.521 Supervision of elderly multigravida, first trimester * # %
V23.87 Pregnancy with inconclusive fetal viability	O36.80X0 Pregnancy with inconclusive fetal viability

Certified Nurse Midwife

ICD-10-CM 2014: Reference Mapping Card

ICD-9-CM	ICD-10-CM
V23.89 Supervision of other high-risk pregnancy	009.891 Supervision of other high-risk pregnancy, first trimester * # % ^ 009.892 Supervision of other high-risk pregnancy, second trimester * # % ^ 009.893 Supervision of other high-risk pregnancy, third trimester * # % ^ 009.899 Supervision of other high-risk pregnancy
V24.0 Postpartum care after delivery	Z39.0 Encounter for care and examination of mother immediately after delivery * # ^ Applicable to: <i>Care and observation in uncomplicated cases when the delivery occurs outside a healthcare facility.</i>
V24.2 Routine postpartum follow-up	Z39.2 Encounter for routine postpartum follow-up * # % ^
V25.5 Insertion of implantable subdermal contraceptive	Z30.49 Encounter for surveillance of other contraceptives # % ^
V25.9 Contraceptive management NOS	Z30.9 Encounter for contraceptive management
V67.00 Follow-up examination, following surgery, unspecified	Z09 Encounter for follow-up examination after completed treatment for conditions other than malignant neoplasm ^ Applicable to: <i>Medical surveillance following completed treatment</i>

Use additional code to identify applicable history of disease code (Z86.-, Z87.-).

ICD-9-CM	ICD-10-CM
V72.31 Routine gynecological examination	Z01.411 Encounter for gynecological examination (general) (routine) with abnormal findings # ^ <i>Use additional code to identify abnormal findings</i> Z01.419 Encounter for gynecological examination (general) (routine) without abnormal findings # ^

ICD-10 Made Simple - DOCUMENT!

Acuity	Acute, chronic, intermittent
Severity	Mild, moderate, severe
Etiology	Trauma, diabetes, renal failure, exercise or infection induced
Location	Where is it- be specific about which joint, chest, femur, posterior thorax
Laterality	Which side is it? Left, right, both
Detail	Present on admission status, associated symptom (hypoxia, loss of consciousness), additional medical diagnoses, initial versus subsequent encounter