

# Clinical Psychology

## ICD-10-CM 2014: Reference Mapping Card

### Description

- %** Considered unacceptable as a principal diagnosis as it describes a circumstance which influences an individual's health status but not a current illness or injury, or the diagnosis may not be a specific manifestation but may be due to an underlying cause.
- ^** Considered exempt from POA reporting.

ICD-9-CM	ICD-10-CM
294.0	Amnestic disorder in conditions classified elsewhere
294.20	Dementia, unspecified without behavioral disturbance
296.20	Major depressive disorder, single episode
296.22	Depressive psychosis-mod
296.23	Major depressive disorder, single episode, severe
296.30	Major depressive disorder, recurrent episode unspecified
296.35	Recurrent major depressive disorder, part remission
296.40	Bipolar I disorder, most recent episode manic unspecified
296.51	Bipolar I disorder most recent episode depressed mild
296.52	Bipolar I disorder, most recent episode or current episode depressed moderate
296.53	Bipolar I disorder, recent episode depressed, severe without mention of psychotic

ICD-9-CM	ICD-10-CM
296.90	Unspecified episodic mood disorder
300.00	Anxiety state
300.01	Panic disorder without agoraphobia
300.02	Generalized anxiety disorder
300.21	Agoraphobia with panic disorder
300.3	Obsessive-compulsive disorder
300.4	Dysthymic disorder
303.9	Chronic alcoholism, dependency
309	Adjustment disorder with depressed mood
309.24	Adjustment disorder with anxiety
309.28	Adjustment disorder with mixed anxiety and depressed mood
311	Depressive disorder

# Clinical Psychology

## ICD-10-CM 2014: Reference Mapping Card

ICD-9-CM		ICD-10-CM	
314.01	Attention deficit, hyperactivity	F90.1	Attention-deficit hyperactivity disorder, predominantly hyperactive type
		F90.2	Attention-deficit hyperactivity disorder, combined type
		F90.9	Attention-deficit hyperactivity disorder, Applicable to: <i>Attention-deficit hyperactivity disorder of childhood or adolescence NOS</i> <i>Attention-deficit hyperactivity disorder NOS</i>
331.83	Mild cognitive impairment, so stated	G31.84	Mild cognitive impairment, so stated
799.9	Undiagnosed disease	R99	Ill-defined and unknown cause of mortality Applicable to: <i>Death (unexplained) NOS</i> <i>Unspecified cause of mortality</i>
V61.20	Counseling for parent-child problem unspecified	Z271.89	Other specified counseling %
V61.8	Family circumstances NEC	Z62.891 Z63.8	Sibling rivalry % Other specified problems related to primary support group % ^ Applicable to: <i>Family discord NOS</i> <i>Family estrangement NOS</i> <i>High expressed emotional level within family</i> <i>Inadequate family support NOS</i> <i>Inadequate or distorted communication within family</i>
V62.82	Bereavement, uncomplicated	Z63.4	Disappearance and death of family member ^ Applicable to: <i>Assumed death of family member Bereavement</i>
V62.89	Psychological stress NEC	Z65.8	Other specified problems related to psychosocial circumstances % ^
V79.9	Screen-mental disorder NOS	Z13.89	Encounter for screening for other disorder % ^ Applicable to: <i>Encounter for screening for genitourinary disorders</i>

### ICD-10 Made Simple - DOCUMENT!

<b>Acuity</b>	Acute, chronic, intermittent
<b>Severity</b>	Mild, moderate, severe
<b>Etiology</b>	Trauma, diabetes, renal failure, exercise or infection induced
<b>Location</b>	Where is it- be specific about which joint, chest, femur, posterior thorax
<b>Laterality</b>	Which side is it? Left, right, both
<b>Detail</b>	Present on admission status, associated symptom (hypoxia, loss of consciousness), additional medical diagnoses, initial versus subsequent encounter