

Critical Care

ICD-10-CM 2014: Reference Mapping Card

ICD-9-CM		ICD-10-CM		ICD-9-CM		ICD-10-CM	
250.13	Diabetes with ketoacidosis, type I juvenile type, uncontrolled	E10.10	Type 1 diabetes mellitus with ketoacidosis without coma	415.11	Iatrogenic pulmonary embolism and infarction	T80.0XXA	Air embolism following infusion, transfusion and therapeutic injection, initial encounter
		E10.65	Type 1 diabetes mellitus with hyperglycemia			T81.718A	Complication of other artery following a procedure, not elsewhere classified, initial encounter
293.0	Delirium due to conditions classified elsewhere	F05	Delirium due to known physiological condition Applicable to: <i>Acute or subacute brain syndrome</i> <i>Acute or subacute confusional state (nonalcoholic)</i> <i>Acute or subacute infective psychosis</i> <i>Acute or subacute organic reaction</i> <i>Acute or subacute psychorganic syndrome</i> <i>Delirium of mixed etiology</i> <i>Delirium superimposed on dementia</i> <i>Sundowning</i> Code first: <i>The underlying physiological condition</i>			T81.72XA	Complication of vein following a procedure, not elsewhere classified, initial encounter
327.23	Obstructive sleep apnea (adult) (pediatric)	G47.33	Obstructive sleep apnea (adult) (pediatric)			T82.817A	Embolism of cardiac prosthetic devices, implants and grafts, initial encounter
338.18	Other acute postoperative pain	G89.18	Other acute postprocedural pain Applicable to: <i>Postoperative pain NOS</i> <i>Postprocedural pain NOS</i>			T82.818A	Embolism of vascular prosthetic devices, implants and grafts, initial encounter
345.90	Epilepsy unspecified without mention of intractable epilepsy	G40.901	Epilepsy, not intractable, with status epilepticus	415.19	Other pulmonary embolism & infarction	I26.90	Septic pulmonary embolism without acute cor pulmonale Code first: <i>The underlying infection</i>
		G40.909	Epilepsy, not intractable, without status epilepticus Applicable to: <i>Epilepsy NOS</i> <i>Epileptic convulsions NOS</i> <i>Epileptic fits NOS</i> <i>Epileptic seizures NOS</i> <i>Recurrent seizures NOS</i> <i>Seizure disorder NOS</i>			I26.99	Other pulmonary embolism without acute cor pulmonale Applicable to: <i>Acute pulmonary embolism NOS</i> <i>Pulmonary embolism NOS</i>
347.01	Narcolepsy, with cataplexy	G47.411	Narcolepsy with cataplexy	430	Subarachnoid hemorrhage	I60.9	Nontraumatic subarachnoid hemorrhage
348.5	Cerebral edema, effusion	G93.6	Cerebral edema	431	Intracerebral hemorrhage	I61.9	Nontraumatic intracerebral hemorrhage
401.9	Hypertension	I10	Essential (primary) hypertension <i>I10 is not usually sufficient justification for admission to an acute care hospital when used a principal diagnosis.</i>	491.21	Obstructive chronic bronchitis with acute exacerbation	J44.1	Chronic obstructive pulmonary disease with (acute) exacerbation Applicable to: <i>Decompensated COPD</i> <i>Decompensated COPD with (acute) exacerbation</i>

Critical Care

ICD-10-CM 2014: Reference Mapping Card

ICD-9-CM		ICD-10-CM		ICD-9-CM		ICD-10-CM	
496	Chronic obstructive pulmonary disease	J44.9	Chronic obstructive pulmonary disease, unspecified Applicable To <i>Chronic obstructive airway disease NOS</i> <i>Chronic obstructive lung disease NOS</i>	518.82	Pulmonary insufficiency	J80	Acute respiratory distress syndrome Applicable to: <i>Acute respiratory distress syndrome in adult or child</i> <i>Adult hyaline membrane disease</i>
507.0	Aspiration pneumonitis	J69.0	Pneumonitis due to inhalation of food and vomit Applicable to: <i>Aspiration pneumonia NOS</i> <i>Aspiration pneumonia (due to) food (regurgitated)</i> <i>Aspiration pneumonia (due to) gastric secretions</i> <i>Aspiration pneumonia (due to) milk</i> <i>Aspiration pneumonia (due to) vomit</i> Code also: <i>Any associated foreign body in respiratory tract (T17.-)</i>	578.9	Gastrointestinal hemorrhage	K92.2	Gastrointestinal hemorrhage, Applicable to: <i>Gastric hemorrhage NOS</i> <i>Intestinal hemorrhage NOS</i>
511.89	Other specified forms of effusion, except tuberculosis	J90	Pleural effusion, not elsewhere classified Applicable to: <i>Encysted pleurisy</i> <i>Pleural effusion NOS</i> <i>Pleurisy with effusion (exudative) (serous)</i>	584.9	Acute kidney failure, unspecified	N17.9	Acute kidney failure, Applicable to: <i>Acute kidney injury (nontraumatic)</i>
		J94.2	Hemothorax Applicable to: <i>Hemopneumothorax</i>	585.6	End stage renal disease	N18.6	End stage renal disease Applicable to: <i>Chronic kidney disease requiring chronic dialysis</i> <i>Use additional code to identify dialysis status (Z99.2)</i> Dependence on renal dialysis Applicable to: <i>Hemodialysis status</i> <i>Peritoneal dialysis status</i> <i>Presence of arteriovenous shunt for dialysis</i> <i>Renal dialysis status NOS</i>
		J94.8	Other specified pleural conditions Applicable to: <i>Hydropneumothorax</i> <i>Hydrothorax</i>				
518.0	Atelectasis, pulmonary collapse	J98.11	Atelectasis	780.52	Insomnia	G47.00	Insomnia, unspecified Applicable to: <i>Insomnia NOS</i>
518.4	Acute lung edema	J98.19	Other pulmonary collapse	780.53	Sleep apnea with hypersomnia	G47.30	Sleep apnea, unspecified Applicable to: Sleep apnea NOS
518.4	Acute lung edema	J81.0	Acute pulmonary edema Applicable to: <i>Acute edema of lung</i>				
518.51	Acute respiratory failure following trauma and surgery	J95.821	Acute postprocedural respiratory failure Applicable to: <i>Postprocedural respiratory failure NOS</i>				

T17.* Refer to T17 Table**

- Z99.2 is a specific code that can be used to specify a diagnosis
- Z99.2 is considered unacceptable as a principal diagnosis as it describes a circumstance which influences an individual's health status but not a current illness or injury, or the diagnosis may not be a specific manifestation but may be due to an underlying cause
- Z99.2 is considered exempt from POA reporting

Critical Care

ICD-10-CM 2014: Reference Mapping Card

ICD-9-CM	ICD-10-CM
780.54 Hypersomnia	G47.10 Hypersomnia, Applicable to: <i>Hypersomnia NOS</i>
780.57 Sleep apnea	G47.30 Sleep apnea, Applicable to: <i>Sleep apnea NOS</i>
780.79 Other malaise and fatigue	G93.3 Postviral fatigue syndrome Applicable to: <i>Benign myalgic encephalomyelitis</i> R53.1 Weakness Applicable to: <i>Asthenia NOS</i> R53.81 Other malaise Applicable to: <i>Chronic debility</i> <i>Debility NOS</i> <i>General physical deterioration</i> <i>Malaise NOS</i> <i>Nervous debility</i> R53.83 Other fatigue Applicable to: <i>Fatigue NOS</i> <i>Lack of energy</i> <i>Lethargy</i> <i>Tiredness</i>
785.59 Shock, other	R57.1 Hypovolemic shock R57.8 Other shock
786.05 Shortness of breath	R06.02 Shortness of breath
786.09 Respiratory insufficiency	R06.09 Other forms of dyspnea Periodic breathing Applicable to: <i>Cheyne-Stokes breathing</i> R06.83 Snoring R06.89 Other abnormalities of breathing Applicable to: <i>Breath-holding (spells)</i> <i>Sighing</i>
799.02 Hypoxemia	R09.02 Hypoxemia
995.92 Systemic infmtory syndrome, infectious with organ dysfunction	R65.20 Severe sepsis without septic shock Applicable to: <i>Severe sepsis NOS</i>

T17.**#	Foreign Body in Respiratory Tract
#	A – Initial encounter, D – Subsequent encounter, S – Sequela
T17.0XX#	Foreign body in nasal sinus
T17.1XX#	Foreign body in nostril
T17.210#	Gastric contents in pharynx causing asphyxiation
T17.218#	Gastric contents in pharynx causing other injury
T17.220#	Food in pharynx causing asphyxiation
T17.228#	Food in pharynx causing other injury
T17.290#	Other foreign object in pharynx causing asphyxiation
T17.298#	Other foreign object in pharynx causing other injury

T17.**#	Foreign Body in Respiratory Tract (continued)
#	A – Initial encounter, D – Subsequent encounter S – Sequela
T17.310#	Gastric contents in larynx causing asphyxiation
T17.318#	Gastric contents in larynx causing other injury
T17.320#	Food in larynx causing asphyxiation
T17.328#	Food in larynx causing other injury
T17.390#	Other foreign object in larynx causing asphyxiation
T17.398#	Other foreign object in larynx causing other injury
T17.410#	Gastric contents in trachea causing asphyxiation
T17.418#	Gastric contents in trachea causing other injury
T17.420#	Food in trachea causing asphyxiation
T17.428#	Food in trachea causing other injury
T17.490#	Other foreign object in trachea causing asphyxiation
T17.498#	Other foreign object in trachea causing other injury
T17.510#	Gastric contents in bronchus causing asphyxiation
T17.518#	Gastric contents in bronchus causing other injury
T17.520#	Food in bronchus causing asphyxiation
T17.528#	Food in bronchus causing other injury
T17.590#	Other foreign object in bronchus causing asphyxiation
T17.598#	Other foreign object in bronchus causing other injury
T17.810#	Gastric contents in other parts of respiratory tract causing asphyxiation
T17.818#	Gastric contents in other parts of respiratory tract causing other injury
T17.820#	Food in other parts of respiratory tract causing asphyxiation
T17.828#	Food in other parts of respiratory tract causing other injury
T17.890#	Other foreign object in other parts of respiratory tract causing asphyxiation
T17.898#	Other foreign object in other parts of respiratory tract causing other injury

ICD-10 Made Simple - DOCUMENT!	
Acuity	Acute, chronic, intermittent
Severity	Mild, moderate, severe
Etiology	Trauma, diabetes, renal failure, exercise or infection induced
Location	Where is it - be specific about which joint, chest, femur, posterior thorax
Laterality	Which side is it? Left, right, both
Detail	Present on admission status, associated symptom (hypoxia, loss of consciousness), additional medical diagnoses, initial versus subsequent encounter