

Emergency Medicine

ICD-10-CM 2014: Reference Mapping Card

ICD-9-CM		ICD-10-CM		ICD-9-CM		ICD-10-CM	
079.99	Unspecified viral infections	B97.89	Other viral agents as the cause of diseases classified elsewhere	780.79	Other malaise and fatigue	G93.3	Postviral fatigue syndrome Applicable to: <i>Benign myalgic encephalomyelitis</i>
276.51	Dehydration	E86.0	Dehydration			R53.1	Weakness Applicable to: Asthenia NOS
401.9	Hypertension	I10	Essential (primary) hypertension <i>I10 is not usually sufficient justification for admission to an acute care hospital when used a principal diagnosis.</i>			R53.81	Other malaise Applicable to: <i>Chronic debility</i> <i>Debility NOS</i> <i>General physical deterioration</i> <i>Malais NOS</i> <i>Nervous debility</i>
558.9	Noninfectious gastroenteritis and colitis	K52.89	Other specified noninfective gastroenteritis and colitis Applicable to: <i>Collagenous colitis</i> <i>Lymphocytic colitis</i> <i>Microscopic colitis (collagenous or lymphocytic)</i>			R53.83	Other fatigue Applicable to: <i>Fatigue NOS</i> <i>Lack of energy</i> <i>Lethargy</i> <i>Tiredness</i>
595.0	Acute cystitis	N30.00	Acute cystitis without hematuria	782.1	Nonspecific skin eruption	R21	Rash and other nonspecific skin eruption
		N30.01	Acute cystitis with hematuria	784.0	Headache, facial pain	G44.1	Vascular headache, not elsewhere classified Headache Applicable to: <i>Facial pain NOS</i>
723.1	Cervicalgia	M54.2	Cervicalgia			R51	
724.2	Low back pain	M54.5	Low back pain Applicable to: <i>Loin pain</i> <i>Lumbago NOS</i>	785.1	Palpitations	R00.2	Palpitations Applicable to: <i>Awareness of heartbeat</i>
780.2	Syncope and collapse	R55	Syncope and collapse Applicable to: <i>Blackout</i> <i>Fainting</i> <i>Vasovagal attack</i>	786.05	Shortness of breath	R06.02	Shortness of breath
780.4	Dizziness and giddiness	R42	Dizziness and giddiness Applicable to: <i>Light-headedness</i> <i>Vertigo NOS</i>	786.09	Respiratory insufficiency	R06.83	Snoring
780.60	Fever, unspecified	R50.2	Drug induced fever Refer to T36 -T50 table Use additional code for adverse effect, if applicable, to identify drug (T36 - T50 with fifth or sixth character 5)	R06.89		R06.89	Other abnormalities of breathing Applicable to: <i>Breath-holding (spells)</i> <i>Sighing</i>
				786.2	Cough	R05	Cough
				786.52	Chest wall pain	R07.1	Chest pain on breathing Applicable to: <i>Painful respiration</i> Pleurodynia Applicable to: <i>Pleurodynia NOS</i>
				786.59	Chest pain, other	R07.82	Intercostal pain
						R07.89	Other chest pain Applicable to: <i>Anterior chest-wall pain NOS</i>
				787.91	Diarrhea	K52.2	Allergic and dietetic gastroenteritis and colitis Applicable to: <i>Food hypersensitivity gastroenteritis or colitis</i>
				787.91	Diarrhea	K52.89	Other specified noninfective gastroenteritis and colitis Applicable to: <i>Collagenous colitis</i> <i>Lymphocytic colitis</i> <i>Microscopic colitis (collagenous or lymphocytic)</i>

Emergency Medicine

ICD-10-CM 2014: Reference Mapping Card

T36 - T50 Poisoning by, adverse effect of and underdosing of drugs, medicaments and biological substances

Note The drug giving rise to the adverse effect should be identified by use of codes from categories T36-T50 with fifth or sixth character 5.

Code Adverse effects, the nature of the adverse effect such as:

First Adverse effect NOS (T88.7)

Aspirin gastritis (K29. -)

Blood disorders (D56 - D76)

Contact dermatitis (L23 - L25)

Dermatitis due to substances taken internally (L27. -)

Nephropathy (N14.0 - N14.2)

Use additional codes to specify:

Manifestations of poisoning

Underdosing or failure in dosage during medical and surgical care (Y63.6, Y63.8 - . Y63.9)

Underdosing of medication regimen (Z91.2-, Z91.13-)

T36 - T50 Adverse Effect of Drugs

T36 Poisoning by, adverse effect of and underdosing of systemic antibiotics

T37 Poisoning by, adverse effect of and underdosing of other systemic anti-infectives and antiparasitics

T38 Poisoning by, adverse effect of and underdosing of hormones and their synthetic substitutes and antagonists, not elsewhere classified

T39 Poisoning by, adverse effect of and underdosing of nonopioid analgesics, antipyretics and antirheumatics

T40 Poisoning by, adverse effect of and underdosing of narcotics and psychodysleptics (hallucinogens)

T41 Poisoning by, adverse effect of and underdosing of anesthetics and therapeutic gases

T42 Poisoning by, adverse effect of and underdosing of antiepileptic, sedative-hypnotic and antiparkinsonism drugs

T43 Poisoning by, adverse effect of and underdosing of psychotropic drugs, not elsewhere classified

T44 Poisoning by, adverse effect of and underdosing of drugs primarily affecting the autonomic nervous system

T45 Poisoning by, adverse effect of and underdosing of primarily systemic and hematological agents, not elsewhere classified

T46 Poisoning by, adverse effect of and underdosing of agents primarily affecting the cardiovascular system

T47 Poisoning by, adverse effect of and underdosing of agents primarily affecting the gastrointestinal system

T48 Poisoning by, adverse effect of and underdosing of agents primarily acting on smooth and skeletal muscles and the respiratory system

T49 Poisoning by, adverse effect of and underdosing of topical agents primarily affecting skin and mucous membrane and by ophthalmological, otorhinolaryngological and dental drugs

ICD-10 Made Simple - DOCUMENT!

Acuity Acute, chronic, intermittent

Severity Mild, moderate, severe

Etiology Trauma, diabetes, renal failure, exercise or infection induced

Location Where is it - be specific about which joint, chest, femur, posterior thorax

Laterality Which side is it? Left, right, both

Detail Present on admission status, associated symptom (hypoxia, loss of consciousness), additional medical diagnoses, initial versus subsequent encounter

Emergency Medicine

ICD-10-CM 2014: Reference Mapping Card

ICD-9-CM		ICD-10-CM	
079.99	Unspecified viral infections	B97.89	Other viral agents as the cause of diseases classified elsewhere
276.51	Dehydration	E86.0	Dehydration
401.9	Hypertension	I10	Essential (primary) hypertension <i>I10 is not usually sufficient justification for admission to an acute care hospital when used as a principal diagnosis.</i>
558.9	Noninfectious gastroenteritis and colitis	K52.89	Other specified noninfective gastroenteritis and colitis Applicable to: <i>Collagenous colitis</i> <i>Lymphocytic colitis</i> <i>Microscopic colitis (collagenous or lymphocytic)</i>
595.0	Acute cystitis	N30.00	Acute cystitis without hematuria
		N30.01	Acute cystitis with hematuria
723.1	Cervicalgia	M54.2	Cervicalgia
724.2	Low back pain	M54.5	Low back pain Applicable to: <i>Loin pain</i> <i>Lumbago NOS</i>
780.2	Syncope and collapse	R55	Syncope and collapse Applicable to: <i>Blackout</i> <i>Fainting</i> <i>Vasovagal attack</i>
780.4	Dizziness and giddiness	R42	Dizziness and giddiness Applicable to: <i>Light-headedness</i> <i>Vertigo NOS</i>
780.60	Fever, unspecified	R50.2	Drug induced fever Refer to T36 -T50 table Use additional code for adverse effect, if applicable, to identify drug (T36 - T50 with fifth or sixth character 5)

ICD-9-CM		ICD-10-CM	
780.79	Other malaise and fatigue	G93.3	Postviral fatigue syndrome Applicable to: <i>Benign myalgic encephalomyelitis</i>
		R53.1	Weakness Applicable to: Asthenia NOS
		R53.81	Other malaise Applicable to: <i>Chronic debility</i> <i>Debility NOS</i> <i>General physical deterioration</i> <i>Malais NOS</i> <i>Nervous debility</i>
		R53.83	Other fatigue Applicable to: <i>Fatigue NOS</i> <i>Lack of energy</i> <i>Lethargy</i> <i>Tiredness</i>
782.1	Nonspecific skin eruption	R21	Rash and other nonspecific skin eruption
784.0	Headache, facial pain	G44.1	Vascular headache, not elsewhere classified
		R51	Headache Applicable to: <i>Facial pain NOS</i>
785.1	Palpitations	R00.2	Palpitations Applicable to: <i>Awareness of heartbeat</i>
786.05	Shortness of breath	R06.02	Shortness of breath
786.09	Respiratory insufficiency	R06.83	Snoring
		R06.89	Other abnormalities of breathing Applicable to: <i>Breath-holding (spells)</i> <i>Sighing</i>
786.2	Cough	R05	Cough
786.52	Chest wall pain	R07.1	Chest pain on breathing Applicable to: <i>Painful respiration</i>
		R07.81	Pleurodynia Applicable to: <i>Pleurodynia NOS</i>
786.59	Chest pain, other	R07.82	Intercostal pain
		R07.89	Other chest pain Applicable to: <i>Anterior chest-wall pain NOS</i>
787.91	Diarrhea	K52.2	Allergic and dietetic gastroenteritis and colitis Applicable to: <i>Food hypersensitivity gastroenteritis or colitis</i>
787.91	Diarrhea	K52.89	Other specified noninfective gastroenteritis and colitis Applicable to: <i>Collagenous colitis</i> <i>Lymphocytic colitis</i> <i>Microscopic colitis (collagenous or lymphocytic)</i>

Emergency Medicine

ICD-10-CM 2014: Reference Mapping Card

T36 - T50 Poisoning by, adverse effect of and underdosing of drugs, medicaments and biological substances

Note The drug giving rise to the adverse effect should be identified by use of codes from categories T36-T50 with fifth or sixth character 5.

Code Adverse effects, the nature of the adverse effect such as:

First Adverse effect NOS (T88.7)

Aspirin gastritis (K29. -)

Blood disorders (D56 - D76)

Contact dermatitis (L23 - L25)

Dermatitis due to substances taken internally (L27. -)

Nephropathy (N14.0 - N14.2)

Use additional codes to specify:

Manifestations of poisoning

Underdosing or failure in dosage during medical and surgical care (Y63.6, Y63.8 - . Y63.9)

Underdosing of medication regimen (Z91.2-, Z91.13-)

T36 - T50 Adverse Effect of Drugs

T36 Poisoning by, adverse effect of and underdosing of systemic antibiotics

T37 Poisoning by, adverse effect of and underdosing of other systemic anti-infectives and antiparasitics

T38 Poisoning by, adverse effect of and underdosing of hormones and their synthetic substitutes and antagonists, not elsewhere classified

T39 Poisoning by, adverse effect of and underdosing of nonopioid analgesics, antipyretics and antirheumatics

T40 Poisoning by, adverse effect of and underdosing of narcotics and psychodysleptics (hallucinogens)

T41 Poisoning by, adverse effect of and underdosing of anesthetics and therapeutic gases

T42 Poisoning by, adverse effect of and underdosing of antiepileptic, sedative-hypnotic and antiparkinsonism drugs

T43 Poisoning by, adverse effect of and underdosing of psychotropic drugs, not elsewhere classified

T44 Poisoning by, adverse effect of and underdosing of drugs primarily affecting the autonomic nervous system

T45 Poisoning by, adverse effect of and underdosing of primarily systemic and hematological agents, not elsewhere classified

T46 Poisoning by, adverse effect of and underdosing of agents primarily affecting the cardiovascular system

T47 Poisoning by, adverse effect of and underdosing of agents primarily affecting the gastrointestinal system

T48 Poisoning by, adverse effect of and underdosing of agents primarily acting on smooth and skeletal muscles and the respiratory system

T49 Poisoning by, adverse effect of and underdosing of topical agents primarily affecting skin and mucous membrane and by ophthalmological, otorhinolaryngological and dental drugs

ICD-10 Made Simple - DOCUMENT!

Acuity Acute, chronic, intermittent

Severity Mild, moderate, severe

Etiology Trauma, diabetes, renal failure, exercise or infection induced

Location Where is it - be specific about which joint, chest, femur, posterior thorax

Laterality Which side is it? Left, right, both

Detail Present on admission status, associated symptom (hypoxia, loss of consciousness), additional medical diagnoses, initial versus subsequent encounter