

Family Medicine

ICD-10-CM 2014: Reference Mapping Card

053.9 – 389.9 ICD-9 codes 053.9 through 389.9 and the equivalent ICD-10 code

ICD-9-CM	ICD-10-CM
053.9 Herpes zoster without complication	B02.9 Zoster without complications
079.99 Unspecified viral infections	B97.89 Other viral agents as the cause of diseases classified elsewhere
110.1 Dermatophytosis of nail	B35.1 Tinea unguium
110.5 Dermatophytosis of body	B35.5 Tinea imbricata
238.2 Uncertain behavior neoplasm skin	D48.5 Neoplasm of uncertain behavior of skin
245.2 Chronic lymphocytic thyroiditis	E06.3 Autoimmune thyroiditis
250.00 Diabetes mellitus without mention complication, type II or unspecified type	E11.9 Type 2 diabetes mellitus without complications
250.02 Diabetes mellitus without mention complication, type II or unspecified type, uncontrolled	E11.65 Type 2 diabetes mellitus with hyperglycemia
250.40 Diabetes with renal manifestations, type II or unspecified, not stated uncontrolled	E11.29 Type 2 diabetes mellitus with other diabetic kidney complication
250.42 Diabetes with renal manifestations, type II or unspecified, uncontrolled	E11.21 Type 2 diabetes mellitus with diabetic nephropathy Applicable to: Type 2 diabetes mellitus with <i>intercapillary glomerulosclerosis</i> Type 2 diabetes mellitus with <i>intracapillary glomerulonephrosis</i> Type 2 diabetes mellitus with <i>Kimmelstiel-Wilson disease</i> E11.65 Type 2 diabetes mellitus with hyperglycemia
257.2 Testicular hypofunction	E29.1 Testicular hypofunction
266.2 B-complex deficiency NEC	E53.8 Deficiency of other specified B group vitamins
272.0 Hypercholesterolemia	E78.0 Pure hypercholesterolemia
272.1 Pure hyperglyceridemia	E78.1 Pure hyperglyceridemia
272.4 Hyperlipidemia, other unspecified	E78.4 Other hyperlipidemia Applicable to: <i>Familial combined hyperlipidemia</i>
276.51 Dehydration	E86.0 Dehydration
300.02 Generalized anxiety disorder	F41.1 Generalized anxiety disorder
300.4 Dysthymic disorder	F34.1 Dysthymic disorder

ICD-9-CM	ICD-10-CM
302.72 Inhibited sex excitement	F52.21 Male erectile disorder Applicable to: <i>Psychogenic impotence</i> F52.8 Other sexual dysfunction not due to a substance or known physiological condition Applicable to: <i>Excessive sexual drive</i> <i>Nymphomania</i> <i>Satyriasis</i>
314.00 Attention deficit non-hyperactivity	F90.0 Attention-deficit hyperactivity disorder, predominantly inattentive type
314.01 Attention deficit/hyperactivity	F90.1 Attention-deficit hyperactivity disorder, predominantly hyperactive type F90.2 Attention-deficit hyperactivity disorder, combined type Attention-deficit
346.10 Migraine without aura, without mention intractable migraine without mention migrainosus	G43.009 Migraine without aura, not intractable, without status migrainosus Applicable to: <i>Migraine without aura NOS</i>
372.00 Acute conjunctivitis, unspecified	H10.33 Unspecified acute conjunctivitis, bilateral
380.4 Impacted cerumen	H61.23 Impacted cerumen, bilateral

ICD-10 Made Simple - DOCUMENT!

Acuity	Acute, chronic, intermittent
Severity	Mild, moderate, severe
Etiology	Trauma, diabetes, renal failure, exercise or infection induced
Location	Where is it- be specific about which joint, chest, femur, posterior thorax
Laterality	Which side is it? Left, right, both
Detail	Present on admission status, associated symptom (hypoxia, loss of consciousness), additional medical diagnoses, initial versus subsequent encounter

Family Medicine

ICD-10-CM 2014: Reference Mapping Card

401.9 – 692.9 ICD-9 codes 401.9 through 692.9 and the equivalent ICD-10 code

Description

- @ Code is only applicable to adult patients aged 15 - 124 years inclusive.
- * Code is only applicable to female patients.
- # Code is not usually sufficient justification for admission to an acute care hospital when used a principal diagnosis.
- % Considered unacceptable as a principal diagnosis as it describes a circumstance which influences an individual's health status but not a current illness or injury, or the diagnosis may not be a specific manifestation but may be due to an underlying cause.
- ^ Considered exempt from POA reporting.

ICD-9-CM		ICD-10-CM	
401.9	Hypertension	I10	Essential (primary) hypertension #
414.00	Coronary atherosclerosis of unspecified vessel	I25.10	Atherosclerotic heart disease of native coronary artery without angina pectoris Applicable to: <i>Atherosclerotic heart disease NOS @</i>
477.9	Allergic rhinitis, unspecified cause	J30.0	Vasomotor rhinitis

ICD-9-CM	ICD-10-CM
487.1	Flu with respiratory manifestations
J10.1	Influenza due to other identified influenza virus with other respiratory manifestations Applicable to: <i>Influenza due to other identified influenza virus NOS</i> <i>Influenza due to other identified influenza virus with laryngitis</i> <i>Influenza due to other identified influenza virus with pharyngitis</i> <i>Influenza due to other identified influenza virus with upper respiratory symptoms</i> <i>Use additional code for associated pleural effusion, if applicable (J91.8)</i> <i>code for associated sinusitis, if applicable (J01.-)</i>
J91.8	Pleural effusion in other conditions classified elsewhere <i>Code first underlying disease such as:</i> <i>filariasis (B74.0 -B74.9)</i> <i>influenza (J09.X2, J10.1, J11.1)</i>
J11.1	Influenza due to unidentified influenza virus with other respiratory manifestations Applicable to: <i>Influenza NOS</i> <i>Influenza laryngitis NOS</i> <i>Influenza pharyngitis NOS</i> <i>Influenza with upper respiratory symptoms NOS</i> <i>effusion, if applicable (J91.8)</i> <i>code for associated sinusitis, if applicable (J01.-)</i> <i>Use additional code for associated Pleural</i>

Family Medicine

ICD-10-CM 2014: Reference Mapping Card

ICD-9-CM	ICD-10-CM	ICD-9-CM	ICD-10-CM
490	Bronchitis	Z77.22	Contact with and (suspected) exposure to environmental tobacco smoke (acute) (chronic) % Applicable to: <i>Exposure to second hand tobacco smoke (acute) (chronic)</i> <i>Passive smoking (acute) (chronic)</i>
		P96.81	Exposure to (parental) (environmental) tobacco smoke in the perinatal period
		Z87.891	Contact with and (suspected) exposure to environmental tobacco smoke (acute) (chronic) % ^
		Z57.31	Occupational exposure to environmental tobacco smoke %
	F17.-		Nicotine dependence %
	F17.210		Nicotine dependence, cigarettes, uncomplicated
	F17.211		Nicotine dependence, cigarettes, in remission
	F17.218		Nicotine dependence, cigarettes, with other nicotine-induced disorder
	F17.220		Nicotine dependence, chewing tobacco, uncomplicated
	F17.221		Nicotine dependence, chewing tobacco, in remission
	F17.228		Nicotine dependence, chewing tobacco, with other nicotine-induced disorder
	F17.290		Nicotine dependence, other tobacco product, uncomplicated
	F17.291		Nicotine dependence, other tobacco product, in remission
	F17.298		Nicotine dependence, other tobacco product, with other nicotine-induced disorder
		Z72.0	Tobacco use % ^ Applicable to: <i>Tobacco use NOS</i>
493.90	Asthma, unspecified	J45.998	Other asthma
530.81	Esophageal reflux	K21.9	Gastro-esophageal reflux disease without esophagitis Applicable to: <i>Esophageal reflux NOS</i>
558.9	Noninfectious gastroenteritis and colitis	K52.89	Other specified noninfective gastroenteritis and colitis Applicable to: <i>Collagenous colitis</i> <i>Lymphocytic colitis</i> <i>Microscopic colitis (collagenous or lymphocytic)</i>
562.11	Diverticulitis of colon	K57.32	Diverticulitis of large intestine without perforation or abscess without bleeding
585.3	Chronic kidney disease, stage iii (moderate)	N18.3	Chronic kidney disease, stage 3 (moderate)
592.0	Calculus of kidney	N20.0	Calculus of kidney Applicable to: <i>Nephrolithiasis NOS</i> <i>Renal calculus</i> <i>Renal stone</i> <i>Staghorn calculus</i> <i>Stone in kidney</i>
599.0	Urinary tract infection	B95	Streptococcus, Staphylococcus, and Enterococcus as the cause of diseases classified elsewhere
		B96	Other bacterial agents as the cause of diseases classified elsewhere
		B97	Viral agents as the cause of diseases classified elsewhere
		B95	Streptococcus, Staphylococcus, and Enterococcus as the cause of diseases classified elsewhere
		B95.0	Streptococcus, group A, as the cause of diseases classified elsewhere
		B95.1	Streptococcus, group B, as the cause of diseases classified elsewhere
		B95.2	Enterococcus as the cause of diseases classified elsewhere
		B95.3	Streptococcus pneumoniae as the cause of diseases classified elsewhere
		B95.4	Other streptococcus as the cause of diseases classified elsewhere
		B95.61	Methicillin susceptible Staphylococcus aureus infection as the cause of diseases classified
		B95.62	Methicillin resistant Staphylococcus aureus infection as the cause of diseases classified
		B95.7	Other staphylococcus as the cause of diseases classified elsewhere

Family Medicine

ICD-10-CM 2014: Reference Mapping Card

B96 Other bacterial agents as the cause of diseases classified elsewhere		ICD-9-CM	ICD-10-CM
B96.0	Mycoplasma pneumoniae (M. pneumonia) as the cause of diseases classified elsewhere	600.00	Hypertrophy (benign) of prostate without urinary obstruction
B96.1	Klebsiella pneumonia (K. pneumonia) as the cause of diseases classified elsewhere	N40.0	Enlarged prostate without lower urinary tract symptoms @ <i>N40.0 is only applicable to male patients.</i> Applicable to: <i>Enlarged prostate without LUTS</i> <i>Enlarged prostate NOS</i>
B96.21	Shiga toxin-producing Escherichia coli (E. coli) (STEC) O157 as the cause of diseases classified elsewhere	611.71	Mastodynia
B96.22	Other specified Shiga toxin-producing Escherichia coli (E. coli) (STEC) as the cause of diseases classified elsewhere	616.10	Vaginitis and vulvovaginitis, unspecified
B96.29	Other Escherichia coli (E. coli) as the cause of diseases classified elsewhere	N64.4	Mastodynia
B96.3	Hemophilus influenzae (H. influenza) as the cause of diseases classified elsewhere	N76.0	Acute vaginitis * Applicable to: <i>Acute vulvovaginitis</i> <i>Vaginitis NOS</i> <i>Vulvovaginitis NOS</i>
B96.4	Proteus (mirabilis) (morganii) as the cause of diseases classified elsewhere	N76.1	Subacute and chronic vaginitis * Applicable to: <i>Chronic vulvovaginitis</i> <i>Subacute vulvovaginitis</i>
B96.5	Pseudomonas (aeruginosa) (mallei) (pseudomallei) as the cause of diseases classified elsewhere	N76.2	Acute vulvitis * Applicable to: <i>Vulvitis NOS</i>
B96.6	Bacteroides fragilis (B. fragilis) as the cause of diseases classified elsewhere	N76.3	Subacute and chronic vulvitis *
B96.7	Clostridium perfringens (C. perfringens) as the cause of diseases classified elsewhere	625.9	Female genital symptoms, unspecified
B96.81	Helicobacter pylori (H. pylori) as the cause of diseases classified elsewhere	N94.89	Other specified conditions associated with female genital organs and menstrual cycle * Pelvic and perineal pain
B96.82	Vibrio vulnificus as the cause of diseases classified elsewhere	R10.2	Excessive menstruation
B96.89	Other specified bacterial agents as the cause of diseases classified elsewhere	N92.0	Excessive and frequent menstruation with regular cycle *
B97 Viral agents as the cause of diseases classified elsewhere		626.2	Excessive menstruation
B97.0	Adenovirus as the cause of diseases classified elsewhere	626.4	Irregular menstruation
B97.11	Coxsackievirus as the cause of diseases classified elsewhere	627.2	Female climacteric state
B97.12	Echovirus as the cause of diseases classified elsewhere	N95.1	Menopausal and female climacteric states * Applicable to: <i>Symptoms such as flushing, sleeplessness, headache, lack of concentration, associated with natural (age-related) menopause</i> <i>Use additional code for associated symptoms</i>
B97.19	Other enterovirus as the cause of diseases classified elsewhere	682.0	Cellulitis of face
B97.21	SARS-associated coronavirus as the cause of diseases classified elsewhere	K12.2	Cellulitis and abscess of mouth Applicable to: <i>Cellulitis of mouth (floor)</i> <i>Submandibular abscess</i>
B97.29	Other coronavirus as the cause of diseases classified elsewhere	L03.211	Cellulitis of face
B97.31	Lentivirus as the cause of diseases classified elsewhere	L03.212	Acute lymphangitis of Face
B97.32	Oncovirus as the cause of diseases classified elsewhere		
B97.33	Human T-cell lymphotropic virus, type I [HTLV-I] as the cause of diseases classified elsewhere		
B97.34	Human T-cell lymphotropic virus, type II [HTLV-II] as the cause of diseases classified elsewhere		
B97.35	Human immunodeficiency virus, type 2 [HIV 2] as the cause of diseases classified elsewhere		
B97.39	Other retrovirus as the cause of diseases classified elsewhere		
B97.4	Respiratory syncytial virus as the cause of diseases classified elsewhere		
B97.5	Reovirus as the cause of diseases classified elsewhere		
B97.6	Parvovirus as the cause of diseases classified elsewhere		
B97.7	Papillomavirus as the cause of diseases classified elsewhere		
B97.81	Human metapneumovirus as the cause of diseases classified elsewhere		
B97.89	Other viral agents as the cause of diseases classified elsewhere		

Family Medicine

ICD-10-CM 2014: Reference Mapping Card

ICD-10 Made Simple - DOCUMENT!

Acuity	Acute, chronic, intermittent
Severity	Mild, moderate, severe
Etiology	Trauma, diabetes, renal failure, exercise or infection induced
Location	Where is it- be specific about which joint, chest, femur, posterior thorax
Laterality	Which side is it? Left, right, both
Detail	Present on admission status, associated symptom (hypoxia, loss of consciousness), additional medical diagnoses, initial versus subsequent encounter

Family Medicine

ICD-10-CM 2014: Reference Mapping Card

702 - 780 ICD-9 codes 702 through 780 and the equivalent ICD-10 code			ICD-9-CM	ICD-10-CM
702.0	Actinic keratosis	L57.0	733.00 Osteoporosis, unspecified	M81.0 Age-related osteoporosis without current pathological fracture Applicable to: <i>Involuntal osteoporosis without current pathological fracture</i> <i>Osteoporosis NOS</i> <i>Postmenopausal osteoporosis without current pathological fracture</i> <i>Senile osteoporosis without current pathological fracture</i> <i>M81.0 is only applicable to adult patients aged 15 - 124 years inclusive.</i>
703.0	Ingrowing nail	L60.0	780.2 Syncope and collapse	R55 Syncope and collapse Applicable to: <i>Blackout</i> <i>Fainting</i> <i>Vasovagal attack</i>
704.8	Hair, hair follicle disease	L66.3	780.4 Dizziness and giddiness	R42 Dizziness and giddiness
		L73.8	780.6 Fever, unspecified	R50.2 Drug induced fever <i>Use additional code for adverse effect, if applicable, to identify drug (T36 - T50 with fifth or sixth character 5)</i>
706.1	Other acne	L70.0		T36 - T50 Refer to T36 - T50 Table
		L70.1	780.79 Other malaise and fatigue	G93.3 Postviral fatigue syndrome Applicable to: <i>Benign myalgic encephalomyelitis</i> Weakness Applicable to: <i>Asthenia NOS</i> Other malaise Applicable to: <i>Chronic debility</i> <i>Debility NOS</i> <i>General physical deterioration</i> <i>Malaise NOS</i> <i>Nervous debility</i> Other fatigue Applicable to: <i>Fatigue NOS</i> <i>Lack of energy</i> <i>Lethargy</i> <i>Tiredness</i>
		L70.8	780.93 Memory loss	R41.2 Retrograde amnesia R41.3 Other amnesia Applicable to: <i>Amnesia NOS</i> <i>Memory loss NOS</i>
706.2	Sebaceous cyst	L72.3		
714.0	Rheumatoid arthritis	M06.9		
723.1	Cervicalgia	M54.2		
723.4	Brachial neuritis, radiculitis	M54.12		
		M54.13		
724.1	Pain in thoracic spine	M54.6		
724.2	Low back pain	M54.5		
		M54.14		
		M54.15		
		M54.16		
		M54.17		
724.5	Backache	M54.89		
728.71	Plantar fibromatosis	M72.2		
729.1	Myalgia and myositis	M79.1		
		M79.7		
729.81	Swelling of limb	M79.89		

Family Medicine

ICD-10-CM 2014: Reference Mapping Card

T36 - T50 Adverse Effect of Drugs

T36	Poisoning by, adverse effect of and underdosing of systemic antibiotics
T37	Poisoning by, adverse effect of and underdosing of other systemic anti-infectives and antiparasitics
T38	Poisoning by, adverse effect of and underdosing of hormones and their synthetic substitutes and antagonists, not elsewhere classified
T39	Poisoning by, adverse effect of and underdosing of nonopioid analgesics, antipyretics and antirheumatics
T40	Poisoning by, adverse effect of and underdosing of narcotics and psychodysleptics (hallucinogens)
T41	Poisoning by, adverse effect of and underdosing of anesthetics and therapeutic gases
T42	Poisoning by, adverse effect of and underdosing of antiepileptic, sedative-hypnotic and antiparkinsonism drugs
T43	Poisoning by, adverse effect of and underdosing of psychotropic drugs, not elsewhere classified
T44	Poisoning by, adverse effect of and underdosing of drugs primarily affecting the autonomic nervous system
T45	Poisoning by, adverse effect of and underdosing of primarily systemic and hematological agents, not elsewhere classified
T46	Poisoning by, adverse effect of and underdosing of agents primarily affecting the cardiovascular system
T47	Poisoning by, adverse effect of and underdosing of agents primarily affecting the gastrointestinal system
T48	Poisoning by, adverse effect of and underdosing of agents primarily acting on smooth and skeletal muscles and the respiratory system
T49	Poisoning by, adverse effect of and underdosing of topical agents primarily affecting skin and mucous membrane and by ophthalmological, otorhinolaryngological and dental drugs
T50	Poisoning by, adverse effect of and underdosing of diuretics and other and unspecified drugs, medicaments and biological substances

ICD-10 Made Simple - DOCUMENT!

Acuity	Acute, chronic, intermittent
Severity	Mild, moderate, severe
Etiology	Trauma, diabetes, renal failure, exercise or infection induced
Location	Where is it- be specific about which joint, chest, femur, posterior thorax
Laterality	Which side is it? Left, right, both
Detail	Present on admission status, associated symptom (hypoxia, loss of consciousness), additional medical diagnoses, initial versus subsequent encounter

Family Medicine

ICD-10-CM 2014: Reference Mapping Card

782 – 796.2 ICD-9 codes 782 through 796.2 and the equivalent ICD-10 code		ICD-9-CM		ICD-10-CM	
		787.02	Nausea alone	R11.0	Nausea Applicable to: <i>Nausea NOS</i> <i>Nausea without vomiting</i>
		787.3	Abdominal distention	R14.0	Abdominal distension (gaseous) Applicable to: <i>Bloating</i> <i>Tympanites (abdominal) (intestinal)</i>
				R14.1	Gas pain
				R14.2	Eructation
				R14.3	Flatulence
		787.91	Diarrhea	K52.2	Allergic and dietetic gastroenteritis and colitis Applicable to: <i>Food hypersensitivity gastroenteritis or colitis</i> <i>Use additional code to identify type of food allergy (Z91.01-Z91.02-)</i>
				Z91.010	Food allergy to peanuts
				Z91.011	Food allergy to milk products
				Z91.012	Food allergy to eggs
				Z91.013	Food allergy to seafood
				Z91.018	Food allergy to other foods
				Z91.02	Food additives allergy status <i>Z91.02 is considered unacceptable as a principal diagnosis as it describes a circumstance which influences an individual's health status but not a current illness or injury, or the diagnosis may not be a specific manifestation but may be due to an underlying cause.</i> <i>Z91.02 is considered exempt from POA reporting.</i>
				K52.89	Other specified noninfective gastroenteritis and colitis Applicable to: <i>Collagenous colitis</i> <i>Lymphocytic colitis</i> <i>Microscopic colitis (collagenous or lymphocytic)</i>
782.0	Skin sensation disturbance	R20.0	Anesthesia of skin		
		R20.1	Hypoesthesia of skin		
		R20.2	Paresthesia of skin Applicable to: <i>Formication</i> <i>Pins and needles</i> <i>Tingling skin</i>		
		R20.3	Hyperesthesia		
		R20.8	Other disturbances of skin sensation		
782.1	Nonspecific skin eruption	R21	Rash and other nonspecific skin eruption		
782.3	Edema	R60.0	Localized edema		
		R60.1	Generalized edema		
783.1	Abnormal weight gain	R63.5	Abnormal weight gain		
783.21	Loss of weight	R63.4	Abnormal weight loss		
784.0	Headache, facial pain	G44.1	Vascular headache, not elsewhere classified		
		R51	Headache Applicable to: <i>Facial pain NOS</i>		
785.1	Palpitations	R00.2	Palpitations Applicable to: <i>Awareness of heart beat</i>		
786.05	Shortness of breath	R06.02	Shortness of breath		
786.07	Wheezing	R06.2	Wheezing		
786.09	Respiratory insufficiency	R06.09	Other forms of dyspnea		
		R06.3	Periodic breathing Applicable to: <i>Cheyne-Stokes breathing</i>		
		R06.83	Snoring		
		R06.89	Other abnormalities of breathing Applicable to: <i>Breath-holding (spells)</i> <i>Sighing</i>		
786.2	Cough	R05	Cough		
786.52	Chest wall pain	R07.1	Chest pain on breathing Applicable to: <i>Painful respiration</i>		
		R07.81	Pleurodynia Applicable to: <i>Pleurodynia NOS</i>		
786.59	Chest pain, other	R07.82	Intercostal pain		
		R07.89	Other chest pain Applicable to: <i>Anterior chest-wall pain NOS</i>		

Family Medicine

ICD-10-CM 2014: Reference Mapping Card

ICD-9-CM		ICD-10-CM	
788.1	Dysuria	R30.0	Dysuria Applicable to: <i>Strangury</i>
788.41	Urinary frequency	R35.0	Frequency of micturition
788.99	Other symptoms involving urinary system	R30.1 R39.2 R39.89	Vesical tenesmus Extrarenal uremia Applicable to: <i>Prerenal uremia</i> Other symptoms and signs involving the genitourinary system
789.01	Abdominal pain, right upper quadrant	R10.11	Right upper quadrant pain
789.04	Abdominal pain, left lower quadrant	R10.32	Left lower quadrant pain
789.05	Abdominal pain, epigastric	R10.33	Periumbilical pain
789.09	Abdominal pain, other specified site	R10.2	Pelvic and perineal pain
790.21	Impaired fasting glucose	R73.01	Impaired fasting glucose Applicable to: <i>Elevated fasting glucose</i>
790.29	Other abnormal glucose	R73.09	Other abnormal glucose Applicable to: <i>Abnormal glucose NOS</i> <i>Abnormal non-fasting glucose tolerance</i> <i>Latent diabetes</i> <i>Prediabetes</i>
790.4	Elevated transaminase, LDH	R74.0	Nonspecific elevation of levels of transaminase and lactic acid dehydrogenase (LDH)

ICD-9-CM		ICD-10-CM	
790.6	Abnormal blood chemistry	R78.89 R79.0 R79.89	Finding of other specified substances, not normally found in blood Applicable to: <i>Finding of abnormal level of lithium in blood</i> Abnormal level of blood mineral Applicable to: <i>Abnormal blood level of cobalt</i> <i>Abnormal blood level of copper</i> <i>Abnormal blood level of iron</i> <i>Abnormal blood level of magnesium</i> <i>Abnormal blood level of mineral NEC</i> <i>Abnormal blood level of zinc</i> Other specified abnormal findings of blood chemistry
793.80	Abnormal mammogram, unspecified	R92.8	Other abnormal and inconclusive findings on diagnostic imaging of breast
793.89	Abnormal findings on radiological exam of breast	R92.8	Other abnormal and inconclusive findings on diagnostic imaging of breast
795.51	Nonspecific reaction tuberculin skin test without active tuberculosis	R76.11	Nonspecific reaction to tuberculin skin test without active tuberculosis Applicable to: <i>Abnormal result of Mantoux test</i> <i>PPD positive</i> <i>Tuberculin (skin test) positive</i> <i>Tuberculin (skin test) reactor</i>
796.2	Elevated blood pressure	R03.0	Elevated blood-pressure reading, without diagnosis of hypertension

ICD-10 Made Simple - DOCUMENT!

Acuity Acute, chronic, intermittent

Severity Mild, moderate, severe

Etiology Trauma, diabetes, renal failure, exercise or infection induced

Location Where is it- be specific about which joint, chest, femur, posterior thorax

Laterality Which side is it? Left, right, both

Detail Present on admission status, associated symptom (hypoxia, loss of consciousness), additional medical diagnoses, initial versus subsequent encounter

Family Medicine

ICD-10-CM 2014: Reference Mapping Card

840.4 – V76.51 ICD-9 codes 840.4 through V76.51 and the equivalent ICD-10 code

840.8

Sprain shoulder, arm (continued)

ICD-9-CM	ICD-10-CM
840.4	Sprain rotator cuff
	S43.421A Sprain of right rotator cuff capsule, initial encounter
	S43.421D Sprain of right rotator cuff capsule, subsequent encounter
	S43.421S Sprain of right rotator cuff capsule, sequela
	S43.422A Sprain of left rotator cuff capsule, initial encounter
	S43.422D Sprain of left rotator cuff capsule, subsequent encounter
	S43.422S Sprain of left rotator cuff capsule, sequela
840.8	Sprain shoulder, arm
	S43.491A Other sprain of right shoulder joint, initial encounter
	S43.491D Other sprain of right shoulder joint, subsequent encounter
	S43.491S Other sprain of right shoulder joint, sequela
	S43.492A Other sprain of left shoulder joint, initial encounter
	S43.492D Other sprain of left shoulder joint, subsequent encounter
	S43.492S Other sprain of left shoulder joint, sequela
	S46.011A Strain of muscle(s) and tendon(s) of the rotator cuff of right shoulder, initial encounter
	S46.011D Strain of muscle(s) and tendon(s) of the rotator cuff of right shoulder, subsequent encounter
	S46.011S Strain of muscle(s) and tendon(s) of the rotator cuff of right shoulder, sequela
840.8	Sprain shoulder, arm (continued)
	S46.012A Strain of muscle(s) and tendon(s) of the rotator cuff of left shoulder, initial encounter
	S46.012D Strain of muscle(s) and tendon(s) of the rotator cuff of left shoulder, subsequent encounter
	S46.012S Strain of muscle(s) and tendon(s) of the rotator cuff of left shoulder, sequela
	S46.111A Strain of muscle, fascia and tendon of long head of biceps, right arm, initial encounter

S46.111D	Strain of muscle, fascia and tendon of long head of biceps, right arm, subsequent encounter
S46.111S	Strain of muscle, fascia and tendon of long head of biceps, right arm, sequela
S46.112A	Strain of muscle, fascia and tendon of long head of biceps, left arm, initial encounter
S46.112D	Strain of muscle, fascia and tendon of long head of biceps, left arm, subsequent encounter
S46.112S	Strain of muscle, fascia and tendon of long head of biceps, left arm, sequela
S46.811A	Strain of other muscles, fascia and tendons at shoulder and upper arm level, right arm, initial encounter
S46.811D	Strain of other muscles, fascia and tendons at shoulder and upper arm level, right arm, subsequent encounter
S46.811S	Strain of other muscles, fascia and tendons at shoulder and upper arm level, right arm, sequela
S46.812A	Strain of other muscles, fascia and tendons at shoulder and upper arm level, left arm, initial encounter
S46.812D	Strain of other muscles, fascia and tendons at shoulder and upper arm level, left arm, subsequent encounter
S46.812S	Strain of other muscles, fascia and tendons at shoulder and upper arm level, left arm, sequela
847.0	Sprain of neck
S13.4XXA	Sprain of ligaments of cervical spine, initial encounter
S13.4XXD	Sprain of ligaments of cervical spine, subsequent encounter
S13.4XXS	Sprain of ligaments of cervical spine, sequela
847.2	Sprain lumbar region
S33.5XXA	Sprain of ligaments of lumbar spine, initial encounter
S33.5XXD	Sprain of ligaments of lumbar spine, subsequent encounter
S33.5XXS	Sprain of ligaments of lumbar spine, sequela

Family Medicine

ICD-10-CM 2014: Reference Mapping Card

ICD-9-CM	ICD-10-CM	883.0	Open wound of fingers (continued)
883.0	Open wound of fingers	S61.210A	Laceration without foreign body of right index finger without damage to nail, initial encounter
		S61.210D	Laceration without foreign body of right index finger without damage to nail, subsequent encounter
		S61.210S	Laceration without foreign body of right index finger without damage to nail, sequela
		S61.211A	Laceration without foreign body of left index finger without damage to nail, initial encounter
		S61.211D	Laceration without foreign body of left index finger without damage to nail, subsequent encounter
		S61.211S	Laceration without foreign body of left index finger without damage to nail, sequela
		S61.212A	Laceration without foreign body of right middle finger without damage to nail, initial encounter
		S61.212D	Laceration without foreign body of right middle finger without damage to nail, subsequent encounter
		S61.212S	Laceration without foreign body of right middle finger without damage to nail, sequela
		S61.213A	Laceration without foreign body of left middle finger without damage to nail, initial encounter
		S61.213D	Laceration without foreign body of left middle finger without damage to nail, subsequent encounter
		S61.213S	Laceration without foreign body of left middle finger without damage to nail, sequela
		S61.214A	Laceration without foreign body of right ring finger without damage to nail, initial encounter
		S61.214D	Laceration without foreign body of right ring finger without damage to nail, subsequent encounter
		S61.214S	Laceration without foreign body of right ring finger without damage to nail, sequela
		S61.215A	Laceration without foreign body of left ring finger without damage to nail, initial encounter
		S61.215D	Laceration without foreign body of left ring finger without damage to nail, subsequent encounter
		S61.215S	Laceration without foreign body of left ring finger without damage to nail, sequela
		S61.216A	Laceration without foreign body of right little finger without damage to nail, initial encounter
		S61.216D	Laceration without foreign body of right little finger without damage to nail, subsequent encounter
		S61.216S	Laceration without foreign body of right little finger without damage to nail, sequela
		S61.217A	Laceration without foreign body of left little finger without damage to nail, initial encounter
		S61.217D	Laceration without foreign body of left little finger without damage to nail, subsequent encounter
		S61.217S	Laceration without foreign body of left little finger without damage to nail, sequela
		S61.220A	Laceration with foreign body of right index finger without damage to nail, initial encounter
		S61.220D	Laceration with foreign body of right index finger without damage to nail, subsequent encounter
		S61.220S	Laceration with foreign body of right index finger without damage to nail, sequela
		S61.221A	Laceration with foreign body of left index finger without damage to nail, initial encounter
		S61.221D	Laceration with foreign body of left index finger without damage to nail, subsequent encounter
		S61.221S	Laceration with foreign body of left index finger without damage to nail, sequela
		S61.222A	Laceration with foreign body of right middle finger without damage to nail, initial encounter
		S61.222D	Laceration with foreign body of right middle finger without damage to nail, subsequent encounter

Family Medicine

ICD-10-CM 2014: Reference Mapping Card

883.0	Open wound of fingers (continued)	S61.222S	Laceration with foreign body of right middle finger without damage to nail, sequela	883.0	Open wound of fingers (continued)	S61.230A	Puncture wound without foreign body of right index finger without damage to nail, initial encounter
		S61.223A	Laceration with foreign body of left middle finger without damage to nail, initial encounter			S61.230D	Puncture wound without foreign body of right index finger without damage to nail, subsequent encounter
		S61.223D	Laceration with foreign body of left middle finger without damage to nail, subsequent encounter			S61.230S	Puncture wound without foreign body of right index finger without damage to nail, sequela
		S61.223S	Laceration with foreign body of left middle finger without damage to nail, sequela			S61.231A	Puncture wound without foreign body of left index finger without damage to nail, initial encounter
		S61.224A	Laceration with foreign body of right ring finger without damage to nail, initial encounter			S61.231D	Puncture wound without foreign body of left index finger without damage to nail, subsequent encounter
		S61.224D	Laceration with foreign body of right ring finger without damage to nail, subsequent encounter			S61.231S	Puncture wound without foreign body of left index finger without damage to nail, sequela
		S61.224S	Laceration with foreign body of right ring finger without damage to nail, sequela			S61.232A	Puncture wound without foreign body of right middle finger without damage to nail, initial encounter
		S61.225A	Laceration with foreign body of left ring finger without damage to nail, initial encounter			S61.232D	Puncture wound without foreign body of right middle finger without damage to nail, subsequent encounter
		S61.225D	Laceration with foreign body of left ring finger without damage to nail, subsequent encounter			S61.232S	Puncture wound without foreign body of right middle finger without damage to nail, sequela
		S61.225S	Laceration with foreign body of left ring finger without damage to nail, sequela			S61.233A	Puncture wound without foreign body of left middle finger without damage to nail, initial encounter
		S61.226A	Laceration with foreign body of right little finger without damage to nail, initial encounter			S61.233D	Puncture wound without foreign body of left middle finger without damage to nail, subsequent encounter
		S61.226D	Laceration with foreign body of right little finger without damage to nail, subsequent encounter			S61.233S	Puncture wound without foreign body of left middle finger without damage to nail, sequela
		S61.226S	Laceration with foreign body of right little finger without damage to nail, sequela			S61.232A	Puncture wound without foreign body of right ring finger without damage to nail, initial encounter
		S61.227A	Laceration with foreign body of left little finger without damage to nail, initial encounter			S61.234D	Puncture wound without foreign body of right ring finger without damage to nail, subsequent encounter
		S61.227D	Laceration with foreign body of left little finger without damage to nail, subsequent encounter			S61.234S	Puncture wound without foreign body of right ring finger without damage to nail, sequela
		S61.227S	Laceration with foreign body of left little finger without damage to nail, sequela				

Family Medicine

ICD-10-CM 2014: Reference Mapping Card

883.0	Open wound of fingers (continued)	S61.235A	Puncture wound without foreign body of left ring finger without damage to nail, initial encounter	883.0	Open wound of fingers (continued)	S61.242A	Puncture wound with foreign body of right middle finger without damage to nail, initial encounter
		S61.235D	Puncture wound without foreign body of left ring finger without damage to nail, subsequent encounter			S61.242D	Puncture wound with foreign body of right middle finger without damage to nail, subsequent encounter
		S61.235S	Puncture wound without foreign body of left ring finger without damage to nail, sequela			S61.242S	Puncture wound with foreign body of right middle finger without damage to nail, sequela
		S61.236A	Puncture wound without foreign body of right little finger without damage to nail, initial encounter			S61.243A	Puncture wound with foreign body of left middle finger without damage to nail, initial encounter
		S61.236D	Puncture wound without foreign body of right little finger without damage to nail, subsequent encounter			S61.243D	Puncture wound with foreign body of left middle finger without damage to nail, subsequent encounter
		S61.236S	Puncture wound without foreign body of right little finger without damage to nail, sequela			S61.243S	Puncture wound with foreign body of left middle finger without damage to nail, sequela
		S61.237A	Puncture wound without foreign body of left little finger without damage to nail, initial encounter			S61.244A	Puncture wound with foreign body of right ring finger without damage to nail, initial encounter
		S61.237D	Puncture wound without foreign body of left little finger without damage to nail, subsequent encounter			S61.244D	Puncture wound with foreign body of right ring finger without damage to nail, subsequent encounter
		S61.237S	Puncture wound without foreign body of left little finger without damage to nail, sequela			S61.244S	Puncture wound with foreign body of right ring finger without damage to nail, sequela
		S61.240A	Puncture wound with foreign body of right index finger without damage to nail, initial encounter			S61.245A	Puncture wound with foreign body of left ring finger without damage to nail, initial encounter
		S61.240D	Puncture wound with foreign body of right index finger without damage to nail, subsequent encounter			S61.245D	Puncture wound with foreign body of left ring finger without damage to nail, subsequent encounter
		S61.240S	Puncture wound with foreign body of right index finger without damage to nail, sequela			S61.245S	Puncture wound with foreign body of left ring finger without damage to nail, sequela
		S61.241A	Puncture wound with foreign body of left index finger without damage to nail, initial encounter			S61.246A	Puncture wound with foreign body of right little finger without damage to nail, initial encounter
		S61.241D	Puncture wound with foreign body of left index finger without damage to nail, subsequent encounter			S61.246D	Puncture wound with foreign body of right little finger without damage to nail, subsequent encounter
		S61.241S	Puncture wound with foreign body of left index finger without damage to nail, sequela				

Family Medicine

ICD-10-CM 2014: Reference Mapping Card

883.0	Open wound of fingers (continued)	S61.246S	Puncture wound with foreign body of right little finger without damage to nail, sequela	883.0	Open wound of fingers (continued)	S61.253A	Open bite of left middle finger without damage to nail, initial encounter
		S61.247A	Puncture wound with foreign body of left little finger without damage to nail, initial encounter			S61.253D	Open bite of left middle finger without damage to nail, subsequent encounter
		S61.247D	Puncture wound with foreign body of left little finger without damage to nail, subsequent encounter			S61.253S	Open bite of left middle finger without damage to nail, sequela
		S61.247S	Puncture wound with foreign body of left little finger without damage to nail, sequela			S61.254A	Open bite of right ring finger without damage to nail, initial encounter
		S61.248A	Puncture wound with foreign body of other finger without damage to nail, initial encounter			S61.254D	Open bite of right ring finger without damage to nail, subsequent encounter
		S61.248D	Puncture wound with foreign body of other finger without damage to nail, subsequent encounter			S61.254S	Open bite of right ring finger without damage to nail, sequela
		S61.248S	Puncture wound with foreign body of other finger without damage to nail, sequela			S61.255A	Open bite of left ring finger without damage to nail, initial encounter
		S61.250A	Open bite of right index finger without damage to nail, initial encounter			S61.255D	Open bite of left ring finger without damage to nail, subsequent encounter
		S61.250D	Open bite of right index finger without damage to nail, subsequent encounter			S61.255S	Open bite of left ring finger without damage to nail, sequela
		S61.250S	Open bite of right index finger without damage to nail, sequela			S61.256A	Open bite of right little finger without damage to nail, initial encounter
		S61.251A	Open bite of left index finger without damage to nail, initial encounter			S61.256D	Open bite of right little finger without damage to nail, subsequent encounter
		S61.251D	Open bite of left index finger without damage to nail, subsequent encounter			S61.256S	Open bite of right little finger without damage to nail, sequela
		S61.251S	Open bite of left index finger without damage to nail, sequela			S61.257A	Open bite of left little finger without damage to nail, initial encounter
		S61.252A	Open bite of right middle finger without damage to nail, initial encounter			S61.257D	Open bite of left little finger without damage to nail, subsequent encounter
		S61.252D	Open bite of right middle finger without damage to nail, subsequent encounter			S61.257S	Open bite of left little finger without damage to nail, sequela
		S61.252S	Open bite of right middle finger without damage to nail, sequela			S61.258A	Open bite of other finger without damage to nail, initial encounter
						S61.258D	Open bite of other finger without damage to nail, subsequent encounter
						S61.258S	Open bite of other finger without damage to nail, sequela

Family Medicine

ICD-10-CM 2014: Reference Mapping Card

ICD-9-CM	ICD-10-CM
959.3	Injury elbow, forearm, wrist
S59.801A	Other specified injuries of right elbow, initial encounter
S59.801D	Other specified injuries of right elbow, subsequent encounter
S59.801S	Other specified injuries of right elbow, sequela
S59.802A	Other specified injuries of left elbow, initial encounter
S59.802D	Other specified injuries of left elbow, subsequent encounter
S59.802S	Other specified injuries of left elbow, sequela
S59.811A	Other specified injuries of right forearm, initial encounter
S59.811D	Other specified injuries of right forearm, subsequent encounter
S59.811S	Other specified injuries of right forearm, sequela
S59.812A	Other specified injuries of left forearm, initial encounter
S59.812D	Other specified injuries of left forearm, subsequent encounter
S59.812S	Other specified injuries of left forearm, sequela
S69.81XA	Other specified injuries of right wrist, hand and finger(s), initial encounter
S69.81XD	Other specified injuries of right wrist, hand and finger(s), subsequent encounter
S69.81XS	Other specified injuries of right wrist, hand and finger(s), sequela
S69.82XA	Other specified injuries of left wrist, hand and finger(s), initial encounter
S69.82XD	Other specified injuries of left wrist, hand and finger(s), subsequent encounter
S69.82XS	Other specified injuries of left wrist, hand and finger(s), sequela

ICD-9-CM	ICD-10-CM
959.7	Lower leg injury (continued)
S89.81XA	Other specified injuries of right lower leg, initial encounter
S89.81XD	Other specified injuries of right lower leg, subsequent encounter
S89.81XS	Other specified injuries of right lower leg, sequela
S89.82XA	Other specified injuries of left lower leg, initial encounter
S89.82XD	Other specified injuries of left lower leg, subsequent encounter
S89.82XS	Other specified injuries of left lower leg, sequela
S99.811A	Other specified injuries of right ankle, initial encounter
S99.811D	Other specified injuries of right ankle, subsequent encounter
S99.811S	Other specified injuries of right ankle, sequela
S99.812A	Other specified injuries of left ankle, initial encounter
S99.812D	Other specified injuries of left ankle, subsequent encounter
S99.812S	Other specified injuries of left ankle, sequela

ICD-9-CM	ICD-10-CM
V03.82	Prophylactic vaccination against streptococcus pneumoniae Z23 Encounter for immunization
V04.81	Need for prophylactic vaccination and inoculation influenza Z23 Encounter for immunization
V04.89	Need for prophylactic vaccination and inoculation other viral diseases Z23 Encounter for immunization
V05.3	(Need for) inoculation against viral hepatitis Z23 Encounter for immunization
V05.8	Vaccine for disease NEC Z23 Encounter for immunization

Family Medicine

ICD-10-CM 2014: Reference Mapping Card

Description	
*	Code is only applicable to female patients.
#	Code is only applicable to maternity patients aged 15-124 years inclusive.
@	Code is only applicable to adult patients aged 15-124 years inclusive.
%	Considered unacceptable as a principal diagnosis as it describes a circumstance which influences an individual's health status but not a current illness or injury, or the diagnosis may not be a specific manifestation but may be due to an underlying cause.
^	Considered exempt from POA reporting.

ICD-9-CM		ICD-10-CM	
V06.1	Vaccine for DTP	Z23	Encounter for immunization % ^ <i>Note: procedure codes are required to identify the types of immunization given.</i> <i>Code First any routine childhood examination</i>
V20.2	Routine child health exam	Z00.129	Encounter for routine child health examination without abnormal findings ^ Applicable to: <i>Encounter for routine child health examination NOS</i>
V22.2	Pregnant state/incidental	Z33.1	Pregnant state, incidental * # % Applicable to: <i>Pregnant state NOS</i>
V25.09	Contraceptive management NEC	Z30.09	Encounter for other general counseling and advice on contraception
V58.32	Encounter for removal of sutures	Z48.02	Encounter for removal of sutures % Applicable to: <i>Encounter for removal of staples</i>
V70.0	Routine medical exam	Z00.00	Encounter for general adult medical examination without abnormal findings @ % ^ Applicable to: <i>Encounter for adult health check-up NOS</i>
V70.3	Administrative medical exam	Z02.89	Encounter for other administrative examinations % ^ Applicable to: <i>Encounter for examination for admission to prison</i> <i>Encounter for examination for admission to summer camp</i> <i>Encounter for immigration examination</i> <i>Encounter for naturalization examination</i> <i>Encounter for premarital examination</i>

ICD-9-CM		ICD-10-CM	
V72.31	Routine gynecological examination	Z01.411	Encounter for gynecological examination (general) (routine) with abnormal findings * ^
		Z01.419	Encounter for gynecological examination (general) (routine) without abnormal findings * ^ <i>Use additional code to identify abnormal findings</i>
V72.81	Pre-operative cardiovascular examination	Z01.810	Encounter for preprocedural cardiovascular examination ^
V72.84	Pre-operative examination, unspecified	Z01.812	Encounter for preprocedural laboratory examination % ^ Applicable to: <i>Blood and urine tests prior to treatment or procedure</i>
V72.84	Pre-operative examination, unspecified	Z01.818	Encounter for other preprocedural examination % ^ Applicable to: <i>Encounter for preprocedural examination NOS</i> <i>Encounter for examinations prior to antineoplastic chemotherapy</i>
V74.1	Screening-pulmonary tuberculosis	Z11.1	Encounter for screening for respiratory Tuberculosis % ^
V76.12	Other screening mammogram for malignant neoplasm of breast	Z12.31	Encounter for screening mammogram for malignant neoplasm of breast % ^
V76.2	Screen malignant neoplasm, cervix	Z12.4	Encounter for screening for malignant neoplasm of cervix * % ^ Applicable to: <i>Encounter for screening pap smear for malignant neoplasm of cervix</i>
V76.51	Special screening for malignant neoplasms, colon	Z12.11	Encounter for screening for malignant neoplasm of colon % ^ Applicable to: <i>Encounter for screening colonoscopy NOS</i>

ICD-10 Made Simple - DOCUMENT!

Acuity	Acute, chronic, intermittent
Severity	Mild, moderate, severe
Etiology	Trauma, diabetes, renal failure, exercise or infection induced
Location	Where is it- be specific about which joint, chest, femur, posterior thorax
Laterality	Which side is it? Left, right, both
Detail	Present on admission status, associated symptom (hypoxia, loss of consciousness), additional medical diagnoses, initial versus subsequent encounter