

General Practice

ICD-10-CM 2014: Reference Mapping Card

053.9 - 386.30 ICD-9 codes 053.9 through 386.30 and the equivalent ICD-10 code

ICD-9-CM	ICD-10-CM
053.9 Herpes zoster without complication	B02.9 Zoster without complications Applicable to: <i>Zoster NOS</i>
078.89 Viral disease	A98.3 Marburg virus disease A98.4 Ebola virus disease B33.8 Other specified viral diseases
110.3 Dermatophytosis of groin	B35.6 Tinea cruris Applicable to: <i>Dhobi itch</i> <i>Groin ringworm</i> <i>Jock itch</i>
110.5 Dermatophytosis of body	B35.5 Tinea imbricate Applicable to: <i>Tokelau</i>
155.0 Malignant neoplasm of liver	C22.0 Liver cell carcinoma Applicable to: <i>Hepatocellular carcinoma</i> <i>Hepatoma</i> C22.2 Hepatoblastoma C22.7 Other specified carcinomas of liver
250.00 Diabetes mellitus without mention complication, type II or unspecified type	E11.9 Type 2 diabetes mellitus without complications <i>E11.9 is not usually sufficient justification for admission to an acute care hospital when used as a principal diagnosis.</i>
250.02 Diabetes mellitus without mention complication, type II or unspecified type, uncontrolled	E11.65 Type 2 diabetes mellitus with hyperglycemia
250.42 Diabetes with renal manifestations, type II or unspecified, uncontrolled	E11.21 Type 2 diabetes mellitus with diabetic nephropathy Applicable to: <i>Type 2 diabetes mellitus with intercapillary glomerulosclerosis</i> <i>Type 2 diabetes mellitus with intracapillary glomerulonephrosis</i> <i>Type 2 diabetes mellitus with Kimmelstiel-Wilson disease</i> With -
250.62 Diabetes with neurological manifestations, type II or unspecified type, uncontrolled	E11.65 Type 2 diabetes mellitus with hyperglycemia With - Type 2 diabetes mellitus with hyperglycemia

ICD-9-CM	ICD-10-CM
272.2 Mixed hyperlipidemia	E78.2 Mixed hyperlipidemia Applicable to: <i>Broad- or floating-betalipoproteinemia</i> <i>Combined hyperlipidemia NOS</i> <i>Elevated cholesterol with elevated triglycerides NEC</i> <i>Fredrickson's hyperlipoproteinemia, type IIb or III</i> <i>Hyperbetalipoproteinemia with prebetalipoproteinemia</i> <i>Hypercholesteremia with endogenous hyperglyceridemia</i> <i>Hyperlipidemia, group C</i> <i>Tube-eruptive xanthoma</i> <i>Xanthoma tuberosum</i>
276.1 Hyponatremia and/or hyposmolality	E87.1 Hypo-osmolality and hyponatremia Applicable to: Sodium (Na) deficiency
276.51 Dehydration	E86.0 Dehydration
276.8 Hypokalemia	E87.6 Hypokalemia Applicable to: <i>Potassium (K) deficiency</i>
300.02 Generalized anxiety disorder	F41.1 Generalized anxiety disorder Applicable to: <i>Anxiety neurosis</i> <i>Anxiety reaction</i> <i>Anxiety state</i> <i>Overanxious disorder</i>
333.83 Spasmodic torticollis	G24.3 Spasmodic torticollis
368.9 Visual disturbance NOS	H53.9 Unspecified visual disturbance
372.00 Acute conjunctivitis, unspecified	H10.33 Unspecified acute conjunctivitis, bilateral
372.30 Conjunctivitis	H10.9 Unspecified conjunctivitis
372.72 Conjunctival hemorrhage	H11.33 Conjunctival hemorrhage, bilateral
380.4 Impacted cerumen	H61.23 Impacted cerumen, bilateral

ICD-10 Made Simple - DOCUMENT!

Acuity	Acute, chronic, intermittent
Severity	Mild, moderate, severe
Etiology	Trauma, diabetes, renal failure, exercise or infection induced
Location	Where is it- be specific about which joint, chest, femur, posterior thorax
Laterality	Which side is it? Left, right, both
Detail	Present on admission status, associated symptom (hypoxia, loss of consciousness), additional medical diagnoses, initial versus subsequent encounter

General Practice

ICD-10-CM 2014: Reference Mapping Card

401.0 - 599.7 ICD-9 codes 401.0 through 599.7 and the equivalent ICD-10 code			487.1	ICD-9-CM Flu with respiratory manifestations	J10.1	ICD-10-CM Influenza due to other identified influenza virus with other respiratory manifestations
401.0/	Accelerated, malignant hypertension	I10	Essential (primary) hypertension			Applicable to: <i>Influenza due to other identified influenza virus NOS</i>
401.1/	Benign hypertension		<i>I10 is not usually sufficient justification for admission to an acute care hospital when used as a principal diagnosis.</i>			<i>Influenza due to other identified influenza virus with laryngitis</i>
401.9	Hypertension					<i>Influenza due to other identified influenza virus with pharyngitis</i>
415.19	Other pulmonary embolism and infarction	I26.99	Other pulmonary embolism without acute cor pulmonale Applicable to: <i>Acute pulmonary embolism NOS</i> <i>Pulmonary embolism NOS</i>			<i>Influenza due to other identified influenza virus with upper respiratory symptoms</i> Use additional code for: <i>Associated pleural effusion, if applicable (J91.8)</i> <i>Associated sinusitis, if applicable (J01.-)</i>
427.89	Cardiac dysrhythmias, other	I49.8	Other specified cardiac arrhythmias Applicable to: <i>Coronary sinus rhythm disorder</i> <i>Ectopic rhythm disorder</i> <i>Nodal rhythm disorder</i>			Pleural effusion in other conditions classified elsewhere Code first underlying disease such as: <i>Filariasis (B74.0 -B74.9)</i> Refer to B74.0-B74.9 Table
428.32	Diastolic heart failure, chronic	I50.32	Chronic diastolic (congestive) heart failure		J91.8	<i>influenza (J09.X2, J10.1, J11.1)</i>
428.42	Chronic combined systolic and diastolic heart failure	I50.42	Chronic combined systolic (congestive) and diastolic (congestive) heart failure			J11.1
460	Acute nasopharyngitis	J00	Acute nasopharyngitis (common cold) Applicable to: <i>Acute rhinitis</i> <i>Coryza (acute)</i> <i>Infective nasopharyngitis NOS</i> <i>Infective rhinitis</i> <i>Nasal catarrh, acute</i> <i>Nasopharyngitis NOS</i>			Influenza due to unidentified influenza virus with other respiratory manifestations Applicable to: <i>Influenza NOS</i> <i>Influenza laryngitis NOS</i> <i>Influenza pharyngitis NOS</i> <i>Influenza with upper respiratory symptoms NOS</i> Use Additional code: <i>Associated pleural effusion, if applicable (J91.8)</i> <i>Associated sinusitis, if applicable (J01.-)</i>
475	Peritonsillar abscess	J36	Peritonsillar abscess Use additional code (B95-B97), to identify infectious agent. Refer to B95-B97 Table			

General Practice

ICD-10-CM 2014: Reference Mapping Card

ICD-9-CM	ICD-10-CM	ICD-9-CM	ICD-10-CM
487.8	Influenza with other manifestation	J11.2	Influenza due to unidentified influenza virus with gastrointestinal manifestations Applicable to: <i>Influenza gastroenteritis NOS</i>
		J11.81	Influenza due to unidentified influenza virus with encephalopathy Applicable to: <i>Influenzal encephalopathy NOS</i>
		J11.89	Influenza due to unidentified influenza virus with other manifestations <i>Use additional codes to identify the manifestations</i>
491.21	Obstructive chronic bronchitis with acute exacerbation	J44.1	Chronic obstructive pulmonary disease with (acute) exacerbation Applicable to: <i>Asthma NOS</i>
493.90	Asthma, unspecified	J45.909	Unspecified asthma, uncomplicated Applicable to: <i>Decompensated COPD</i> <i>Decompensated COPD with (acute) exacerbation</i>
		J45.998	Other asthma
493.92	Asthma, unspecified with acute exacerbation	J45.901	Unspecified asthma with (acute) exacerbation
511.0	Pleurisy without effusion or tuberculosis	J86.9	Pyothorax without fistula Applicable to: <i>Abscess of pleura</i> <i>Abscess of thorax</i> <i>Empyema (chest) (lung) (pleura)</i> <i>Fibrinopurulent pleurisy</i> <i>Purulent pleurisy</i> <i>Pyopneumothorax</i> <i>Septic pleurisy</i> <i>Seropurulent pleurisy</i> <i>Suppurative pleurisy</i>
		J94.1	Fibrothorax
		J94.8	Other specified pleural conditions Applicable to: <i>Hydropneumothorax</i> <i>Hydrothorax</i>
		J94.9	Pleural condition, unspecified
		R09.1	Pleurisy
		511.9	Pleural effusions, NOS
		J91.8	Pleural effusion in other conditions classified elsewhere Code first underlying disease such as: <i>Filariasis (B74.0 -B74.9)</i> Refer to B74.0-B74.9 Table <i>Influenza (J09.X2, J10.1, J11.1)</i>
		J09.X2	Influenza due to identified novel influenza A virus with other respiratory manifestations Applicable to: <i>Influenza due to identified novel influenza A virus NOS</i> <i>Influenza due to identified novel influenza A virus with laryngitis</i> <i>Influenza due to identified novel influenza A virus with pharyngitis</i> <i>Influenza due to identified novel influenza A virus with upper respiratory symptoms</i> Use additional code, if applicable, for associated: <i>Pleural effusion (J91.8)</i> <i>Sinusitis (J01.-)</i>
		J10.1	Influenza due to other identified influenza virus with other respiratory manifestations Applicable to: <i>Influenza due to other identified influenza virus NOS</i> <i>Influenza due to other identified influenza virus with laryngitis</i> <i>Influenza due to other identified influenza virus with pharyngitis</i> <i>Influenza due to other identified influenza virus with upper respiratory symptoms</i> Use Additional code for: <i>Associated pleural effusion, if applicable (J91.8)</i> <i>Associated sinusitis, if applicable (J01.-)</i>

General Practice

ICD-10-CM 2014: Reference Mapping Card

ICD-9-CM	ICD-10-CM	ICD-9-CM	ICD-10-CM
511.9 Pleural effusions, NOS (continued)	J11.1 Influenza due to unidentified influenza virus with other respiratory manifestations Applicable to: <i>Influenza NOS</i> <i>Influenza laryngitis NOS</i> <i>Influenza pharyngitis NOS</i> <i>Influenza with upper respiratory symptoms NOS</i>	576.1 Cholangitis	K83.0 Cholangitis Applicable to: <i>Ascending cholangitis</i> <i>Cholangitis NOS</i> <i>Primary cholangitis</i> <i>Recurrent cholangitis</i> <i>Sclerosing cholangitis</i> <i>Secondary cholangitis</i> <i>Stenosing cholangitis</i> <i>Suppurative cholangitis</i>
	Use additional code for: <i>Associated pleural effusion, if applicable (J91.8)</i> <i>Associated sinusitis, if applicable (J01.-)</i>	585.6 End stage renal disease	N18.6 End stage renal disease Applicable to: <i>Chronic kidney disease requiring chronic dialysis</i> <i>Use additional code to identify dialysis status (Z99.2)</i>
518.81 Respiratory failure	J96.00 Acute respiratory failure, unspecified whether with hypoxia or hypercapnia		Z99.2 Dependence on renal dialysis Applicable to: <i>Hemodialysis status</i> <i>Peritoneal dialysis status</i> <i>Presence of arteriovenous shunt for dialysis</i> <i>Renal dialysis status NOS</i>
519.11 Acute bronchospasm	J98.01 Acute bronchospasm		
558.9 Noninfectious gastroenteritis and colitis	K52.89 Other specified noninfective gastroenteritis and colitis Applicable to: <i>Collagenous colitis</i> <i>Lymphocytic colitis</i> <i>Microscopic colitis (collagenous or lymphocytic)</i>		<ul style="list-style-type: none"> • Z99.2 is considered unacceptable as a principal diagnosis as it describes a circumstance which influences an individual's health status but not a current illness or injury, or the diagnosis may not be a specific manifestation but may be due to an underlying cause. • Z99.2 is considered exempt from POA reporting.
562.11 Diverticulitis of colon	K57.32 Diverticulitis of large intestine without perforation or abscess without bleeding	590.80 Pyelonephritis	N12 Tubulo-interstitial nephritis, not specified as acute or chronic Applicable to: <i>Interstitial nephritis NOS</i> <i>Pyelitis NOS</i> <i>Pyelonephritis NOS</i>
		592.1 Calculus of ureter	N20.1 Calculus of ureter Applicable to: <i>Ureteric stone</i>
		595.0 Acute cystitis	N30.00 Acute cystitis without hematuria
		597.80/ Urethritis	N30.01 Acute cystitis with hematuria
		597.89 Urethritis, other	N34.1 Nonspecific urethritis Applicable to: <i>Nongonococcal urethritis</i> <i>Nonvenereal urethritis</i>
			N34.2 Other urethritis Applicable to: <i>Meatitis, urethral</i> <i>Postmenopausal urethritis</i> <i>Ulcer of urethra (meatus)</i> <i>Urethritis NOS</i>
		599.0 Urinary tract infection	B95 Streptococcus, Staphylococcus, and Enterococcus as the cause of diseases classified elsewhere

General Practice

ICD-10-CM 2014: Reference Mapping Card

B95 - B97 Table		B95 - B97 Table (continued)	
B95	Streptococcus, Staphylococcus, and Enterococcus as the cause of diseases classified elsewhere	B96.89	Other specified bacterial agents as the cause of diseases classified elsewhere
B95.0	Streptococcus, group A, as the cause of diseases classified elsewhere	B97	Viral agents as the cause of diseases classified elsewhere
B95.1	Streptococcus, group B, as the cause of diseases classified elsewhere	B97.0	Adenovirus as the cause of diseases classified elsewhere
B95.2	Enterococcus as the cause of diseases classified elsewhere	B97.11	Coxsackievirus as the cause of diseases classified elsewhere
B95.3	Streptococcus pneumoniae as the cause of diseases classified elsewhere	B97.12	Echovirus as the cause of diseases classified elsewhere
B95.4	Other streptococcus as the cause of diseases classified elsewhere	B97.19	Other enterovirus as the cause of diseases classified elsewhere
B95.61	Methicillin susceptible Staphylococcus aureus infection as the cause of diseases classified	B97.21	SARS-associated coronavirus as the cause of diseases classified elsewhere
B95.62	Methicillin resistant Staphylococcus aureus infection as the cause of diseases classified	B97.29	Other coronavirus as the cause of diseases classified elsewhere
B95.7	Other staphylococcus as the cause of diseases classified elsewhere	B97.31	Lentivirus as the cause of diseases classified elsewhere
B96	Other bacterial agents as the cause of diseases classified elsewhere	B97.32	Oncovirus as the cause of diseases classified elsewhere
B96.0	Mycoplasma pneumoniae (M. pneumonia) as the cause of diseases classified elsewhere	B97.33	Human T-cell lymphotropic virus, type I (HTLV-I) as the cause of diseases classified elsewhere
B96.1	Klebsiella pneumonia (K. pneumonia) as the cause of diseases classified elsewhere	B97.34	Human T-cell lymphotropic virus, type II (HTLV-II) as the cause of diseases classified elsewhere
B96.21	Shiga toxin-producing Escherichia coli (E. coli) (STEC) O157 as the cause of diseases classified elsewhere	B97.35	Human immunodeficiency virus, type 2 (HIV 2) as the cause of diseases classified elsewhere
B96.22	Other specified Shiga toxin-producing Escherichia coli (E. coli) (STEC) as the cause of diseases classified elsewhere	B97.39	Other retrovirus as the cause of diseases classified elsewhere
B96.23	Unspecified Shiga toxin-producing Escherichia coli (E. coli) (STEC) as the cause of diseases classified elsewhere	B97.4	Respiratory syncytial virus as the cause of diseases classified elsewhere
B96.29	Other Escherichia coli (E. coli) as the cause of diseases classified elsewhere	B97.5	Reovirus as the cause of diseases classified elsewhere
B96.3	Hemophilus influenzae (H. influenza) as the cause of diseases classified elsewhere	B97.6	Parvovirus as the cause of diseases classified elsewhere
B96.4	Proteus (mirabilis) (morganii) as the cause of diseases classified elsewhere	B97.7	Papillomavirus as the cause of diseases classified elsewhere
B96.5	Pseudomonas (aeruginosa) (mallei) (pseudomallei) as the cause of diseases classified elsewhere	B97.81	Human metapneumovirus as the cause of diseases classified elsewhere
B96.6	Bacteroides fragilis (B. fragilis) as the cause of diseases classified elsewhere	B97.89	Other viral agents as the cause of diseases classified elsewhere
B96.7	Clostridium perfringens (C. perfringens) as the cause of diseases classified elsewhere	B74.0 – B74.9 Table	
B96.81	Helicobacter pylori (H. pylori) as the cause of diseases classified elsewhere	B74.0	Filariasis due to Wuchereria bancrofti Applicable to: <i>Bancroftian elephantiasis</i> <i>Bancroftian filariasis</i>
B96.82	Vibrio vulnificus as the cause of diseases classified elsewhere	B74.1	Filariasis due to Brugia malayi
		B74.2	Filariasis due to Brugia timori
		B74.3	Loiasis Applicable to: <i>Calabar swelling</i> <i>Eyeworm disease of Africa</i> <i>Loa loa infection</i>
		B74.4	Mansonelliasis Applicable to: <i>Infection due to Mansonella ozzardi</i> <i>Infection due to Mansonella perstans</i> <i>Infection due to Mansonella streptocerca</i>
		B74.8	Other filariasis Applicable to: <i>Dirofilariasis</i>

ICD-10 Made Simple - DOCUMENT!

Acuity	Acute, chronic, intermittent
Severity	Mild, moderate, severe
Etiology	Trauma, diabetes, renal failure, exercise or infection induced
Location	Where is it- be specific about which joint, chest, femur, posterior thorax
Laterality	Which side is it? Left, right, both
Detail	Present on admission status, associated symptom (hypoxia, loss of consciousness), additional medical diagnoses, initial versus subsequent encounter

General Practice

ICD-10-CM 2014: Reference Mapping Card

675.24 - 794.8 ICD-9 codes 675.24 through 794.8 and the equivalent ICD-10 code

ICD-9-CM	ICD-10-CM
733.00	Osteoporosis, unspecified M81.0
756.3	Rib and sternum anomaly NEC Q76.6
776.3	Other congenital malformations of ribs * Applicable to: <i>Accessory rib</i> <i>Congenital absence of rib</i> <i>Congenital fusion of ribs</i> <i>Congenital malformation of ribs NOS</i> Q76.7
777.2	Congenital malformation of sternum * Applicable to: <i>Congenital absence of sternum</i> <i>Sternum bifidum</i> Short rib syndrome * Applicable to: <i>Asphyxiating thoracic dysplasia (Jeune)</i> *Codes are considered exempt from POA reporting. Q77.2
780.2	Syncope and collapse R55
780.31	Simple febrile convulsions Applicable to: <i>Febrile convulsion NOS</i> <i>Febrile seizure NOS</i> R56.00
780.4	Dizziness and giddiness R42
780.6	Drug induced fever Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5) R50.2

ICD-9-CM	ICD-10-CM
675.24	Mastitis-postpartum O91.22
682.0	Cellulitis of face K12.2
682.5	Cellulitis of buttock L03.317
682.8	Cellulitis L03.811
686.8	Local skin infection E83.2
704.8	Hair, hair follicle disease L66.3
708.0	Allergic urticaria L50.0
708.8	Urticaria, other specified L50.6
723.1	Cervicalgia M54.2
724.2	Low back pain M54.5
724.5	Backache M54.89
728.71	Plantar fibromatosis M72.2
728.85	Spasm of muscle M62.838

T36-T50 Refer to T36-T50 Table

General Practice

ICD-10-CM 2014: Reference Mapping Card

ICD-9-CM		ICD-10-CM		ICD-9-CM		ICD-10-CM	
780.8	Generalized hyperhidrosis	R61	Generalized hyperhidrosis Applicable to: <i>Excessive sweating</i> <i>Night sweats</i> <i>Secondary hyperhidrosis</i> Code first, if applicable: <i>menopausal and female climacteric states (N95.1)</i>	786.59	Chest pain, other	R07.82 R07.89	Intercostal pain Other chest pain Applicable to: <i>Anterior chest-wall pain NOS</i>
		N95.1	Menopausal and female climacteric states Applicable to: <i>Symptoms such as flushing, sleeplessness, headache, lack of concentration, associated with natural (age-related) menopause</i> Use additional code for associated symptoms	787.02	Nausea alone	R11.0	Nausea Applicable to: <i>Nausea NOS</i> <i>Nausea without vomiting</i>
780.99	General symptoms, memory loss, amnesia	R45.84 R68.89	Anhedonia Other general symptoms and signs	787.3	Abdominal distention	R14.0 R14.1 R14.2 R14.3	Abdominal distension (gaseous) Applicable to: <i>Bloating</i> <i>Tympanites (abdominal) (intestinal)</i> Gas pain Eructation Flatulence
782.0	Skin sensation disturbance	R20.0 R20.1 R20.2	Anesthesia of skin Hypoesthesia of skin Paresthesia of skin Applicable to: <i>Formication</i> <i>Pins and needles</i> <i>Tingling skin</i>	787.91	Diarrhea	K52.2	Allergic and dietetic gastroenteritis and colitis Applicable to: <i>Food hypersensitivity gastroenteritis or colitis</i> Use additional code to identify type of food allergy (Z91.01-, Z91.02-)
		R20.3 R20.8 R20.9	Hyperesthesia Other disturbances of skin sensation Unspecified disturbances of skin sensation			Z91.01# Z91.010 Z91.011 Z91.012 Z91.013 Z91.018 Z91.02	Food allergy status: Allergy to peanuts Allergy to milk products Allergy to eggs Allergy to seafood Allergy to other foods Food additives allergy status <i>Z91.02 is considered unacceptable as a principal diagnosis as it describes a circumstance which influences an individual's health status but not a current illness or injury, or the diagnosis may not be a specific manifestation but may be due to an underlying cause.</i> <i>Z91.02 is considered exempt from POA reporting.</i>
782.3	Edema	R60.0 R60.1	Localized edema Generalized edema			K52.89	Other specified noninfective gastroenteritis and colitis Applicable to: <i>Collagenous colitis</i> <i>Lymphocytic colitis</i> <i>Microscopic colitis (collagenous or lymphocytic)</i>
784.0	Headache, facial pain	G44.1 R51	Vascular headache, not elsewhere classified Headache Applicable to: <i>Facial pain NOS</i>			R19.7	Diarrhea, unspecified Applicable to: <i>Diarrhea NOS</i>
784.7	Epistaxis	R04.0	Epistaxis Applicable to: <i>Nosebleed</i>	788.1	Dysuria	R30.0	Dysuria Applicable to: <i>Strangury</i>
785.1	Palpitations	R00.2	Palpitations Applicable to: <i>Awareness of heart beat</i>				
786.06	Tachypnea	R06.82	Tachypnea, not elsewhere classified Applicable to: <i>Tachypnea NOS</i>				
786.2	Cough	R05	Cough				
786.51	Precordial pain	R07.2	Precordial pain				
786.52	Chest wall pain	R07.1 R07.81	Chest pain on breathing Applicable to: <i>Painful respiration</i> Pleurodynia Applicable to: <i>Pleurodynia NOS</i>				

General Practice

ICD-10-CM 2014: Reference Mapping Card

ICD-9-CM		ICD-10-CM	
789.00	Abdominal pain, unspecified site	R10.9	Unspecified abdominal pain
789.01	Abdominal pain, right upper quadrant	R10.11	Right upper quadrant pain
789.02	Abdominal pain, left upper quadrant	R10.12	Left upper quadrant pain
789.03	Abdominal pain, right lower quadrant	R10.31	Right lower quadrant pain
789.04	Abdominal pain, left lower quadrant	R10.32	Left lower quadrant pain
789.06	Abdominal pain epigastric	R10.13	Epigastric pain Applicable to: <i>Dyspepsia</i>
790.92	Abnormal coagulation profile	R79.1	Abnormal coagulation profile Applicable to: <i>Abnormal or prolonged bleeding time</i> <i>Abnormal or prolonged coagulation time</i> <i>Abnormal or prolonged partial thromboplastin time (PTT)</i> <i>Abnormal or prolonged prothrombin time (PT)</i>
794.8	Abnormal liver function study	R94.5	Abnormal results of liver function studies

T36 - T50	Adverse Effect of Drugs
T36	Poisoning by, adverse effect of and underdosing of systemic antibiotics
T37	Poisoning by, adverse effect of and underdosing of other systemic anti-infectives and antiparasitics
T38	Poisoning by, adverse effect of and underdosing of hormones and their synthetic substitutes and antagonists, not elsewhere classified
T39	Poisoning by, adverse effect of and underdosing of nonopioid analgesics, antipyretics and antirheumatics
T40	Poisoning by, adverse effect of and underdosing of narcotics and psychodysleptics (hallucinogens)
T41	Poisoning by, adverse effect of and underdosing of anesthetics and therapeutic gases
T42	Poisoning by, adverse effect of and underdosing of antiepileptic, sedative-hypnotic and antiparkinsonism drugs
T43	Poisoning by, adverse effect of and underdosing of psychotropic drugs, not elsewhere classified
T44	Poisoning by, adverse effect of and underdosing of drugs primarily affecting the autonomic nervous system
T45	Poisoning by, adverse effect of and underdosing of primarily systemic and hematological agents, not elsewhere classified
T46	Poisoning by, adverse effect of and underdosing of agents primarily affecting the cardiovascular system
T47	Poisoning by, adverse effect of and underdosing of agents primarily affecting the gastrointestinal system
T48	Poisoning by, adverse effect of and underdosing of agents primarily acting on smooth and skeletal muscles and the respiratory system
T49	Poisoning by, adverse effect of and underdosing of topical agents primarily affecting skin and mucous membrane and by ophthalmological, otorhinolaryngological and dental drugs
T50	Poisoning by, adverse effect of and underdosing of diuretics and other and unspecified drugs, medicaments and biological substances

ICD-10 Made Simple - DOCUMENT!

Acuity Acute, chronic, intermittent

Severity Mild, moderate, severe

Etiology Trauma, diabetes, renal failure, exercise or infection induced

Location Where is it- be specific about which joint, chest, femur, posterior thorax

Laterality Which side is it? Left, right, both

Detail Present on admission status, associated symptom (hypoxia, loss of consciousness), additional medical diagnoses, initial versus subsequent encounter

General Practice

ICD-10-CM 2014: Reference Mapping Card

807 - V65.5 ICD-9 codes 807 through V65.5 and the equivalent ICD-10 code

Code 7th Character for Encounter

A	Initial encounter for closed fracture
D	Subsequent encounter for closed fracture with routine healing
G	Subsequent encounter for closed fracture with delayed healing
K	Subsequent encounter for closed fracture with nonunion
P	Subsequent encounter for closed fracture with malunion
S	Sequela

ICD-9-CM	ICD-10-CM
807.00 Fracture rib(s), closed	S22.41X# Multiple fractures of ribs, right side S22.42X# Multiple fractures of ribs, left side S22.43X# Multiple fractures of ribs, bilateral
807.01 Fracture one rib, closed	S22.31X# Fracture of one rib, right side S22.32X# Fracture of one rib, left side
810.00 Fracture of clavicle, closed	S42.011# Anterior displaced fracture of sternal end of right clavicle S42.012# Anterior displaced fracture of sternal end of left clavicle S42.014# Posterior displaced fracture of sternal end of right clavicle S42.015# Posterior displaced fracture of sternal end of left clavicle S42.017# Nondisplaced fracture of sternal end of right clavicle S42.018# Nondisplaced fracture of sternal end of left clavicle S42.021# Displaced fracture of shaft of right clavicle S42.022# Displaced fracture of shaft of left clavicle
810.00 Fracture of clavicle, closed (continued)	S42.024# Nondisplaced fracture of shaft of right clavicle S42.025# Nondisplaced fracture of shaft of left clavicle S42.031# Displaced fracture of lateral end of right clavicle S42.032# Displaced fracture of lateral end of left clavicle S42.034# Nondisplaced fracture of lateral end of right clavicle S42.035# Nondisplaced fracture of lateral end of left clavicle

ICD-9-CM	ICD-10-CM
814.01 Fracture navicular wrist, closed	S62.011# Displaced fracture of distal pole of navicular (scaphoid) bone of right wrist S62.012# Displaced fracture of distal pole of navicular (scaphoid) bone of left wrist S62.014# Displaced fracture of distal pole of navicular (scaphoid) bone of right wrist S62.015# Nondisplaced fracture of distal pole of navicular (scaphoid) bone of left wrist S62.021# Displaced fracture of middle third of navicular (scaphoid) bone of right wrist S62.022# Displaced fracture of middle third of navicular (scaphoid) bone of left wrist S62.024# Nondisplaced fracture of middle third of navicular (scaphoid) bone of right wrist S62.025# Nondisplaced fracture of middle third of navicular (scaphoid) bone of left wrist S62.031# Displaced fracture of proximal third of navicular (scaphoid) bone of right wrist S62.032# Displaced fracture of proximal third of navicular (scaphoid) bone of left wrist S62.034# Nondisplaced fracture of proximal third of navicular (scaphoid) bone of right wrist S62.035# Nondisplaced fracture of proximal third of navicular (scaphoid) bone of left wrist S62.310# Displaced fracture of base of second metacarpal bone, right hand S62.311# Displaced fracture of base of second metacarpal bone, left hand S62.312# Displaced fracture of base of third metacarpal bone, right hand S62.313# Displaced fracture of base of third metacarpal bone, left hand S62.314# Displaced fracture of base of fourth metacarpal bone, right hand S62.315# Displaced fracture of base of fourth metacarpal bone, left hand

General Practice

ICD-10-CM 2014: Reference Mapping Card

815.01	Fracture navicular wrist, closed (continued)	S62.316#	Displaced fracture of base of fifth metacarpal bone, right hand	815.00	Fracture metacarpal, NOS closed (continued)	S62.342#	Nondisplaced fracture of base of third metacarpal bone, right hand
		S62.317#	Displaced fracture of base of fifth metacarpal bone, left hand			S62.343#	Nondisplaced fracture of base of third metacarpal bone, left hand
		S62.318#	Displaced fracture of base of other metacarpal bone			S62.344#	Nondisplaced fracture of base of fourth metacarpal bone, right hand
		S62.320#	Displaced fracture of shaft of second metacarpal bone, right hand			S62.345#	Nondisplaced fracture of base of fourth metacarpal bone, left hand
		S62.321#	Displaced fracture of shaft of second metacarpal bone, left hand			S62.346#	Nondisplaced fracture of base of fifth metacarpal bone, right hand
		S62.322#	Displaced fracture of shaft of third metacarpal bone, right hand			S62.347#	Nondisplaced fracture of base of fifth metacarpal bone, left hand
		S62.323#	Displaced fracture of shaft of third metacarpal bone, left hand			S62.348#	Nondisplaced fracture of base of other metacarpal bone
		S62.324#	Displaced fracture of shaft of fourth metacarpal bone, right hand			S62.350#	Nondisplaced fracture of shaft of second metacarpal bone, right hand
		S62.325#	Displaced fracture of shaft of fourth metacarpal bone, left hand			S62.351#	Nondisplaced fracture of shaft of second metacarpal bone, left hand
		S62.326#	Displaced fracture of shaft of fifth metacarpal bone, right hand			S62.352#	Nondisplaced fracture of shaft of third metacarpal bone, right hand
		S62.327#	Displaced fracture of shaft of fifth metacarpal bone, left hand			S62.353#	Nondisplaced fracture of shaft of third metacarpal bone, left hand
		S62.328#	Displaced fracture of shaft of other metacarpal bone			S62.354#	Nondisplaced fracture of shaft of fourth metacarpal bone, right hand
		S62.330#	Displaced fracture of neck of second metacarpal bone, right hand			S62.355#	Nondisplaced fracture of shaft of fourth metacarpal bone, left hand
S62.331#	Displaced fracture of neck of second metacarpal bone, left hand	S62.356#	Nondisplaced fracture of shaft of fifth metacarpal bone, right hand				
S62.332#	Displaced fracture of neck of third metacarpal bone, right hand	S62.357#	Nondisplaced fracture of shaft of fifth metacarpal bone, left hand				
S62.333#	Displaced fracture of neck of third metacarpal bone, left hand	S62.358#	Nondisplaced fracture of shaft of other metacarpal bone				
S62.334#	Displaced fracture of neck of fourth metacarpal bone, right hand	S62.360#	Nondisplaced fracture of neck of second metacarpal bone, right hand				
S62.335#	Displaced fracture of neck of fourth metacarpal bone, left hand	S62.361#	Nondisplaced fracture of neck of second metacarpal bone, left hand				
S62.336#	Displaced fracture of neck of fifth metacarpal bone, right hand	S62.362#	Nondisplaced fracture of neck of third metacarpal bone, right hand				
S62.337#	Displaced fracture of neck of fifth metacarpal bone, left hand	S62.363#	Nondisplaced fracture of neck of third metacarpal bone, left hand				
S62.338#	Displaced fracture of neck of other metacarpal bone	S62.364#	Nondisplaced fracture of neck of fourth metacarpal bone, right hand				
S62.340#	Nondisplaced fracture of base of second metacarpal bone, right hand						
S62.341#	Nondisplaced fracture of base of second metacarpal bone, left hand						

General Practice

ICD-10-CM 2014: Reference Mapping Card

815.00	Fracture metacarpal, NOS closed (continued)	S62.365#	Nondisplaced fracture of neck of fourth metacarpal bone, left hand	815.00	Fracture metacarpal, NOS closed (continued)	S82.455#	Nondisplaced comminuted fracture of shaft of right fibula
		S62.366#	Nondisplaced fracture of neck of fifth metacarpal bone, right hand			S82.456#	Nondisplaced comminuted fracture of shaft of right fibula
		S62.367#	Nondisplaced fracture of neck of fifth metacarpal bone, left hand			S82.461#	Displaced segmental fracture of shaft of right fibula
		S62.368#	Nondisplaced fracture of neck of other metacarpal bone			S82.462#	Displaced segmental fracture of shaft of left fibula
		S62.390#	Other fracture of second metacarpal bone, right hand			S82.464#	Nondisplaced segmental fracture of shaft of right fibula
		S62.391#	Other fracture of second metacarpal bone, left hand			S82.465#	Nondisplaced segmental fracture of shaft of right fibula
		S62.392#	Other fracture of third metacarpal bone, right hand			S82.466#	Nondisplaced segmental fracture of shaft of right fibula
		S62.393#	Other fracture of third metacarpal bone, left hand			S82.491#	Other fracture of shaft of right fibula
		S62.394#	Other fracture of fourth metacarpal bone, right hand			S82.492#	Other fracture of shaft of left fibula
		S62.395#	Other fracture of fourth metacarpal bone, left hand	823.81	Fracture fibula, closed	S82.421#	Displaced transverse fracture of shaft of right fibula
		S62.396#	Other fracture of fifth metacarpal bone, right hand			S82.422#	Displaced transverse fracture of shaft of left fibula
		S62.397#	Other fracture of fifth metacarpal bone, left hand			S82.424#	Nondisplaced transverse fracture of shaft of right fibula
		S62.398#	Other fracture of other metacarpal bone			S82.425#	Nondisplaced transverse fracture of shaft of left fibula
		S82.434#	Nondisplaced oblique fracture of shaft of right fibula			S82.431#	Displaced oblique fracture of shaft of right fibula
		S82.435#	Nondisplaced oblique fracture of shaft of left fibula	826.0	Fracture phalanx toe closed	S82.432#	Displaced oblique fracture of shaft of left fibula
		S82.441#	Displaced spiral fracture of shaft of right fibula			S92.411#	Displaced fracture of proximal phalanx of right great toe
		S82.442#	Displaced spiral fracture of shaft of left fibula			S92.412#	Displaced fracture of proximal phalanx of left great toe
		S82.444#	Nondisplaced spiral fracture of shaft of right fibula			S92.414#	Nondisplaced fracture of proximal phalanx of right great toe
		S82.445#	Nondisplaced spiral fracture of shaft of right fibula			S92.415#	Nondisplaced fracture of proximal phalanx of left great toe
		S82.446#	Nondisplaced spiral fracture of shaft of right fibula			S92.421#	Displaced fracture of distal phalanx of right great toe
		S82.451#	Displaced comminuted fracture of shaft of right fibula			S92.422#	Displaced fracture of distal phalanx of left great toe
		S82.452#	Displaced comminuted fracture of shaft of left fibula			S92.424#	Nondisplaced fracture of distal phalanx of right great toe
		S82.454#	Nondisplaced comminuted fracture of shaft of right fibula			S92.425#	Nondisplaced fracture of distal phalanx of left great toe

General Practice

ICD-10-CM 2014: Reference Mapping Card

826.0	Fracture phalanx toe closed (continued)	S92.511#	Displaced fracture of proximal phalanx of right lesser toe(s)
		S92.512#	Displaced fracture of proximal phalanx of left lesser toe(s)
		S92.514#	Nondisplaced fracture of proximal phalanx of right lesser toe(s)
		S92.515#	Nondisplaced fracture of proximal phalanx of left lesser toe(s)
		S92.521#	Displaced fracture of medial phalanx of right lesser toe(s)
		S92.522#	Displaced fracture of medial phalanx of left lesser toe(s)
		S92.524#	Nondisplaced fracture of medial phalanx of right lesser toe(s)
		S92.525#	Nondisplaced fracture of medial phalanx of left lesser toe(s)
		S92.531#	Displaced fracture of distal phalanx of right lesser toe(s)
		S92.532#	Displaced fracture of distal phalanx of left lesser toe(s)
		S92.534#	Nondisplaced fracture of distal phalanx of right lesser toe(s)
		S92.535#	Nondisplaced fracture of distal phalanx of left lesser toe(s)

^ Code 7th Character for Encounter

A	Initial encounter
D	Subsequent encounter
S	Sequela

ICD-9-CM	ICD-10-CM
841.9	Sprain elbow, forearm NOS
S53.011^	Anterior subluxation of right radial head
S53.012^	Anterior subluxation of left radial head
S53.014^	Anterior dislocation of right radial head
S53.015^	Anterior dislocation of left radial head
S53.021^	Posterior subluxation of right radial head
S53.022^	Posterior subluxation of left radial head
S53.024^	Posterior dislocation of right radial head
S53.025^	Posterior dislocation of left radial head
S53.031^	Nursemaid's elbow, right elbow
S53.032^	Nursemaid's elbow, left elbow

ICD-9-CM	ICD-10-CM
841.9	Sprain elbow, forearm NOS (continued)
S53.091^	Other subluxation of right radial head
S53.092^	Other subluxation of left radial head
S53.094^	Other dislocation of right radial head
S53.095^	Other dislocation of left radial head
S53.111^	Anterior subluxation of right ulnohumeral joint
S53.112^	Anterior subluxation of left ulnohumeral joint
S53.114^	Anterior dislocation of right ulnohumeral joint
S53.115^	Anterior dislocation of left ulnohumeral joint
S53.121^	Posterior subluxation of right ulnohumeral joint
S53.122^	Posterior subluxation of left ulnohumeral joint
S53.124^	Posterior dislocation of right ulnohumeral joint
S53.125^	Posterior dislocation of left ulnohumeral joint
S53.131^	Medial subluxation of right ulnohumeral joint
S53.132^	Medial subluxation of left ulnohumeral joint

ICD-9-CM	ICD-10-CM
841.9	Sprain elbow, forearm NOS (continued)
S53.134^	Medial dislocation of right ulnohumeral joint
S53.135^	Medial dislocation of left ulnohumeral joint
S53.141^	Lateral subluxation of right ulnohumeral joint
S53.142^	Lateral subluxation of left ulnohumeral joint
S53.144^	Lateral dislocation of right ulnohumeral joint
S53.145^	Lateral dislocation of left ulnohumeral joint
S53.191^	Other subluxation of right ulnohumeral joint
S53.192^	Other subluxation of left ulnohumeral joint
S53.194^	Other dislocation of right ulnohumeral joint
S53.195^	Other dislocation of left ulnohumeral joint
S53.21X^	Traumatic rupture of right radial collateral ligament
S53.22X^	Traumatic rupture of left radial collateral ligament
S53.31X^	Traumatic rupture of right ulnar collateral ligament
S53.32X^	Traumatic rupture of left ulnar collateral ligament
S53.411^	Radiohumeral (joint) sprain of right elbow
S53.412^	Radiohumeral (joint) sprain of left elbow
S53.421^	Ulnohumeral (joint) sprain of right elbow

General Practice

ICD-10-CM 2014: Reference Mapping Card

ICD-9-CM	ICD-10-CM	883.0	Open wound of fingers (continued)
841.9	Sprain elbow, forearm NOS (continued)	S53.422^	Ulnohumeral (joint) sprain of left elbow
		S53.431^	Radial collateral ligament sprain of right elbow
		S53.432^	Radial collateral ligament sprain of left elbow
		S53.441^	Ulnar collateral ligament sprain of right elbow
		S53.442^	Ulnar collateral ligament sprain of left elbow
		S53.491^	Other sprain of right elbow
		S53.492^	Other sprain of left elbow
846	Sprain lumbosacral	S33.8XX^	Sprain of other parts of lumbar spine and pelvis, initial encounter
847.1	Sprain thoracic region	S23.3XX^	Sprain of ligaments of thoracic spine, initial encounter
847.1	Sprain thoracic region	S23.8XX^	Sprain of other specified parts of thorax, initial encounter
847.2	Sprain lumbar region	S33.5XX^	Sprain of ligaments of lumbar spine, initial encounter
883.0	Open wound of fingers	S61.210^	Laceration without foreign body of right index finger without damage to nail
		S61.211^	Laceration without foreign body of left index finger without damage to nail
		S61.212^	Laceration without foreign body of right middle finger without damage to nail
		S61.213^	Laceration without foreign body of left middle finger without damage to nail
		S61.214^	Laceration without foreign body of right ring finger without damage to nail
		S61.215^	Laceration without foreign body of left ring finger without damage to nail
		S61.216^	Laceration without foreign body of right little finger without damage to nail
		S61.217^	Laceration without foreign body of left little finger without damage to nail
		S61.218^	Laceration without foreign body of other finger without damage to nail
		S61.220^	Laceration with foreign body of right index finger without damage to nail
		S61.221^	Laceration with foreign body of left index finger without damage to nail
		S61.222^	Laceration with foreign body of right middle finger without damage to nail
		S61.223^	Laceration with foreign body of left middle finger without damage to nail
		S61.224^	Laceration with foreign body of right ring finger without damage to nail
		S61.225^	Laceration with foreign body of left ring finger without damage to nail
		S61.226^	Laceration with foreign body of right little finger without damage to nail
		S61.227^	Laceration with foreign body of left little finger without damage to nail
		S61.228^	Laceration with foreign body of other finger without damage to nail
		S61.230^	Puncture wound without foreign body of right index finger without damage to nail
		S61.231^	Puncture wound without foreign body of left index finger without damage to nail
		S61.232^	Puncture wound without foreign body of right middle finger without damage to nail
		S61.233^	Puncture wound without foreign body of left middle finger without damage to nail
		S61.234^	Puncture wound without foreign body of right ring finger without damage to nail
		S61.235^	Puncture wound without foreign body of left ring finger without damage to nail
		S61.236^	Puncture wound without foreign body of right little finger without damage to nail
		S61.237^	Puncture wound without foreign body of left little finger without damage to nail
		S61.238^	Puncture wound without foreign body of other finger without damage to nail
		S61.240^	Puncture wound with foreign body of right index finger without damage to nail
		S61.241^	Puncture wound with foreign body of left index finger without damage to nail
		S61.242^	Puncture wound with foreign body of right middle finger without damage to nail

General Practice

ICD-10-CM 2014: Reference Mapping Card

883.0	Open wound of fingers (continued)	S61.243^	Puncture wound with foreign body of left middle finger without damage to nail	892.0	Open wound of foot without complication (continued)	S91.342^	Puncture wound with foreign body, left foot				
		S61.244^	Puncture wound with foreign body of right ring finger without damage to nail			S91.351^	Open bite, right foot				
		S61.245^	Puncture wound with foreign body of left ring finger without damage to nail			S91.352^	Open bite, left foot				
		S61.246^	Puncture wound with foreign body of right little finger without damage to nail			S00.01X^	Abrasion of scalp				
		S61.247^	Puncture wound with foreign body of left little finger without damage to nail			S00.31X^	Abrasion of nose				
		S61.248^	Puncture wound with foreign body of other finger without damage to nail			S00.511^	Abrasion of lip				
		S61.250^	Open bite of right index finger without damage to nail			S00.512^	Abrasion of oral cavity				
		S61.251^	Open bite of left index finger without damage to nail			S00.91X^	Abrasion of unspecified part of head				
		S61.252^	Open bite of right middle finger without damage to nail			S10.11X^	Abrasion of throat				
		S61.253^	Open bite of left middle finger without damage to nail			S10.91X^	Abrasion of unspecified part of neck				
		S61.254^	Open bite of right ring finger without damage to nail			S05.00X^	Injury of conjunctiva and corneal abrasion without foreign body, right eye				
		S61.255^	Open bite of left ring finger without damage to nail			S05.00X^	Injury of conjunctiva and corneal abrasion without foreign body, left eye				
		S61.256^	Open bite of right little finger without damage to nail			S00.03X	Contusion of scalp				
		S61.257^	Open bite of left little finger without damage to nail			S00.83X^	Contusion of other specified part of head				
		S61.258^	Open bite of other finger without damage to nail			S10.83X^	Contusion of other specified part of neck				
		892.0	Open wound of foot without complication			S91.311^	Laceration without foreign body, right foot	920	Contusion face, scalp, neck	S20.211^	Contusion of right front wall of thorax
						S91.312^	Laceration without foreign body, left foot			S20.212^	Contusion of left front wall of thorax
						S91.321^	Laceration with foreign body, right foot			S20.221^	Contusion of right back wall of thorax
S91.322^	Laceration with foreign body, left foot			S20.222^	Contusion of left back wall of thorax						
S91.331^	Puncture wound without foreign body, right foot			S30.0XX^	Contusion of lower back and pelvis						
S91.332^	Puncture wound without foreign body, left foot			S40.011^	Contusion of right shoulder						
S91.341^	Puncture wound with foreign body, right foot			S40.012^	Contusion of left shoulder						
				S40.021^	Contusion of right upper arm						
				S40.022^	Contusion of left upper arm						
				S50.11X^	Contusion of right forearm						
				S50.12X^	Contusion of left forearm						
				S60.221^	Contusion of right hand						
				S60.222^	Contusion of left hand						
				S60.011^	Contusion of right thumb without damage to nail						
				S60.012^	Contusion of left thumb without damage to nail						
				S60.021^	Contusion of right index finger without damage to nail						
				S60.022^	Contusion of left index finger without damage to nail						
				S60.031^	Contusion of right middle finger without damage to nail						
		S60.032^	Contusion of left middle finger without damage to nail								
		S60.041^	Contusion of right ring finger without damage to nail								

General Practice

ICD-10-CM 2014: Reference Mapping Card

923.3	Contusion of finger (continued)	S60.042^	Contusion of left ring finger without damage to nail
		S60.051^	Contusion of right little finger without damage to nail
		S60.052^	Contusion of left little finger without damage to nail
		S60.111^	Contusion of right thumb with damage to nail
		S60.112^	Contusion of left thumb with damage to nail
		S60.121^	Contusion of right index finger with damage to nail
		S60.122^	Contusion of left index finger with damage to nail
		S60.131^	Contusion of right middle finger with damage to nail
		S60.132^	Contusion of left middle finger with damage to nail
		S60.141^	Contusion of right ring finger with damage to nail
		S60.142^	Contusion of left ring finger with damage to nail
		S60.151^	Contusion of right little finger with damage to nail
		S60.152^	Contusion of left little finger with damage to nail
924.01	Contusion of hip	S70.01X^	Contusion of right hip
		S70.02X^	Contusion of left hip
924.2	Contusion of foot	S90.31X^	Contusion of right foot
		S90.32X^	Contusion of left foot
931	Foreign body in ear	T16.1XX^	Foreign body in right ear
		T16.2XX^	Foreign body in left ear
V58.31	Encounter for change or removal of surgical wound dressing	Z48.01	Encounter for change or removal of surgical wound dressing
V58.32	Encounter for removal of sutures	Z48.02	Encounter for removal of sutures Applicable to: <i>Encounter for removal of staples</i> <i>Z48.02 is considered unacceptable as a principal diagnosis as it describes a circumstance which influences an individual's health status but not a current illness or injury, or the diagnosis may not be a specific manifestation but may be due to an underlying cause.</i>

ICD-9-CM		ICD-10-CM	
V65.5	Person with feared complaint	Z71.1	Person with feared health complaint in whom no diagnosis is made Applicable to: <i>Person encountering health services with feared condition which was not demonstrated</i> <i>Person encountering health services in which problem was normal state 'Worried well'</i>

ICD-10 Made Simple - DOCUMENT!

Acuity	Acute, chronic, intermittent
Severity	Mild, moderate, severe
Etiology	Trauma, diabetes, renal failure, exercise or infection induced
Location	Where is it- be specific about which joint, chest, femur, posterior thorax
Laterality	Which side is it? Left, right, both
Detail	Present on admission status, associated symptom (hypoxia, loss of consciousness), additional medical diagnoses, initial versus subsequent encounter