

Home Health Care Services

Commonly Used Diagnosis and Surgery/Procedure Codes - ICD-9-CM and ICD-10-CM

Description

Codes Requirements	
*	Codes require fifth digit.
**	Codes from this subcategory should be used in conjunction with other aftercare codes to fully identify the reason for the aftercare encounter.
***	Use additional code to identify underlying condition.
****	Use additional code for any associated long term (current) drug use.

Circulatory System

ICD-9-CM		ICD-10-CM	
Diagnosis	ICD-9	Diagnosis	ICD-10
Aftercare following cardiac, circulatory surgery (390-459)	V58.73**	Encounter for surgical aftercare following surgery on the circulatory system	Z48.812
Aftercare following pacemaker insertion	V53.31	Encounter for checking and testing of cardiac pacemaker pulse generator (battery) Encounter for adjustment and management of other part of cardiac pacemaker	Z45.010 Z45.018

Musculoskeletal System

ICD-9-CM		ICD-10-CM	
Diagnosis	ICD-9	Diagnosis	ICD-10
Aftercare following joint replacement (see below for site)	V54.81	Aftercare following joint replacement surgery	Z47.1
Joint Replaced:		Joint Replaced:	
Shoulder	V43.61	Shoulder	Z96.619
Hip	V43.64	Hip	Z96.649
Knee	V43.65	Knee	Z96.659
Aftercare following musculoskeletal surgery (710-739)	V58.78**	Encounter for other specified surgical aftercare	Z48.89
Physical therapy	V57.1***	Encounter for other specified surgical aftercare	Z48.89
Speech therapy	V57.3	Encounter for other specified surgical aftercare	Z48.89
Multiple Therapy (use for more than one therapy)	V57.89	Encounter for other specified aftercare	Z51.89
Aftercare for healing traumatic fracture (with or without surgery, see below for site)	V54.1*	Aftercare for healing traumatic fracture	
Fx Site:		Refer to the Aftercare for Healing Traumatic Fracture by Site	
Hip	V54.13	Tables:	
Upper leg	V54.15	Hip, Upper Leg, Lower Leg, Vertebrae, Other Bone	
Lower leg	V54.16		
Vertebrae	V54.17		
Other bone	V54.19		

Musculoskeletal System (continued)

ICD-9-CM		ICD-10-CM	
Diagnosis	ICD-9	Diagnosis	ICD-10
Aftercare for healing pathologic fracture (see below for site)	V54.2*	Aftercare for healing pathologic fracture	
Fx Site:			
Upper leg	V54.25	Aftercare for healing pathological fracture, femur, subsequent encounter for fracture with routine healing	M84.453D
Other bone	V54.29	Aftercare for healing pathological fracture, other site, subsequent encounter for fracture with routine healing	M84.48XD
History, pathologic fracture	V13.51	Personal history of (healed) other pathological fracture	Z87.311
History, traumatic fracture	V15.51	Personal history of (healed) traumatic fracture	Z87.81

Genitourinary System

ICD-9-CM		ICD-10-CM	
Diagnosis	ICD-9	Diagnosis	ICD-10
Aftercare following genitourinary surgery (580-629)	V58.76**	Encounter for surgical aftercare following surgery on the genitourinary system	Z48.816
Attention to artificial opening of urinary tract (nephrostomy, ureterostomy, urethrostomy)	V55.6	Encounter for attention to other artificial openings of urinary tract	Z43.6
Attention to cystostomy (S/P catheter)	V55.5	Encounter for attention to cystostomy	Z43.5
Foley catheter (insertion, removal, irrigation)	V53.6	Encounter for fitting and adjustment of urinary device	Z46.6

Home Health Care Services

Commonly Used Diagnosis and Surgery/Procedure Codes - ICD-9-CM and ICD-10-CM

Digestive System

ICD-9-CM		ICD-10-CM	
Diagnosis	ICD-9	Diagnosis	ICD-10
Aftercare following digestive surgery (520-579)	V58.75**	Encounter for surgical aftercare following surgery on the teeth or oral cavity	Z48.814
		Encounter for surgical aftercare following surgery on the digestive system	Z48.815
Attention to colostomy	V55.3	Encounter for attention to colostomy	Z43.3
Attention to gastrostomy	V55.1	Encounter for attention to gastrostomy	Z43.1
Attention to ileostomy	V55.2	Encounter for attention to ileostomy	Z43.2
Attention to other artificial opening of digestive tract (biliary tube)	V55.4	Encounter for attention to other artificial openings of digestive tract	Z43.4

Respiratory System

ICD-9-CM		ICD-10-CM	
Diagnosis	ICD-9	Diagnosis	ICD-10
Aftercare following respiratory system surgery (460-519)	V58.74**	Encounter for surgical aftercare following surgery on the respiratory system	Z48.813
Attention to tracheostomy	V55.0	Encounter for attention to tracheostomy	Z43.0

Other V Codes

ICD-9-CM		ICD-10-CM	
Diagnosis	ICD-9	Diagnosis	ICD-10
Personal History of Fall (Secondary code only)	V15.88	History of falling	Z91.81
Bed confinement status	V49.84	Bed confinement status	Z74.01
Wheelchair dependence	V46.3	Dependence on wheelchair	Z99.3
Attention to nonsurgical dressings	V58.30	Encounter for change or removal of nonsurgical wound dressing	Z48.00
Attention to surgical dressings	V58.31	Encounter for change or removal of surgical wound dressing	Z48.01
Removal of staples/sutures	V58.32	Encounter for removal of sutures	Z48.02
Aftercare following neoplasm surgery (140-239)	V58.42**	Aftercare following surgery for neoplasm	Z48.3
Aftercare following skin and subcutaneous surgery (680-709)	V58.77**	Encounter for surgical aftercare following surgery on the skin and subcutaneous tissue	Z48.817
Aftercare following injury and trauma surgery (excludes ortho aftercare) (800-999)	V58.43**	Encounter for other specified surgical aftercare	Z48.89

Other V Codes (continued)

ICD-9-CM		ICD-10-CM	
Diagnosis	ICD-9	Diagnosis	ICD-10
Aftercare following nervous system surgery (320-359)	V58.72**	Encounter for surgical aftercare following surgery on the nervous system	Z48.811
Encounter for therapeutic drug monitoring	V58.83****	Encounter for therapeutic drug level monitoring	Z51.81
Long-term (current) use of anticoagulants	V58.61	Long term (current) use of anticoagulants	Z79.01
Long-term (current) use of insulin	V58.67***	Long term (current) use of insulin	Z79.4
Long-term (current) use of steroids	V58.65	Long term (current) use of inhaled steroids	Z79.51
		Long term (current) use of systemic steroids	Z79.52
Attention to vascular cath/PICC	V58.81	Encounter for adjustment and management of vascular access device	Z45.2

Status Codes for M0240 Only Excludes Aftercare Management

ICD-9-CM		ICD-10-CM	
Diagnosis	ICD-9	Diagnosis	ICD-10
S/P PTCA	V45.82	Coronary angioplasty status	Z98.61
S/P CABG	V45.81	Presence of aortocoronary bypass graft	Z95.1
S/P cardiac pacemaker	V45.01	Presence of cardiac pacemaker	Z95.0
S/P AICD	V45.02	Presence of automatic (implantable) cardiac defibrillator	Z95.810
S/P heart valve replacement	V43.3	Presence of prosthetic heart valve	Z95.2
Renal dialysis status	V45.11	Dependence on renal dialysis	Z99.2
Insulin pump status	V45.85	Presence of insulin pump (external) (internal)	Z96.41
History DVT	V12.51	Personal history of other venous thrombosis and embolism	Z86.718

Home Health Care Services

Commonly Used Diagnosis and Surgery/Procedure Codes - ICD-9-CM and ICD-10-CM

Aftercare for Healing Traumatic Fracture by Site Tables:

Aftercare – Hip Fracture V54.13

Aftercare for healing traumatic fracture (with or without surgery) - Hip	V54.13
Diagnosis	ICD-10
Displaced avulsion fracture of right ilium, subsequent encounter for fracture with routine healing	S32.311D
Displaced avulsion fracture of left ilium, subsequent encounter for fracture with routine healing	S32.312D
Nondisplaced avulsion fracture of right ilium, subsequent encounter for fracture with routine healing	S32.314D
Nondisplaced avulsion fracture of left ilium, subsequent encounter for fracture with routine healing	S32.315D
Other fracture of right ilium, subsequent encounter for fracture with routine healing	S32.391D
Other fracture of left ilium, subsequent encounter for fracture with routine healing	S32.392D
Displaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with routine healing	S32.411D
Displaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with routine healing	S32.412D
Nondisplaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with routine healing	S32.414D
Nondisplaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with routine healing	S32.415D
Displaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with routine healing	S32.421D
Displaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with routine healing	S32.422D
Nondisplaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with routine healing	S32.424D
Nondisplaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with routine healing	S32.425D

Aftercare – Hip Fracture V54.13 (continued)

Aftercare for healing traumatic fracture (with or without surgery) - Hip	V54.13
Diagnosis	ICD-10
Displaced fracture of anterior column (iliopubic) of right acetabulum, subsequent encounter for fracture with routine healing	S32.431D
Displaced fracture of anterior column (iliopubic) of left acetabulum, subsequent encounter for fracture with routine healing	S32.432D
Nondisplaced fracture of anterior column (iliopubic) of right acetabulum, subsequent encounter for fracture with routine healing	S32.434D
Nondisplaced fracture of anterior column (iliopubic) of left acetabulum, subsequent encounter for fracture with routine healing	S32.435D
Displaced fracture of posterior column (ilioischial) of right acetabulum, subsequent encounter for fracture with routine healing	S32.441D
Displaced fracture of posterior column (ilioischial) of left acetabulum, subsequent encounter for fracture with routine healing	S32.442D
Nondisplaced fracture of posterior column (ilioischial) of right acetabulum, subsequent encounter for fracture with routine healing	S32.444D
Nondisplaced fracture of posterior column (ilioischial) of left acetabulum, subsequent encounter for fracture with routine healing	S32.445D
Displaced transverse fracture of right acetabulum, subsequent encounter for fracture with routine healing	S32.451D
Displaced transverse fracture of left acetabulum, subsequent encounter for fracture with routine healing	S32.452D
Nondisplaced transverse fracture of right acetabulum, subsequent encounter for fracture with routine healing	S32.454D
Nondisplaced transverse fracture of left acetabulum, subsequent encounter for fracture with routine healing	S32.455D
Displaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with routine healing	S32.461D

Home Health Care Services

Commonly Used Diagnosis and Surgery/Procedure Codes - ICD-9-CM and ICD-10-CM

Aftercare – Hip Fracture V54.13 (continued)

Aftercare for healing traumatic fracture (with or without surgery) - Hip	V54.13
Diagnosis	ICD-10
Displaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with routine healing	S32.462D
Nondisplaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with routine healing	S32.464D
Nondisplaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with routine healing	S32.465D
Displaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with routine healing	S32.471D
Displaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with routine healing	S32.472D
Nondisplaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with routine healing	S32.474D
Nondisplaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with routine healing	S32.475D
Displaced dome fracture of right acetabulum, subsequent encounter for fracture with routine healing	S32.481D
Displaced dome fracture of left acetabulum, subsequent encounter for fracture with routine healing	S32.482D
Nondisplaced dome fracture of right acetabulum, subsequent encounter for fracture with routine healing	S32.484D
Nondisplaced dome fracture of left acetabulum, subsequent encounter for fracture with routine healing	S32.485D
Other specified fracture of right acetabulum, subsequent encounter for fracture with routine healing	S32.491D
Other specified fracture of left acetabulum, subsequent encounter for fracture with routine healing	S32.492D
Fracture of superior rim of right pubis, subsequent encounter for fracture with routine healing	S32.511D
Fracture of superior rim of left pubis, subsequent encounter for fracture with routine healing	S32.512D

Aftercare – Hip Fracture V54.13 (continued)

Aftercare for healing traumatic fracture (with or without surgery) - Hip	V54.13
Diagnosis	ICD-10
Other specified fracture of right pubis, subsequent encounter for fracture with routine healing	S32.591D
Other specified fracture of left pubis, subsequent encounter for fracture with routine healing	S32.592D
Displaced avulsion fracture of right ischium, subsequent encounter for fracture with routine healing	S32.611D
Displaced avulsion fracture of left ischium, subsequent encounter for fracture with routine healing	S32.612D
Nondisplaced avulsion fracture of right ischium, subsequent encounter for fracture with routine healing	S32.614D
Nondisplaced avulsion fracture of left ischium, subsequent encounter for fracture with routine healing	S32.615D
Other specified fracture of right ischium, subsequent encounter for fracture with routine healing	S32.691D
Other specified fracture of left ischium, subsequent encounter for fracture with routine healing	S32.692D
Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with routine healing	S72.021D
Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with routine healing	S72.022D

Home Health Care Services

Commonly Used Diagnosis and Surgery/Procedure Codes - ICD-9-CM and ICD-10-CM

Aftercare – Hip Fracture V54.13 (continued)

Aftercare for healing traumatic fracture (with or without surgery) - Hip		V54.13
Diagnosis	ICD-10	
Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with routine healing	S72.024D	
Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with routine healing	S72.025D	
Displaced midcervical fracture of right femur, subsequent encounter for closed fracture with routine healing	S72.031D	
Displaced midcervical fracture of left femur, subsequent encounter for closed fracture with routine healing	S72.032D	
Nondisplaced midcervical fracture of right femur, subsequent encounter for closed fracture with routine healing	S72.034D	
Nondisplaced midcervical fracture of left femur, subsequent encounter for closed fracture with routine healing	S72.035D	
Displaced fracture of base of neck of right femur, subsequent encounter for closed fracture with routine healing	S72.041D	
Displaced fracture of base of neck of left femur, subsequent encounter for closed fracture with routine healing	S72.042D	
Nondisplaced fracture of base of neck of right femur, subsequent encounter for closed fracture with routine healing	S72.044D	
Nondisplaced fracture of base of neck of left femur, subsequent encounter for closed fracture with routine healing	S72.045D	

Aftercare – Hip Fracture V54.13 (continued)

Aftercare for healing traumatic fracture (with or without surgery) - Hip		V54.13
Diagnosis	ICD-10	
Displaced articular fracture of head of right femur, subsequent encounter for closed fracture with routine healing	S72.061D	
Displaced articular fracture of head of left femur, subsequent encounter for closed fracture with routine healing	S72.062D	
Nondisplaced articular fracture of head of right femur, subsequent encounter for closed fracture with routine healing	S72.064D	
Nondisplaced articular fracture of head of left femur, subsequent encounter for closed fracture with routine healing	S72.065D	
Other fracture of head and neck of right femur, subsequent encounter for closed fracture with routine healing	S72.091D	
Other fracture of head and neck of left femur, subsequent encounter for closed fracture with routine healing	S72.092D	
Displaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with routine healing	S72.111D	
Displaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with routine healing	S72.112D	
Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with routine healing	S72.114D	
Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with routine healing	S72.115D	
Displaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with routine healing	S72.121D	
Displaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with routine healing	S72.122D	
Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with routine healing	S72.124D	
Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with routine healing	S72.125D	

Home Health Care Services

Commonly Used Diagnosis and Surgery/Procedure Codes - ICD-9-CM and ICD-10-CM

Aftercare – Hip Fracture V54.13 (continued)

Aftercare for healing traumatic fracture (with or without surgery) - Hip	V54.13
Diagnosis	ICD-10
Displaced apophyseal fracture of right femur, subsequent encounter for closed fracture with routine healing	S72.131D
Displaced apophyseal fracture of left femur, subsequent encounter for closed fracture with routine healing	S72.132D
Nondisplaced apophyseal fracture of right femur, subsequent encounter for closed fracture with routine healing	S72.134D
Nondisplaced apophyseal fracture of left femur, subsequent encounter for closed fracture with routine healing	S72.135D
Displaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with routine healing	S72.141D
Displaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with routine healing	S72.142D
Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with routine healing	S72.144D
Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with routine healing	S72.145D

Aftercare – Upper Leg Fracture V54.15

Aftercare for healing traumatic fracture (with or without surgery) – Upper Leg Fracture	V54.15
Diagnosis	ICD-10
Displaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with routine healing	S72.21XD
Displaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with routine healing	S72.22XD
Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with routine healing	S72.24XD
Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with routine healing	S72.25XD

Aftercare – Upper Leg Fracture V54.15 (continued)

Aftercare for healing traumatic fracture (with or without surgery) – Upper Leg Fracture	V54.15
Diagnosis	ICD-10
Displaced transverse fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing	S72.321D
Displaced transverse fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing	S72.322D
Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing	S72.324D
Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing	S72.325D
Displaced oblique fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing	S72.331D
Displaced oblique fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing	S72.332D
Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing	S72.334D
Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing	S72.335D
Displaced spiral fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing	S72.341D
Displaced spiral fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing	S72.342D
Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing	S72.344D
Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing	S72.345D
Displaced comminuted fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing	S72.351D
Displaced comminuted fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing	S72.352D
Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing	S72.354D
Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing	S72.355D
Displaced segmental fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing	S72.361D
Displaced segmental fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing	S72.362D

Home Health Care Services

Commonly Used Diagnosis and Surgery/Procedure Codes - ICD-9-CM and ICD-10-CM

Aftercare – Upper Leg Fracture V54.15 (continued)

Aftercare for healing traumatic fracture (with or without surgery) – Upper Leg Fracture		V54.15
Diagnosis	ICD-10	
Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing	S72.364D	
Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing	S72.365D	
Other fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing	S72.391D	
Other fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing	S72.392D	
Displaced fracture of lateral condyle of right femur, subsequent encounter for closed fracture with routine healing	S72.421D	
Displaced fracture of lateral condyle of left femur, subsequent encounter for closed fracture with routine healing	S72.422D	
Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for closed fracture with routine healing	S72.424D	

Aftercare – Upper Leg Fracture V54.15 (continued)

Aftercare for healing traumatic fracture (with or without surgery) – Upper Leg Fracture		V54.15
Diagnosis	ICD-10	
Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for closed fracture with routine healing	S72.425D	
Displaced fracture of medial condyle of right femur, subsequent encounter for closed fracture with routine healing	S72.431D	
Displaced fracture of medial condyle of left femur, subsequent encounter for closed fracture with routine healing	S72.432D	
Nondisplaced fracture of medial condyle of right femur, subsequent encounter for closed fracture with routine healing	S72.434D	
Nondisplaced fracture of medial condyle of left femur, subsequent encounter for closed fracture with routine healing	S72.435D	
Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for closed fracture with routine healing	S72.441D	
Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for closed fracture with routine healing	S72.442D	
Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for closed fracture with routine healing	S72.444D	
Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for closed fracture with routine healing	S72.445D	
Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with routine healing	S72.451D	
Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with routine healing	S72.452D	
Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with routine healing	S72.454D	

Home Health Care Services

Commonly Used Diagnosis and Surgery/Procedure Codes - ICD-9-CM and ICD-10-CM

Aftercare – Upper Leg Fracture V54.15 (continued)

Aftercare for healing traumatic fracture (with or without surgery) – Upper Leg Fracture		V54.15
Diagnosis	ICD-10	
Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with routine healing	S72.455D	
Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with routine healing	S72.461D	
Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with routine healing	S72.462D	
Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with routine healing	S72.464D	
Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with routine healing	S72.465D	
Torus fracture of lower end of right femur, subsequent encounter for fracture with routine healing	S72.471D	
Torus fracture of lower end of left femur, subsequent encounter for fracture with routine healing	S72.472D	
Other fracture of lower end of right femur, subsequent encounter for closed fracture with routine healing	S72.491D	
Other fracture of lower end of left femur, subsequent encounter for closed fracture with routine healing	S72.492D	
Other fracture of right femur, subsequent encounter for closed fracture with routine healing	S72.8X1D	
Other fracture of left femur, subsequent encounter for closed fracture with routine healing	S72.8X2D	

Aftercare – Upper Leg Fracture V54.15 (continued)

Aftercare for healing traumatic fracture (with or without surgery) – Upper Leg Fracture		V54.15
Diagnosis	ICD-10	
Salter-Harris Type I physical fracture of upper end of right femur, subsequent encounter for fracture with routine healing	S79.011D	
Salter-Harris Type I physeal fracture of upper end of left femur, subsequent encounter for fracture with routine healing	S79.012D	
Other physical fracture of upper end of right femur, subsequent encounter for fracture with routine healing	S79.091D	
Other physeal fracture of upper end of left femur, subsequent encounter for fracture with routine healing	S79.092D	
Salter-Harris Type I physical fracture of lower end of right femur, subsequent encounter for fracture with routine healing	S79.111D	
Salter-Harris Type I physeal fracture of lower end of left femur, subsequent encounter for fracture with routine healing	S79.112D	
Salter-Harris Type II physeal fracture of lower end of right femur, subsequent encounter for fracture with routine healing	S79.121D	
Salter-Harris Type II physeal fracture of lower end of left femur, subsequent encounter for fracture with routine healing	S79.122D	
Salter-Harris Type III physeal fracture of lower end of right femur, subsequent encounter for fracture with routine healing	S79.131D	
Salter-Harris Type III physeal fracture of lower end of left femur, subsequent encounter for fracture with routine healing	S79.132D	
Salter-Harris Type IV physeal fracture of lower end of right femur, subsequent encounter for fracture with routine healing	S79.141D	

Home Health Care Services

Commonly Used Diagnosis and Surgery/Procedure Codes - ICD-9-CM and ICD-10-CM

Aftercare – Upper Leg Fracture V54.15 (continued)

Aftercare for healing traumatic fracture (with or without surgery) – Upper Leg Fracture	
Diagnosis	ICD-10
Salter-Harris Type IV physeal fracture of lower end of left femur, subsequent encounter for fracture with routine healing	S79.142D
Other physeal fracture of lower end of right femur, subsequent encounter for fracture with routine healing	S79.191D
Other physeal fracture of lower end of left femur, subsequent encounter for fracture with routine healing	S79.192D

Aftercare – Lower Leg Fracture V54.16

Aftercare for healing traumatic fracture (with or without surgery) – Lower Leg Fracture	
Diagnosis	ICD-10
Displaced osteochondral fracture of right patella, subsequent encounter for closed fracture with routine healing	S82.011D
Displaced osteochondral fracture of left patella, subsequent encounter for closed fracture with routine healing	S82.012D
Nondisplaced osteochondral fracture of right patella, subsequent encounter for closed fracture with routine healing	S82.014D
Nondisplaced osteochondral fracture of left patella, subsequent encounter for closed fracture with routine healing	S82.015D
Displaced longitudinal fracture of right patella, subsequent encounter for closed fracture with routine healing	S82.021D
Displaced longitudinal fracture of left patella, subsequent encounter for closed fracture with routine healing	S82.022D
Nondisplaced longitudinal fracture of right patella, subsequent encounter for closed fracture with routine healing	S82.024D
Nondisplaced longitudinal fracture of left patella, subsequent encounter for closed fracture with routine healing	S82.025D
Displaced transverse fracture of right patella, subsequent encounter for closed fracture with routine healing	S82.031D

Aftercare – Lower Leg Fracture V54.16 (continued)

Aftercare for healing traumatic fracture (with or without surgery) – Lower Leg Fracture	
Diagnosis	ICD-10
Displaced transverse fracture of left patella, subsequent encounter for closed fracture with routine healing	S82.032D
Nondisplaced transverse fracture of right patella, subsequent encounter for closed fracture with routine healing	S82.034D
Nondisplaced transverse fracture of left patella, subsequent encounter for closed fracture with routine healing	S82.035D
Displaced comminuted fracture of right patella, subsequent encounter for closed fracture with routine healing	S82.041D
Displaced comminuted fracture of left patella, subsequent encounter for closed fracture with routine healing	S82.042D
Nondisplaced comminuted fracture of right patella, subsequent encounter for closed fracture with routine healing	S82.044D
Nondisplaced comminuted fracture of left patella, subsequent encounter for closed fracture with routine healing	S82.045D
Other fracture of right patella, subsequent encounter for closed fracture with routine healing	S82.091D
Other fracture of left patella, subsequent encounter for closed fracture with routine healing	S82.092D
Displaced fracture of right tibial spine, subsequent encounter for closed fracture with routine healing	S82.111D
Displaced fracture of left tibial spine, subsequent encounter for closed fracture with routine healing	S82.112D
Nondisplaced fracture of right tibial spine, subsequent encounter for closed fracture with routine healing	S82.114D
Nondisplaced fracture of left tibial spine, subsequent encounter for closed fracture with routine healing	S82.115D
Displaced fracture of lateral condyle of right tibia, subsequent encounter for closed fracture with routine healing	S82.121D
Displaced fracture of lateral condyle of left tibia, subsequent encounter for closed fracture with routine healing	S82.122D

Home Health Care Services

Commonly Used Diagnosis and Surgery/Procedure Codes - ICD-9-CM and ICD-10-CM

Aftercare – Lower Leg Fracture V54.16 (continued)

Aftercare for healing traumatic fracture (with or without surgery) – Lower Leg Fracture		V54.16
Diagnosis	ICD-10	
Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for closed fracture with routine healing	S82.124D	
Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for closed fracture with routine healing	S82.125D	
Displaced fracture of medial condyle of right tibia, subsequent encounter for closed fracture with routine healing	S82.131D	
Displaced fracture of medial condyle of left tibia, subsequent encounter for closed fracture with routine healing	S82.132D	
Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for closed fracture with routine healing	S82.134D	
Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for closed fracture with routine healing	S82.135D	
Displaced bicondylar fracture of right tibia, subsequent encounter for closed fracture with routine healing	S82.141D	
Displaced bicondylar fracture of left tibia, subsequent encounter for closed fracture with routine healing	S82.142D	
Nondisplaced bicondylar fracture of right tibia, subsequent encounter for closed fracture with routine healing	S82.144D	
Nondisplaced bicondylar fracture of left tibia, subsequent encounter for closed fracture with routine healing	S82.145D	
Displaced fracture of right tibial tuberosity, subsequent encounter for closed fracture with routine healing	S82.151D	
Displaced fracture of left tibial tuberosity, subsequent encounter for closed fracture with routine healing	S82.152D	
Nondisplaced fracture of right tibial tuberosity, subsequent encounter for closed fracture with routine healing	S82.154D	
Nondisplaced fracture of left tibial tuberosity, subsequent encounter for closed fracture with routine healing	S82.155D	
Torus fracture of upper end of right tibia, subsequent encounter for fracture with routine healing	S82.161D	
Torus fracture of upper end of left tibia, subsequent encounter for fracture with routine healing	S82.162D	
Other fracture of upper end of right tibia, subsequent encounter for closed fracture with routine healing	S82.191D	
Other fracture of upper end of left tibia, subsequent encounter for closed fracture with routine healing	S82.192D	

Aftercare – Lower Leg Fracture V54.16 (continued)

Aftercare for healing traumatic fracture (with or without surgery) – Lower Leg Fracture		V54.16
Diagnosis	ICD-10	
Displaced transverse fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing	S82.221D	
Displaced transverse fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing	S82.222D	
No displaced transverse fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing	S82.224D	
Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing	S82.225D	
Displaced oblique fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing	S82.231D	
Displaced oblique fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing	S82.232D	
No displaced oblique fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing	S82.234D	
Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing	S82.235D	
Displaced spiral fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing	S82.241D	
Displaced spiral fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing	S82.242D	
No displaced spiral fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing	S82.244D	
Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing	S82.245D	
Displaced comminuted fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing	S82.251D	
Displaced comminuted fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing	S82.252D	
No displaced comminuted fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing	S82.254D	
Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing	S82.255D	

Home Health Care Services

Commonly Used Diagnosis and Surgery/Procedure Codes - ICD-9-CM and ICD-10-CM

Aftercare – Lower Leg Fracture V54.16 (continued)

Aftercare for healing traumatic fracture (with or without surgery) – Lower Leg Fracture	V54.16
Diagnosis	ICD-10
Displaced segmental fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing	S82.261D
Displaced segmental fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing	S82.262D
Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing	S82.264D
Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing	S82.265D
Other fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing	S82.291D
Other fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing	S82.292D
Torus fracture of lower end of right tibia, subsequent encounter for fracture with routine healing	S82.311D
Torus fracture of lower end of left tibia, subsequent encounter for fracture with routine healing	S82.312D
Other fracture of lower end of right tibia, subsequent encounter for closed fracture with routine healing	S82.391D
Other fracture of lower end of left tibia, subsequent encounter for closed fracture with routine healing	S82.392D
Displaced transverse fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing	S82.421D
Displaced transverse fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing	S82.422D

Aftercare – Lower Leg Fracture V54.16 (continued)

Aftercare for healing traumatic fracture (with or without surgery) – Lower Leg Fracture	V54.16
Diagnosis	ICD-10
Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing	S82.424D
Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing	S82.425D
Displaced oblique fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing	S82.431D
Displaced oblique fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing	S82.432D
Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing	S82.434D
Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing	S82.435D
Displaced spiral fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing	S82.441D
Displaced spiral fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing	S82.442D
Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing	S82.444D
Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing	S82.445D
Displaced comminuted fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing	S82.451D
Displaced comminuted fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing	S82.452D
Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing	S82.454D
Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing	S82.455D
Displaced segmental fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing	S82.461D
Displaced segmental fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing	S82.462D
Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing	S82.464D
Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing	S82.465D

Home Health Care Services

Commonly Used Diagnosis and Surgery/Procedure Codes - ICD-9-CM and ICD-10-CM

Aftercare – Lower Leg Fracture V54.16 (continued)

Aftercare for healing traumatic fracture (with or without surgery) – Lower Leg Fracture		V54.16
Diagnosis	ICD-10	
Other fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing	S82.491D	
Other fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing	S82.492D	
Displaced fracture of medial malleolus of right tibia, subsequent encounter for closed fracture with routine healing	S82.51XD	
Displaced fracture of medial malleolus of left tibia, subsequent encounter for closed fracture with routine healing	S82.52XD	
Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for closed fracture with routine healing	S82.54XD	
Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for closed fracture with routine healing	S82.55XD	
Displaced fracture of lateral malleolus of right fibula, subsequent encounter for closed fracture with routine healing	S82.61XD	
Displaced fracture of lateral malleolus of left fibula, subsequent encounter for closed fracture with routine healing	S82.62XD	
Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for closed fracture with routine healing	S82.64XD	
Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for closed fracture with routine healing	S82.65XD	
Displaced fracture of medial malleolus of right tibia, subsequent encounter for closed fracture with routine healing	S82.51XD	
Torus fracture of upper end of right fibula, subsequent encounter for fracture with routine healing	S82.811D	
Torus fracture of upper end of left fibula, subsequent encounter for fracture with routine healing	S82.812D	
Torus fracture of lower end of right fibula, subsequent encounter for fracture with routine healing	S82.821D	

Aftercare – Lower Leg Fracture V54.16 (continued)

Aftercare for healing traumatic fracture (with or without surgery) – Lower Leg Fracture		V54.16
Diagnosis	ICD-10	
Torus fracture of lower end of left fibula, subsequent encounter for fracture with routine healing	S82.822D	
Other fracture of upper and lower end of right fibula, subsequent encounter for closed fracture with routine healing	S82.831D	
Other fracture of upper and lower end of left fibula, subsequent encounter for closed fracture with routine healing	S82.832D	
Displaced bimalleolar fracture of right lower leg, subsequent encounter for closed fracture with routine healing	S82.841D	
Displaced bimalleolar fracture of left lower leg, subsequent encounter for closed fracture with routine healing	S82.842D	
Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for closed fracture with routine healing	S82.844D	
Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for closed fracture with routine healing	S82.845D	
Displaced trimalleolar fracture of right lower leg, subsequent encounter for closed fracture with routine healing	S82.851D	
Displaced trimalleolar fracture of left lower leg, subsequent encounter for closed fracture with routine healing	S82.852D	
Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for closed fracture with routine healing	S82.854D	
Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for closed fracture with routine healing	S82.855D	
Displaced Maisonneuve's fracture of right leg, subsequent encounter for closed fracture with routine healing	S82.861D	
Displaced Maisonneuve's fracture of left leg, subsequent encounter for closed fracture with routine healing	S82.862D	

Home Health Care Services

Commonly Used Diagnosis and Surgery/Procedure Codes - ICD-9-CM and ICD-10-CM

Aftercare – Lower Leg Fracture V54.16 (continued)

Aftercare for healing traumatic fracture (with or without surgery) – Lower Leg Fracture		V54.16
Diagnosis		ICD-10
Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for closed fracture with routine healing		S82.864D
Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for closed fracture with routine healing		S82.865D
Displaced pilon fracture of right tibia, subsequent encounter for closed fracture with routine healing		S82.871D
Displaced pilon fracture of left tibia, subsequent encounter for closed fracture with routine healing		S82.872D
Nondisplaced pilon fracture of right tibia, subsequent encounter for closed fracture with routine healing		S82.874D
Nondisplaced pilon fracture of left tibia, subsequent encounter for closed fracture with routine healing		S82.875D
Other fracture of right lower leg, subsequent encounter for closed fracture with routine healing		S82.891D
Other fracture of left lower leg, subsequent encounter for closed fracture with routine healing		S82.892D
Salter-Harris Type I physeal fracture of upper end of right tibia, subsequent encounter for fracture with routine healing		S89.011D
Salter-Harris Type I physeal fracture of upper end of left tibia, subsequent encounter for fracture with routine healing		S89.012D
Salter-Harris Type II physeal fracture of upper end of right tibia, subsequent encounter for fracture with routine healing		S89.021D
Salter-Harris Type II physeal fracture of upper end of left tibia, subsequent encounter for fracture with routine healing		S89.022D
Salter-Harris Type III physeal fracture of upper end of right tibia, subsequent encounter for fracture with routine healing		S89.031D

Aftercare – Lower Leg Fracture V54.16 (continued)

Aftercare for healing traumatic fracture (with or without surgery) – Lower Leg Fracture		V54.16
Diagnosis		ICD-10
Salter-Harris Type III physeal fracture of upper end of left tibia, subsequent encounter for fracture with routine healing		S89.032D
Salter-Harris Type IV physeal fracture of upper end of right tibia, subsequent encounter for fracture with routine healing		S89.041D
Salter-Harris Type IV physeal fracture of upper end of left tibia, subsequent encounter for fracture with routine healing		S89.042D
Other physeal fracture of upper end of right tibia, subsequent encounter for fracture with routine healing		S89.091D
Other physeal fracture of upper end of left tibia, subsequent encounter for fracture with routine healing		S89.092D
Salter-Harris Type I physeal fracture of lower end of right tibia, subsequent encounter for fracture with routine healing		S89.111D
Salter-Harris Type I physeal fracture of lower end of left tibia, subsequent encounter for fracture with routine healing		S89.112D
Salter-Harris Type II physeal fracture of lower end of right tibia, subsequent encounter for fracture with routine healing		S89.121D
Salter-Harris Type II physeal fracture of lower end of left tibia, subsequent encounter for fracture with routine healing		S89.122D
Salter-Harris Type III physeal fracture of lower end of right tibia, subsequent encounter for fracture with routine healing		S89.131D
Salter-Harris Type III physeal fracture of lower end of left tibia, subsequent encounter for fracture with routine healing		S89.132D
Salter-Harris Type IV physeal fracture of lower end of right tibia, subsequent encounter for fracture with routine healing		S89.141D
Salter-Harris Type IV physeal fracture of lower end of left tibia, subsequent encounter for fracture with routine healing		S89.142D
Other physeal fracture of lower end of right tibia, subsequent encounter for fracture with routine healing		S89.191D

Home Health Care Services

Commonly Used Diagnosis and Surgery/Procedure Codes - ICD-9-CM and ICD-10-CM

Aftercare – Lower Leg Fracture V54.16 (continued)

Aftercare for healing traumatic fracture (with or without surgery) – Lower Leg Fracture		V54.16
Diagnosis		ICD-10
Other physeal fracture of lower end of left tibia, subsequent encounter for fracture with routine healing		S89.192D
Salter-Harris Type I physeal fracture of upper end of right fibula, subsequent encounter for fracture with routine healing		S89.211D
Salter-Harris Type I physeal fracture of upper end of left fibula, subsequent encounter for fracture with routine healing		S89.212D
Salter-Harris Type II physeal fracture of upper end of right fibula, subsequent encounter for fracture with routine healing		S89.221D
Salter-Harris Type II physeal fracture of upper end of left fibula, subsequent encounter for fracture with routine healing		S89.222D
Other physeal fracture of upper end of right fibula, subsequent encounter for fracture with routine healing		S89.291D
Other physeal fracture of upper end of left fibula, subsequent encounter for fracture with routine healing		S89.292D
Salter-Harris Type I physeal fracture of lower end of right fibula, subsequent encounter for fracture with routine healing		S89.311D
Salter-Harris Type I physeal fracture of lower end of left fibula, subsequent encounter for fracture with routine healing		S89.312D
Salter-Harris Type II physeal fracture of lower end of right fibula, subsequent encounter for fracture with routine healing		S89.321D
Salter-Harris Type II physeal fracture of lower end of left fibula, subsequent encounter for fracture with routine healing		S89.322D
Other physeal fracture of lower end of right fibula, subsequent encounter for fracture with routine healing		S89.391D
Other physeal fracture of lower end of left fibula, subsequent encounter for fracture with routine healing		S89.392D

Aftercare – Lower Leg Fracture V54.16 (continued)

Aftercare for healing traumatic fracture (with or without surgery) – Lower Leg Fracture		V54.16
Diagnosis		ICD-10
Displaced fracture of body of right calcaneus, subsequent encounter for fracture with routine healing		S92.011D
Displaced fracture of body of left calcaneus, subsequent encounter for fracture with routine healing		S92.012D
Nondisplaced fracture of body of right calcaneus, subsequent encounter for fracture with routine healing		S92.014D
Nondisplaced fracture of body of left calcaneus, subsequent encounter for fracture with routine healing		S92.015D
Displaced fracture of anterior process of right calcaneus, subsequent encounter for fracture with routine healing		S92.021D
Displaced fracture of anterior process of left calcaneus, subsequent encounter for fracture with routine healing		S92.022D
Nondisplaced fracture of anterior process of right calcaneus, subsequent encounter for fracture with routine healing		S92.024D
Nondisplaced fracture of anterior process of left calcaneus, subsequent encounter for fracture with routine healing		S92.025D
Displaced avulsion fracture of tuberosity of right calcaneus, subsequent encounter for fracture with routine healing		S92.031D
Displaced avulsion fracture of tuberosity of left calcaneus, subsequent encounter for fracture with routine healing		S92.032D
Nondisplaced avulsion fracture of tuberosity of right calcaneus, subsequent encounter for fracture with routine healing		S92.034D
Nondisplaced avulsion fracture of tuberosity of left calcaneus, subsequent encounter for fracture with routine healing		S92.035D
Displaced other fracture of tuberosity of right calcaneus, subsequent encounter for fracture with routine healing		S92.041D
Displaced other fracture of tuberosity of left calcaneus, subsequent encounter for fracture with routine healing		S92.042D
Nondisplaced other fracture of tuberosity of right calcaneus, subsequent encounter for fracture with routine healing		S92.044D

Home Health Care Services

Commonly Used Diagnosis and Surgery/Procedure Codes - ICD-9-CM and ICD-10-CM

Aftercare – Lower Leg Fracture V54.16 (continued)

Aftercare for healing traumatic fracture (with or without surgery) – Lower Leg Fracture		V54.16
Diagnosis	ICD-10	
Nondisplaced other fracture of tuberosity of left calcaneus, subsequent encounter for fracture with routine healing	S92.045D	
Displaced other extraarticular fracture of right calcaneus, subsequent encounter for fracture with routine healing	S92.051D	
Displaced other extraarticular fracture of left calcaneus, subsequent encounter for fracture with routine healing	S92.052D	
Nondisplaced other extraarticular fracture of right calcaneus, subsequent encounter for fracture with routine healing	S92.054D	
Nondisplaced other extraarticular fracture of left calcaneus, subsequent encounter for fracture with routine healing	S92.055D	
Displaced intraarticular fracture of right calcaneus, subsequent encounter for fracture with routine healing	S92.061D	
Displaced intraarticular fracture of left calcaneus, subsequent encounter for fracture with routine healing	S92.062D	
Nondisplaced intraarticular fracture of right calcaneus, subsequent encounter for fracture with routine healing	S92.064D	
Nondisplaced intraarticular fracture of left calcaneus, subsequent encounter for fracture with routine healing	S92.065D	
Displaced fracture of neck of right talus, subsequent encounter for fracture with routine healing	S92.111D	
Displaced fracture of neck of left talus, subsequent encounter for fracture with routine healing	S92.112D	
Nondisplaced fracture of neck of right talus, subsequent encounter for fracture with routine healing	S92.114D	
Nondisplaced fracture of neck of left talus, subsequent encounter for fracture with routine healing	S92.115D	
Displaced fracture of body of right talus, subsequent encounter for fracture with routine healing	S92.121D	
Displaced fracture of body of left talus, subsequent encounter for fracture with routine healing	S92.122D	

Aftercare – Lower Leg Fracture V54.16 (continued)

Aftercare for healing traumatic fracture (with or without surgery) – Lower Leg Fracture		V54.16
Diagnosis	ICD-10	
Nondisplaced fracture of body of right talus, subsequent encounter for fracture with routine healing	S92.124D	
Nondisplaced fracture of body of left talus, subsequent encounter for fracture with routine healing	S92.125D	
Displaced fracture of posterior process of right talus, subsequent encounter for fracture with routine healing	S92.131D	
Displaced fracture of posterior process of left talus, subsequent encounter for fracture with routine healing	S92.132D	
Nondisplaced fracture of posterior process of right talus, subsequent encounter for fracture with routine healing	S92.134D	
Nondisplaced fracture of posterior process of left talus, subsequent encounter for fracture with routine healing	S92.135D	
Displaced dome fracture of right talus, subsequent encounter for fracture with routine healing	S92.141D	
Displaced dome fracture of left talus, subsequent encounter for fracture with routine healing	S92.142D	
Nondisplaced dome fracture of right talus, subsequent encounter for fracture with routine healing	S92.144D	
Nondisplaced dome fracture of left talus, subsequent encounter for fracture with routine healing	S92.145D	
Displaced avulsion fracture (chip fracture) of right talus, subsequent encounter for fracture with routine healing	S92.151D	
Displaced avulsion fracture (chip fracture) of left talus, subsequent encounter for fracture with routine healing	S92.152D	
Nondisplaced avulsion fracture (chip fracture) of right talus, subsequent encounter for fracture with routine healing	S92.154D	
Nondisplaced avulsion fracture (chip fracture) of left talus, subsequent encounter for fracture with routine healing	S92.155D	
Other fracture of right talus, subsequent encounter for fracture with routine healing	S92.191D	
Other fracture of left talus, subsequent encounter for fracture with routine healing	S92.192D	

Home Health Care Services

Commonly Used Diagnosis and Surgery/Procedure Codes - ICD-9-CM and ICD-10-CM

Aftercare – Lower Leg Fracture V54.16 (continued)

Aftercare for healing traumatic fracture (with or without surgery) – Lower Leg Fracture		V54.16
Diagnosis	ICD-10	
Displaced fracture of cuboid bone of right foot, subsequent encounter for fracture with routine healing	S92.211D	
Displaced fracture of cuboid bone of left foot, subsequent encounter for fracture with routine healing	S92.212D	
Nondisplaced fracture of cuboid bone of right foot, subsequent encounter for fracture with routine healing	S92.214D	
Nondisplaced fracture of cuboid bone of left foot, subsequent encounter for fracture with routine healing	S92.215D	
Displaced fracture of lateral cuneiform of right foot, subsequent encounter for fracture with routine healing	S92.221D	
Displaced fracture of lateral cuneiform of left foot, subsequent encounter for fracture with routine healing	S92.222D	
Nondisplaced fracture of lateral cuneiform of right foot, subsequent encounter for fracture with routine healing	S92.224D	
Nondisplaced fracture of lateral cuneiform of left foot, subsequent encounter for fracture with routine healing	S92.225D	
Displaced fracture of intermediate cuneiform of right foot, subsequent encounter for fracture with routine healing	S92.231D	
Displaced fracture of intermediate cuneiform of left foot, subsequent encounter for fracture with routine healing	S92.232D	
Nondisplaced fracture of intermediate cuneiform of right foot, subsequent encounter for fracture with routine healing	S92.234D	
Nondisplaced fracture of intermediate cuneiform of left foot, subsequent encounter for fracture with routine healing	S92.235D	
Displaced fracture of medial cuneiform of right foot, subsequent encounter for fracture with routine healing	S92.241D	
Displaced fracture of medial cuneiform of left foot, subsequent encounter for fracture with routine healing	S92.242D	
Nondisplaced fracture of medial cuneiform of right foot, subsequent encounter for fracture with routine healing	S92.244D	
Nondisplaced fracture of medial cuneiform of left foot, subsequent encounter for fracture with routine healing	S92.245D	
Displaced fracture of navicular (scaphoid) of right foot, subsequent encounter for fracture with routine healing	S92.251D	
Displaced fracture of navicular (scaphoid) of left foot, subsequent encounter for fracture with routine healing	S92.252D	

Aftercare – Lower Leg Fracture V54.16 (continued)

Aftercare for healing traumatic fracture (with or without surgery) – Lower Leg Fracture		V54.16
Diagnosis	ICD-10	
Nondisplaced fracture of navicular (scaphoid) of right foot, subsequent encounter for fracture with routine healing	S92.254D	
Nondisplaced fracture of navicular (scaphoid) of left foot, subsequent encounter for fracture with routine healing	S92.255D	
Displaced fracture of first metatarsal bone, right foot, subsequent encounter for fracture with routine healing	S92.311D	
Displaced fracture of first metatarsal bone, left foot, subsequent encounter for fracture with routine healing	S92.312D	
Nondisplaced fracture of first metatarsal bone, right foot, subsequent encounter for fracture with routine healing	S92.314D	
Nondisplaced fracture of first metatarsal bone, left foot, subsequent encounter for fracture with routine healing	S92.315D	
Displaced fracture of second metatarsal bone, right foot, subsequent encounter for fracture with routine healing	S92.321D	
Displaced fracture of second metatarsal bone, left foot, subsequent encounter for fracture with routine healing	S92.322D	
Nondisplaced fracture of second metatarsal bone, right foot, subsequent encounter for fracture with routine healing	S92.324D	
Nondisplaced fracture of second metatarsal bone, left foot, subsequent encounter for fracture with routine healing	S92.325D	
Displaced fracture of third metatarsal bone, right foot, subsequent encounter for fracture with routine healing	S92.331D	
Displaced fracture of third metatarsal bone, left foot, subsequent encounter for fracture with routine healing	S92.332D	
Nondisplaced fracture of third metatarsal bone, right foot, subsequent encounter for fracture with routine healing	S92.334D	
Nondisplaced fracture of third metatarsal bone, left foot, subsequent encounter for fracture with routine healing	S92.335D	
Displaced fracture of fourth metatarsal bone, right foot, subsequent encounter for fracture with routine healing	S92.341D	
Displaced fracture of fourth metatarsal bone, left foot, subsequent encounter for fracture with routine healing	S92.342D	

Home Health Care Services

Commonly Used Diagnosis and Surgery/Procedure Codes - ICD-9-CM and ICD-10-CM

Aftercare – Lower Leg Fracture V54.16 (continued)

Aftercare for healing traumatic fracture (with or without surgery) – Lower Leg Fracture	
V54.16	
Diagnosis	ICD-10
Nondisplaced fracture of fourth metatarsal bone, right foot, subsequent encounter for fracture with routine healing	S92.344D
Nondisplaced fracture of fourth metatarsal bone, left foot, subsequent encounter for fracture with routine healing	S92.345D
Displaced fracture of fifth metatarsal bone, right foot, subsequent encounter for fracture with routine healing	S92.351D
Displaced fracture of fifth metatarsal bone, left foot, subsequent encounter for fracture with routine healing	S92.352D
Nondisplaced fracture of fifth metatarsal bone, right foot, subsequent encounter for fracture with routine healing	S92.354D
Nondisplaced fracture of fifth metatarsal bone, left foot, subsequent encounter for fracture with routine healing	S92.355D
Displaced fracture of proximal phalanx of right great toe, subsequent encounter for fracture with routine healing	S92.406D
Displaced fracture of proximal phalanx of left great toe, subsequent encounter for fracture with routine healing	S92.412D
Nondisplaced fracture of proximal phalanx of right great toe, subsequent encounter for fracture with routine healing	S92.414D
Nondisplaced fracture of proximal phalanx of left great toe, subsequent encounter for fracture with routine healing	S92.415D
Displaced fracture of distal phalanx of right great toe, subsequent encounter for fracture with routine healing	S92.421D
Displaced fracture of distal phalanx of left great toe, subsequent encounter for fracture with routine healing	S92.422D
Nondisplaced fracture of distal phalanx of right great toe, subsequent encounter for fracture with routine healing	S92.424D
Nondisplaced fracture of distal phalanx of left great toe, subsequent encounter for fracture with routine healing	S92.425D

Aftercare – Lower Leg Fracture V54.16 (continued)

Aftercare for healing traumatic fracture (with or without surgery) – Lower Leg Fracture	
V54.16	
Diagnosis	ICD-10
Other fracture of right great toe, subsequent encounter for fracture with routine healing	S92.491D
Other fracture of left great toe, subsequent encounter for fracture with routine healing	S92.492D
Displaced fracture of proximal phalanx of right lesser toe(s), subsequent encounter for fracture with routine healing	S92.511D
Displaced fracture of proximal phalanx of left lesser toe(s), subsequent encounter for fracture with routine healing	S92.512D
Nondisplaced fracture of proximal phalanx of right lesser toe(s), subsequent encounter for fracture with routine healing	S92.514D
Nondisplaced fracture of proximal phalanx of left lesser toe(s), subsequent encounter for fracture with routine healing	S92.515D
Displaced fracture of medial phalanx of right lesser toe(s), subsequent encounter for fracture with routine healing	S92.521D
Displaced fracture of medial phalanx of left lesser toe(s), subsequent encounter for fracture with routine healing	S92.522D
Nondisplaced fracture of medial phalanx of right lesser toe(s), subsequent encounter for fracture with routine healing	S92.524D
Nondisplaced fracture of medial phalanx of left lesser toe(s), subsequent encounter for fracture with routine healing	S92.525D
Displaced fracture of distal phalanx of right lesser toe(s), subsequent encounter for fracture with routine healing	S92.531D
Displaced fracture of distal phalanx of left lesser toe(s), subsequent encounter for fracture with routine healing	S92.532D
Nondisplaced fracture of distal phalanx of right lesser toe(s), subsequent encounter for fracture with routine healing	S92.534D
Nondisplaced fracture of distal phalanx of left lesser toe(s), subsequent encounter for fracture with routine healing	S92.535D

Home Health Care Services

Commonly Used Diagnosis and Surgery/Procedure Codes - ICD-9-CM and ICD-10-CM

Aftercare – Lower Leg Fracture V54.16 (continued)

Aftercare for healing traumatic fracture (with or without surgery) – Lower Leg Fracture		V54.16
Diagnosis		ICD-10
Other fracture of right lesser toe(s), subsequent encounter for fracture with routine healing		S92.591D
Other fracture of left lesser toe(s), subsequent encounter for fracture with routine healing		S92.592D

Aftercare – Vertebrae V54.17

Aftercare for healing traumatic fracture (with or without surgery) – Vertebrae		V54.17
Diagnosis		ICD-10
Stable burst fracture of first cervical vertebra, subsequent encounter for fracture with routine healing		S12.01XD
Unstable burst fracture of first cervical vertebra, subsequent encounter for fracture with routine healing		S12.02XD
Displaced posterior arch fracture of first cervical vertebra, subsequent encounter for fracture with routine healing		S12.030D
Nondisplaced posterior arch fracture of first cervical vertebra, subsequent encounter for fracture with routine healing		S12.031D
Displaced lateral mass fracture of first cervical vertebra, subsequent encounter for fracture with routine healing		S12.040D
Nondisplaced lateral mass fracture of first cervical vertebra, subsequent encounter for fracture with routine healing		S12.041D
Other displaced fracture of first cervical vertebra, subsequent encounter for fracture with routine healing		S12.090D
Other nondisplaced fracture of first cervical vertebra, subsequent encounter for fracture with routine healing		S12.091D
Anterior displaced Type II dens fracture, subsequent encounter for fracture with routine healing		S12.110D
Posterior displaced Type II dens fracture, subsequent encounter for fracture with routine healing		S12.111D
Nondisplaced Type II dens fracture, subsequent encounter for fracture with routine healing		S12.112D

Aftercare – Vertebrae V54.17 (continued)

Aftercare for healing traumatic fracture (with or without surgery) – Vertebrae		V54.17
Diagnosis		ICD-10
Other displaced dens fracture, subsequent encounter for fracture with routine healing		S12.120D
Other nondisplaced dens fracture, subsequent encounter for fracture with routine healing		S12.121D
Type III traumatic spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with routine healing		S12.14XD
Other traumatic displaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with routine healing		S12.150D
Other traumatic nondisplaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with routine healing		S12.151D
Other displaced fracture of second cervical vertebra, subsequent encounter for fracture with routine healing		S12.190D
Other nondisplaced fracture of second cervical vertebra, subsequent encounter for fracture with routine healing		S12.191D
Type III traumatic spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with routine healing		S12.24XD
Other traumatic displaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with routine healing		S12.250D
Other traumatic nondisplaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with routine healing		S12.251D
Other displaced fracture of third cervical vertebra, subsequent encounter for fracture with routine healing		S12.290D
Other nondisplaced fracture of third cervical vertebra, subsequent encounter for fracture with routine healing		S12.291D

Home Health Care Services

Commonly Used Diagnosis and Surgery/Procedure Codes - ICD-9-CM and ICD-10-CM

Aftercare – Vertebrae V54.17 (continued)

Aftercare for healing traumatic fracture (with or without surgery) – Vertebrae	V54.17
Diagnosis	ICD-10
Type III traumatic spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with routine healing	S12.34XD
Other traumatic displaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with routine healing	S12.350D
Other traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with routine healing	S12.351D
Other displaced fracture of fourth cervical vertebra, subsequent encounter for fracture with routine healing	S12.390D
Other nondisplaced fracture of fourth cervical vertebra, subsequent encounter for fracture with routine healing	S12.391D
Type III traumatic spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with routine healing	S12.44XD
Other traumatic displaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with routine healing	S12.450D
Other traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with routine healing	S12.451D
Other displaced fracture of fifth cervical vertebra, subsequent encounter for fracture with routine healing	S12.490D
Other nondisplaced fracture of fifth cervical vertebra, subsequent encounter for fracture with routine healing	S12.491D
Type III traumatic spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with routine healing	S12.54XD
Other traumatic displaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with routine healing	S12.550D
Other traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with routine healing	S12.551D
Other displaced fracture of sixth cervical vertebra, subsequent encounter for fracture with routine healing	S12.590D

Aftercare – Vertebrae V54.17 (continued)

Aftercare for healing traumatic fracture (with or without surgery) – Vertebrae	V54.17
Diagnosis	ICD-10
Other nondisplaced fracture of sixth cervical vertebra, subsequent encounter for fracture with routine healing	S12.591D
Type III traumatic spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with routine healing	S12.64XD
Other traumatic displaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with routine healing	S12.650D
Other traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with routine healing	S12.651D
Other displaced fracture of seventh cervical vertebra, subsequent encounter for fracture with routine healing	S12.690D
Other nondisplaced fracture of seventh cervical vertebra, subsequent encounter for fracture with routine healing	S12.691D
Wedge compression fracture of first thoracic vertebra, subsequent encounter for fracture with routine healing	S22.010D
Stable burst fracture of first thoracic vertebra, subsequent encounter for fracture with routine healing	S22.011D
Unstable burst fracture of first thoracic vertebra, subsequent encounter for fracture with routine healing	S22.012D
Other fracture of first thoracic vertebra, subsequent encounter for fracture with routine healing	S22.018D
Wedge compression fracture of second thoracic vertebra, subsequent encounter for fracture with routine healing	S22.020D
Stable burst fracture of second thoracic vertebra, subsequent encounter for fracture with routine healing	S22.021D
Unstable burst fracture of second thoracic vertebra, subsequent encounter for fracture with routine healing	S22.022D
Other fracture of second thoracic vertebra, subsequent encounter for fracture with routine healing	S22.028D

Home Health Care Services

Commonly Used Diagnosis and Surgery/Procedure Codes - ICD-9-CM and ICD-10-CM

Aftercare – Vertebrae V54.17 (continued)

Aftercare for healing traumatic fracture (with or without surgery) – Vertebrae		V54.17
Diagnosis		ICD-10
Wedge compression fracture of third thoracic vertebra, subsequent encounter for fracture with routine healing		S22.030D
Stable burst fracture of third thoracic vertebra, subsequent encounter for fracture with routine healing		S22.031D
Unstable burst fracture of third thoracic vertebra, subsequent encounter for fracture with routine healing		S22.032D
Other fracture of third thoracic vertebra, subsequent encounter for fracture with routine healing		S22.038D
Wedge compression fracture of fourth thoracic vertebra, subsequent encounter for fracture with routine healing		S22.040D
Stable burst fracture of fourth thoracic vertebra, subsequent encounter for fracture with routine healing		S22.041D
Unstable burst fracture of fourth thoracic vertebra, subsequent encounter for fracture with routine healing		S22.042D
Other fracture of fourth thoracic vertebra, subsequent encounter for fracture with routine healing		S22.048D
Wedge compression fracture of T5-T6 vertebra, subsequent encounter for fracture with routine healing		S22.050D
Stable burst fracture of T5-T6 vertebra, subsequent encounter for fracture with routine healing		S22.051D
Unstable burst fracture of T5-T6 vertebra, subsequent encounter for fracture with routine healing		S22.052D
Other fracture of T5-T6 vertebra, subsequent encounter for fracture with routine healing		S22.058D
Wedge compression fracture of T7-T8 vertebra, subsequent encounter for fracture with routine healing		S22.060D
Stable burst fracture of T7-T8 vertebra, subsequent encounter for fracture with routine healing		S22.061D
Unstable burst fracture of T7-T8 vertebra, subsequent encounter for fracture with routine healing		S22.062D
Other fracture of T7-T8 thoracic vertebra, subsequent encounter for fracture with routine healing		S22.068D
Wedge compression fracture of T9-T10 vertebra, subsequent encounter for fracture with routine healing		S22.070D
Stable burst fracture of T9-T10 vertebra, subsequent encounter for fracture with routine healing		S22.071D
Unstable burst fracture of T9-T10 vertebra, subsequent encounter for fracture with routine healing		S22.072D
Other fracture of T9-T10 vertebra, subsequent encounter for fracture with routine healing		S22.078D
Wedge compression fracture of T11-T12 vertebra, subsequent encounter for fracture with routine healing		S22.080D

Aftercare – Vertebrae V54.17 (continued)

Aftercare for healing traumatic fracture (with or without surgery) – Vertebrae		V54.17
Diagnosis		ICD-10
Stable burst fracture of T11-T12 vertebra, subsequent encounter for fracture with routine healing		S22.081D
Unstable burst fracture of T11-T12 vertebra, subsequent encounter for fracture with routine healing		S22.082D
Other fracture of T11-T12 vertebra, subsequent encounter for fracture with routine healing		S22.088D
Wedge compression fracture of first lumbar vertebra, subsequent encounter for fracture with routine healing		S32.010D
Stable burst fracture of first lumbar vertebra, subsequent encounter for fracture with routine healing		S32.011D
Unstable burst fracture of first lumbar vertebra, subsequent encounter for fracture with routine healing		S32.012D
Other fracture of first lumbar vertebra, subsequent encounter for fracture with routine healing		S32.018D
Wedge compression fracture of second lumbar vertebra, subsequent encounter for fracture with routine healing		S32.020D
Stable burst fracture of second lumbar vertebra, subsequent encounter for fracture with routine healing		S32.021D
Unstable burst fracture of second lumbar vertebra, subsequent encounter for fracture with routine healing		S32.022D
Other fracture of second lumbar vertebra, subsequent encounter for fracture with routine healing		S32.028D
Wedge compression fracture of third lumbar vertebra, subsequent encounter for fracture with routine healing		S32.030D
Stable burst fracture of third lumbar vertebra, subsequent encounter for fracture with routine healing		S32.031D
Unstable burst fracture of third lumbar vertebra, subsequent encounter for fracture with routine healing		S32.032D
Other fracture of third lumbar vertebra, subsequent encounter for fracture with routine healing		S32.038D
Wedge compression fracture of fourth lumbar vertebra, subsequent encounter for fracture with routine healing		S32.040D
Stable burst fracture of fourth lumbar vertebra, subsequent encounter for fracture with routine healing		S32.041D
Unstable burst fracture of fourth lumbar vertebra, subsequent encounter for fracture with routine healing		S32.042D

Home Health Care Services

Commonly Used Diagnosis and Surgery/Procedure Codes - ICD-9-CM and ICD-10-CM

Aftercare – Vertebrae V54.17 (continued)

Aftercare for healing traumatic fracture (with or without surgery) – Vertebrae V54.17	
Diagnosis	ICD-10
Other fracture of fourth lumbar vertebra, subsequent encounter for fracture with routine healing	S32.048D
Wedge compression fracture of fifth lumbar vertebra, subsequent encounter for fracture with routine healing	S32.050D
Stable burst fracture of fifth lumbar vertebra, subsequent encounter for fracture with routine healing	S32.051D
Unstable burst fracture of fifth lumbar vertebra, subsequent encounter for fracture with routine healing	S32.052D
Other fracture of fifth lumbar vertebra, subsequent encounter for fracture with routine healing	S32.058D

Aftercare – Other Bone V54.19

Aftercare for healing traumatic fracture (with or without surgery) – Other Bone V54.19	
Diagnosis	ICD-10
Fracture of vault of skull, subsequent encounter for fracture with routine healing	S02.0XXD
Type I occipital condyle fracture, subsequent encounter for fracture with routine healing	S02.110D
Type II occipital condyle fracture, subsequent encounter for fracture with routine healing	S02.111D
Type III occipital condyle fracture, subsequent encounter for fracture with routine healing	S02.112D
Other fracture of occiput, subsequent encounter for fracture with routine healing	S02.118D
Other fracture of base of skull, subsequent encounter for fracture with routine healing	S02.19XD
Fracture of nasal bones, subsequent encounter for fracture with routine healing	S02.2XXD
Fracture of orbital floor, subsequent encounter for fracture with routine healing	S02.3XXD
LeFort I fracture, subsequent encounter for fracture with routine healing	S02.411D
LeFort II fracture, subsequent encounter for fracture with routine healing	S02.412D

Aftercare – Other Bone V54.19 (continued)

Aftercare for healing traumatic fracture (with or without surgery) – Other Bone V54.19	
Diagnosis	ICD-10
LeFort III fracture, subsequent encounter for fracture with routine healing	S02.413D
Fracture of alveolus of maxilla, subsequent encounter for fracture with routine healing	S02.42XD
Fracture of tooth (traumatic), subsequent encounter for fracture with routine healing	S02.5XXD
Fracture of condylar process of mandible, subsequent encounter for fracture with routine healing	S02.61XD
Fracture of subcondylar process of mandible, subsequent encounter for fracture with routine healing	S02.62XD
Fracture of coronoid process of mandible, subsequent encounter for fracture with routine healing	S02.63XD
Fracture of ramus of mandible, subsequent encounter for fracture with routine healing	S02.64XD
Fracture of angle of mandible, subsequent encounter for fracture with routine healing	S02.65XD
Fracture of symphysis of mandible, subsequent encounter for fracture with routine healing	S02.66XD
Fracture of alveolus of mandible, subsequent encounter for fracture with routine healing	S02.67XD
Fracture of mandible of other specified site, subsequent encounter for fracture with routine healing	S02.69XD
Fractures of other specified skull and facial bones, subsequent encounter for fracture with routine healing	S02.8XXD
Fracture of other parts of neck, subsequent encounter	S12.8XXD
Fracture of manubrium, subsequent encounter for fracture with routine healing	S22.21XD
Fracture of body of sternum, subsequent encounter for fracture with routine healing	S22.22XD
Sternal manubrial dissociation, subsequent encounter for fracture with routine healing	S22.23XD
Fracture of xiphoid process, subsequent encounter for fracture with routine healing	S22.24XD
Fracture of one rib, right side, subsequent encounter for fracture with routine healing	S22.31XD
Fracture of one rib, left side, subsequent encounter for fracture with routine healing	S22.32XD
Fracture of one rib, unspecified side, subsequent encounter for fracture with routine healing	S22.39XD
Multiple fractures of ribs, right side, subsequent encounter for fracture with routine healing	S22.41XD
Multiple fractures of ribs, left side, subsequent encounter for fracture with routine healing	S22.42XD
Multiple fractures of ribs, bilateral, subsequent encounter for fracture with routine healing	S22.43XD

Home Health Care Services

Commonly Used Diagnosis and Surgery/Procedure Codes - ICD-9-CM and ICD-10-CM

Aftercare – Other Bone V54.19 (continued)

Aftercare for healing traumatic fracture (with or without surgery) – Other Bone	V54.19
Diagnosis	ICD-10
Flail chest, subsequent encounter for fracture with routine healing	S22.5XXD
Nondisplaced Zone I fracture of sacrum, subsequent encounter for fracture with routine healing	S32.110D
Minimally displaced Zone I fracture of sacrum, subsequent encounter for fracture with routine healing	S32.111D
Severely displaced Zone I fracture of sacrum, subsequent encounter for fracture with routine healing	S32.112D
Nondisplaced Zone II fracture of sacrum, subsequent encounter for fracture with routine healing	S32.120D
Minimally displaced Zone II fracture of sacrum, subsequent encounter for fracture with routine healing	S32.121D
Severely displaced Zone II fracture of sacrum, subsequent encounter for fracture with routine healing	S32.122D
Nondisplaced Zone III fracture of sacrum, subsequent encounter for fracture with routine healing	S32.130D
Minimally displaced Zone III fracture of sacrum, subsequent encounter for fracture with routine healing	S32.131D
Severely displaced Zone III fracture of sacrum, subsequent encounter for fracture with routine healing	S32.132D
Type 1 fracture of sacrum, subsequent encounter for fracture with routine healing	S32.14XD
Type 2 fracture of sacrum, subsequent encounter for fracture with routine healing	S32.15XD
Type 3 fracture of sacrum, subsequent encounter for fracture with routine healing	S32.16XD
Type 4 fracture of sacrum, subsequent encounter for fracture with routine healing	S32.17XD
Other fracture of sacrum, subsequent encounter for fracture with routine healing	S32.19XD
Fracture of coccyx, subsequent encounter for fracture with routine healing	S32.2XXD
Multiple fractures of pelvis with stable disruption of pelvic ring, subsequent encounter for fracture with routine healing	S32.810D
Multiple fractures of pelvis with unstable disruption of pelvic ring, subsequent encounter for fracture with routine healing	S32.811D
Multiple fractures of pelvis without disruption of pelvic ring, subsequent encounter for fracture with routine healing	S32.82XD
Fracture of other parts of pelvis, subsequent encounter for fracture with routine healing	S32.89XD

Aftercare – Other Bone V54.19 (continued)

Aftercare for healing traumatic fracture (with or without surgery) – Other Bone	V54.19
Diagnosis	ICD-10
Anterior displaced fracture of sternal end of right clavicle, subsequent encounter for fracture with routine healing	S42.011D
Anterior displaced fracture of sternal end of left clavicle, subsequent encounter for fracture with routine healing	S42.012D
Posterior displaced fracture of sternal end of right clavicle, subsequent encounter for fracture with routine healing	S42.014D
Posterior displaced fracture of sternal end of left clavicle, subsequent encounter for fracture with routine healing	S42.015D
Nondisplaced fracture of sternal end of right clavicle, subsequent encounter for fracture with routine healing	S42.017D
Nondisplaced fracture of sternal end of left clavicle, subsequent encounter for fracture with routine healing	S42.018D
Displaced fracture of shaft of right clavicle, subsequent encounter for fracture with routine healing	S42.021D
Displaced fracture of shaft of left clavicle, subsequent encounter for fracture with routine healing	S42.022D
Nondisplaced fracture of shaft of right clavicle, subsequent encounter for fracture with routine healing	S42.024D
Nondisplaced fracture of shaft of left clavicle, subsequent encounter for fracture with routine healing	S42.025D
Displaced fracture of lateral end of right clavicle, subsequent encounter for fracture with routine healing	S42.031D
Displaced fracture of lateral end of left clavicle, subsequent encounter for fracture with routine healing	S42.032D
Nondisplaced fracture of lateral end of right clavicle, subsequent encounter for fracture with routine healing	S42.034D
Nondisplaced fracture of lateral end of left clavicle, subsequent encounter for fracture with routine healing	S42.035D

ICD-10 Made Simple - DOCUMENT!

Acuity	Acute, chronic, intermittent
Severity	Mild, moderate, severe
Etiology	Trauma, diabetes, renal failure, exercise or infection induced
Location	Where is it- be specific about which joint, chest, femur, posterior thorax
Laterality	Which side is it? Left, right, both
Detail	Present on admission status, associated symptom (hypoxia, loss of consciousness), additional medical diagnoses, initial versus subsequent encounter