

# Hospital

## ICD-10-CM 2014: Reference Mapping Card

ICD-9-CM		ICD-10-CM		ICD-9-CM		ICD-10-CM	
154.2	Malignant neoplasm anal canal	C21.1	Malignant neoplasm of anal canal Applicable to: <i>Malignant neoplasm of anal sphincter</i>	403.01	Hypertensive renal disease malignant, renal failure	I12.0	Hypertensive chronic kidney disease with stage 5 chronic kidney disease or end stage renal disease <i>Use additional code to identify the stage of chronic kidney disease (N18.5, N18.6)</i>
250.00	Diabetes mellitus without mention complication, type II or unspecified type	E11.9	Type 2 diabetes mellitus without complications <i>E11.9 is not usually sufficient justification for admission to an acute care hospital when used as a principal diagnosis.</i>			N18.5	Chronic kidney disease, stage 5 <i>N18.5 is a specific code that can be used to specify a diagnosis</i>
250.02	Diabetes mellitus without mention complication, type II or unspecified type, uncontrolled	E11.65	Type 2 diabetes mellitus with hyperglycemia			N18.6	Chronic kidney disease, stage 5 <i>N18.6 is a specific code that can be used to specify a diagnosis</i>
250.40	Diabetes w/renal manifestations, type II or unspecified, not stated uncontrolled	E11.29	Type 2 diabetes mellitus with other diabetic kidney complication Applicable to: <i>Type 2 diabetes mellitus with renal tubular degeneration</i>				<i>Applicable to: Chronic kidney disease requiring chronic dialysis Use additional code to identify dialysis status (Z99.2)</i>
276.1	Hyponatremia and/or hyposmolality	E87.1	Hypo-osmolality and hyponatremia Applicable to: <i>Sodium (Na) deficiency</i>	410.71	Acute subendocardial myocardial infarction, initial episode of care	I21.4	Non-ST elevation (NSTEMI) myocardial infarction Applicable to: <i>Acute subendocardial myocardial infarction Non-Q wave myocardial infarction NOS Nontransmural myocardial infarction NOS</i>
324.1	Intraspinal abscess	G06.1	Intraspinal abscess and granuloma Applicable To <i>Abscess (embolic) of spinal cord [any part] Intraspinal epidural abscess or granuloma Intraspinal extradural abscess or granuloma Intraspinal subdural abscess or granuloma</i>	415.19	Other pulmonary embolism and infarction	I26.99	Other pulmonary embolism without acute cor pulmonale Applicable to: <i>Acute pulmonary embolism NOS Pulmonary embolism NOS</i>
346.13	Migraine without aura, with intractable migraine, so stated, with stat migrainosus	G43.011	Migraine without aura, intractable, with status migrainosus				
401.0	Accelerated, malignant hypertension	I10	Essential (primary) hypertension <i>I10 is not usually sufficient justification for admission to an acute care hospital when used as a principal diagnosis.</i>				
401.1	Benign hypertension						
401.9	Hypertension						

# Hospital

## ICD-10-CM 2014: Reference Mapping Card

ICD-9-CM		ICD-10-CM		ICD-9-CM		ICD-10-CM	
421.0	Acute, subacute bacterial endocarditis	I33.0	Acute and subacute infective endocarditis Applicable to: <i>Bacterial endocarditis (acute) (subacute)</i> <i>Infective endocarditis (acute) (subacute) NOS</i> <i>Endocarditis lenta (acute) (subacute)</i> <i>Malignant endocarditis (acute) (subacute)</i> <i>Purulent endocarditis (acute) (subacute)</i> <i>Septic endocarditis (acute) (subacute)</i> <i>Ulcerative endocarditis (acute) (subacute)</i> <i>Vegetative endocarditis (acute) (subacute)</i> <b>Use additional code (B95 - B97) to identify infectious agent</b>	511.9	Pleural effusions, NOS (continued)	J09.X2	Influenza due to identified novel influenza A virus with other respiratory manifestations J09.X2 is a specific code that can be used to specify a diagnosis Applicable to: <i>Influenza due to identified novel influenza A virus NOS</i> <i>Influenza due to identified novel influenza A virus with laryngitis</i> <i>Influenza due to identified novel influenza A virus with pharyngitis</i> <i>Influenza due to identified novel influenza A virus with upper respiratory symptoms</i> Use Additional code, if applicable, for associated: <i>pleural effusion (J91.8) sinusitis (J01.-)</i>
		B95 - B97	<b>Bacterial and viral infectious agents</b> <b>B95</b> Streptococcus, Staphylococcus, Enterococcus as the cause of diseases classified elsewhere <b>B96</b> Other bacterial agents as the cause of diseases classified elsewhere <b>B97</b> Viral agents as the cause of diseases classified elsewhere			J10.1	Influenza due to other identified influenza virus with other respiratory manifestations <i>J10.1 is a specific code that can be used to specify a diagnosis</i> Applicable to: <i>Influenza due to other identified influenza virus NOS</i> <i>Influenza due to other identified influenza virus with laryngitis</i> <i>Influenza due to other identified influenza virus with pharyngitis</i> <i>Influenza due to other identified influenza virus with upper respiratory symptoms</i> Use Additional code, if applicable, for associated: <i>Pleural effusion (J91.8) Sinusitis (J01.-)</i>
491.22	Obstructive chronic bronchitis with acute bronchitis	J44.0	Chronic obstructive pulmonary disease with acute lower respiratory infection <i>Use additional code to identify the infection</i>				
511.9	Pleural effusions, NOS	J91.8	Pleural effusion in other conditions classified elsewhere <i>Code first underlying disease, such as:</i> <i>Filariasis (B74.0-, B74.9)</i> <i>Influenza (J09.X2, J10.1, J11.1)</i>				
		B74.0	Filariasis due to <i>Wuchereria bancrofti</i> <i>B74.0 is a specific code that can be used to specify a diagnosis</i> Applicable to: <i>Bancroftian elephantiasis</i> <i>Bancroftian filariasis</i>				

# Hospital

## ICD-10-CM 2014: Reference Mapping Card

ICD-9-CM		ICD-10-CM		ICD-9-CM		ICD-10-CM	
511.9	Pleural effusions, NOS (continued)	J11.1	J11.1 is a specific code that can be used to specify a diagnosis Applicable to: <i>Influenza NOS</i> <i>Influenza laryngitis NOS</i> <i>Influenza pharyngitis NOS</i> <i>Influenza with upper respiratory symptoms NOS</i> Use Additional code for associated pleural effusion, if applicable (J91.8) code for associated sinusitis, if applicable (J01.-)	780.61	Fever presenting with conditions classified elsewhere	R50.81	Fever presenting with conditions classified elsewhere <i>Code first underlying condition when associated fever is present, such as with:</i> <i>Leukemia (C91 - C95)</i> <i>Neutropenia (D70.-)</i> <i>Sickle-cell disease (D57.-)</i>
562.11	Diverticulitis of colon	K57.32	Diverticulitis of large intestine without perforation or abscess without bleeding			C91	Lymphoid leukemia <i>C91 is a non-specific code that cannot be used to indicate a diagnosis</i>
567.23	Spontaneous bacterial peritonitis	K65.2	Spontaneous bacterial peritonitis			*	Select appropriate C91 code from the chart
571.5	Cirrhosis of liver	K74.0 K74.69	Hepatic fibrosis Other cirrhosis of liver Applicable to: <i>Cryptogenic cirrhosis (of liver)</i> <i>Macronodular cirrhosis (of liver)</i> <i>Micronodular cirrhosis (of liver)</i> <i>Mixed type cirrhosis (of liver)</i> <i>Portal cirrhosis (of liver)</i> <i>Postnecrotic cirrhosis (of liver)</i>	780.8	Generalized hyperhidrosis	R61	Generalized hyperhidrosis Applicable to: <i>Excessive sweating</i> <i>Night sweats</i> <i>Secondary hyperhidrosis</i> <i>Code first if applicable, menopausal and female climacteric states (N95.1)</i>
596.1	Intestinovesical fistula	N32.1	Vesicointestinal fistula Applicable to: <i>Vesicorectal fistula</i>	783.7	Adult failure to thrive	R62.7	Adult failure to thrive <i>R62.7 is only applicable to adult patients aged 15 - 124 years inclusive.</i>
682.8	Cellulitis	L03.811 L03.818 L03.891 L03.898	Cellulitis of head (any part, except face) Applicable to: <i>Cellulitis of scalp</i> Cellulitis of other sites Acute lymphangitis of head (any part, except face) Acute lymphangitis of other sites			R07.2	Precordial pain
722.73	Lumbar disc disorder with myelopathy	M51.06	Intervertebral disc disorders with myelopathy, lumbar region	787.02	Nausea alone	R11.0	Nausea Applicable to: <i>Nausea NOS</i> <i>Nausea without vomiting</i>
724.2	Low back pain	M54.5	Low back pain Applicable to: <i>Loin pain</i> <i>Lumbago NOS</i>	788.1	Dysuria	R30.0	Dysuria Applicable to: <i>Strangury</i>
780.31	Febrile convulsions	R56.00	Simple febrile convulsions Applicable to: <i>Febrile convulsion NOS</i> <i>Febrile seizure NOS</i>	789.04	Abdominal pain left lower quadrant	R10.32	Left lower quadrant pain
780.4	Dizziness and giddiness	R42	Dizziness and giddiness				

# Hospital

## ICD-10-CM 2014: Reference Mapping Card

*C91	Lymphoid Leukemia
C91.0	Acute lymphoblastic leukemia
C91.00	Acute lymphoblastic leukemia not having achieved remission
C91.01	Acute lymphoblastic leukemia, in remission
C91.02	Acute lymphoblastic leukemia, in remission, in relapse
C91.1	Chronic lymphocytic leukemia of B-cell type
C91.10	Chronic lymphocytic leukemia of B-cell type not having achieved remission
C91.11	Chronic lymphocytic leukemia of B-cell type, in remission
C91.12	Chronic lymphocytic leukemia of B-cell type, in relapse
C91.3	Prolymphocytic leukemia of B-cell type
C91.30	Prolymphocytic leukemia of B-cell type not having achieved remission
C91.31	Prolymphocytic leukemia of B-cell type, in remission
C91.32	Prolymphocytic leukemia of B-cell type, in relapse
C91.4	Hairy cell leukemia
C91.40	Hairy cell leukemia not having achieved remission
C91.41	Hairy cell leukemia, in remission
C91.42	Hairy cell leukemia, in relapse
C91.5	Adult T-cell lymphoma/leukemia (HTLV-1-associated)
C91.50	Adult T-cell lymphoma/leukemia (HTLV-1-associated) not having achieved remission
C91.51	Adult T-cell lymphoma/leukemia (HTLV-1-associated), in remission
C91.52	Adult T-cell lymphoma/leukemia (HTLV-1-associated), in relapse
C91.6	Prolymphocytic leukemia of T-cell type
C91.60	Prolymphocytic leukemia of T-cell type not having achieved remission
C91.61	Prolymphocytic leukemia of T-cell type, in remission
C91.62	Prolymphocytic leukemia of T-cell type, in relapse
C91.A	Mature B-cell leukemia Burkitt-type
C91.A0	Mature B-cell leukemia Burkitt-type not having achieved remission
C91.A1	Mature B-cell leukemia Burkitt-type, in remission
C91.A2	Mature B-cell leukemia Burkitt-type, in relapse
C91.Z	Other lymphoid leukemia
C91.Z0	Other lymphoid leukemia not having achieved remission
C91.Z1	Other lymphoid leukemia, in remission
C91.Z2	Other lymphoid leukemia, in relapse

*D70	Neutropenia
D70.0	Congenital agranulocytosis
D70.1	Agranulocytosis secondary to cancer chemotherapy
D70.2	Other drug-induced agranulocytosis
D70.3	Neutropenia due to infection
D70.4	Cyclic neutropenia
D70.8	Other neutropenia

*D57	Sickle-cell Disorders
D57.01	Hb-SS disease with acute chest syndrome
D57.02	Hb-SS disease with splenic sequestration
D57.1	Sickle-cell disease without crisis
D57.20	Sickle-cell/Hb-C disease without crisis
D57.211	Sickle-cell/Hb-C disease with acute chest syndrome
D57.212	Sickle-cell/Hb-C disease with splenic sequestration
D57.3	Sickle-cell trait
D57.40	Sickle-cell thalassemia without crisis
D57.411	Sickle-cell thalassemia with acute chest syndrome
D57.412	Sickle-cell thalassemia with splenic sequestration
D57.811	Other sickle-cell disorders with acute chest syndrome
D57.812	Other sickle-cell disorders with splenic sequestration

### ICD-10 Made Simple - DOCUMENT!

<b>Acuity</b>	Acute, chronic, intermittent
<b>Severity</b>	Mild, moderate, severe
<b>Etiology</b>	Trauma, diabetes, renal failure, exercise or infection induced
<b>Location</b>	Where is it- be specific about which joint, chest, femur, posterior thorax
<b>Laterality</b>	Which side is it? Left, right, both
<b>Detail</b>	Present on admission status, associated symptoms (hypoxia, loss of consciousness), additional medical diagnoses, initial versus subsequent encounter