

Nephrology

ICD-10-CM 2014: Reference Mapping Card

| ICD-9-CM | | ICD-10-CM | |
|----------|---|----------------------------|--|
| 585.6 | End stage renal disease | N18.6 | End stage renal disease |
| 585.3 | Chronic kidney disease stage III (moderate) | N18.3 | Chronic kidney disease stage III (moderate) |
| 585.4 | Chronic kidney disease, stage IV (severe) | N18.4 | Chronic kidney disease, stage IV (severe) |
| 585.5 | Chronic kidney disease, stage V | N18.5 | Chronic kidney disease, stage V |
| 401.9 | Hypertension | I10 | Hypertension |
| 285.21 | Anemia in end-stage renal disease | D63.1 | Anemia in end-stage renal disease <i>Add code first for CKD</i> |
| V42.0 | Kidney transplant status | Z94.0 | Kidney transplant status |
| 585.2 | Chronic kidney disease stage II (mild) | N18.2 | Chronic kidney disease stage II (mild) |
| 791 | Proteinuria | R80.0 | Proteinuria, idiopathic |
| 401.1 | Benign hypertension | I10 | Benign hypertension |
| 401 | Accelerated/malignant hypertension | I10 | Accelerated/malignant hypertension |
| 276.1 | Hyponatremia and/or hyposmolality | E87.1 | Hyponatremia and/or hyposmolality |
| 585.1 | Chronic kidney disease stage I | N18.1 | Chronic kidney disease stage I |
| 592 | Calculus of kidney | N20.0 | Calculus of kidney |
| 996.81 | Complication kidney transplant | T86.12 T86.13 T86.11 | Kidney transplant failure Kidney transplant infection Kidney transplant rejection |
| 593.9 | Kidney or ureteral disorder | Q62.62 | Ureteral congenital |
| 446.6 | Thrombotic thrombocytopenic purpura | M31.1 | Thrombotic thrombocytopenic purpura |
| 250 | Diabetes mellitus without mention complication, type II or unspecified type | E11.9 | Diabetes type II without complications |
| V70.8 | General medical exam NEC | Z00.00 | General medical exam NEC |
| 572.4 | Hepatorenal syndrome | K76.7 O90.4 K91.83 | Hepatorenal syndrome, other disease of liver Hepatorenal syndrome following delivery Postoperative, hepatorenal syndrome |
| 780.79 | Other malaise and fatigue | R53.81 R53.83 | Malaise Fatigue |
| 294.8 | Other persistent mental disorders due to conditions classified elsewhere | F06.8 | Other specified mental disorders due to known physiological condition |
| 753.13 | Polycystic kidney autosomal dominant | Q61.2 | Polycystic kidney autosomal dominant |

| ICD-9-CM | | ICD-10-CM | |
|----------|---|------------------|--|
| 250.4 | Diabetes with renal manifestations, type II or unspecified, not stated uncontrolled | E11.21 E11.22 | Diabetes with diabetic nephropathy Diabetes with diabetic CKD <i>Additional code necessary</i> |
| 276.7 | Hyperpotassemia, hyperkalemia | E87.5 | Hyperpotassemia, hyperkalemia |
| 581.9 | Nephrotic syndrome, with unspecified pathological kidney lesion | N04.1 | Nephrotic syndrome with lesions |
| 583.1 | Membranous nephritis | N05.5 | Membranous nephritis |
| 582 | Chronic membranous nephritis | N03.2 | Chronic membranous nephritis |
| V04.81 | Need for prophylactic vaccination and inoculation influenza | Z23 | Encounter for prophylactic vaccination and inoculation influenza |
| 588.81 | Secondary hyperparathyroidism renal origin | N25.81 | Secondary hyperparathyroidism renal origin |
| 273.3 | Macroglobulinemia | C88.0 | Macroglobulinemia, primary, idiopathic |
| 599.72 | Microscopic hematuria | R31.2 | Microscopic hematuria NEC |

ICD-10 Made Simple - DOCUMENT!

| | |
|-------------------|---|
| Acuity | Acute, chronic, intermittent |
| Severity | Mild, moderate, severe |
| Etiology | Trauma, diabetes, renal failure, exercise or infection induced |
| Location | Where is it- be specific about which joint, chest, femur, posterior thorax |
| Laterality | Which side is it? Left, right, both |
| Detail | Present on admission status, associated symptom (hypoxia, loss of consciousness), additional medical diagnoses, initial versus subsequent encounter |

Neurology

ICD-10-CM 2014: Reference Mapping Card

| ICD-9-CM | | ICD-10-CM | | ICD-9-CM | | ICD-10-CM | |
|----------|--|-----------|---|----------|---|-----------|---|
| 729.5 | Pain in limb | M79.601 | Pain in lower limb, right side | 781.2 | Abnormality of gait | R26.0 | Abnormality of gait, ataxic, staggering |
| | | M79.602 | Pain in lower limb, left side | | | R26.6 | Abnormality of gait, falling |
| | | M79.671 | Pain in foot, right side | | | F44.4 | Abnormality of gait, hysterical |
| | | M79.672 | Pain in foot, left side | | | R26.1 | Abnormality of gait, paralytic, spastic |
| | | M79.661 | Pain in lower leg, right side | | | R26.89 | Abnormality of gait, specified type NEC |
| | | M79.662 | Pain in lower leg, left side | | | R26.81 | Abnormality of gait, unsteadiness |
| | | M79.651 | Pain in thigh, right side | | | R26.2 | Abnormality of gait, walking difficulty NEC |
| | | M79.652 | Pain in thigh, left side | 780.4 | Dizziness and giddiness | R42 | Dizziness and giddiness, NOS |
| | | M79.671 | Pain in toe, right side | 354 | Carpal tunnel syndrome | G56.01 | Carpal tunnel syndrome, right upper limb |
| | | M79.672 | Pain in toe, left side | | | G56.02 | Carpal tunnel syndrome, left upper limb |
| | | M79.601 | Pain in upper limb, right side | 723.1 | Cervicalgia | M54.2 | Cervicalgia, neck pain |
| | | M79.602 | Pain in upper limb, left side | 780.57 | Sleep apnea | G47.31 | Sleep apnea, central primary |
| | | M79.621 | Pain in axilla, right side | | | G47.37 | Sleep apnea, in conditions classified elsewhere |
| | | M79.622 | Pain in axilla, left side | | | G47.33 | Sleep apnea, obstructive, adult/pediatric |
| | | M79.641 | Pain in finger, right side | | | G47.31 | Sleep apnea, primary central |
| | | M79.642 | Pain in finger, left side | | | G47.39 | Sleep apnea, specified NEC |
| | | M79.631 | Pain in forearm, right side | 781 | Abnormal involuntary movements | R25.8 | Abnormal involuntary movements, specified NEC |
| | | M79.632 | Pain in forearm, left side | | | R25.0 | Abnormal involuntary movements of head |
| | | M79.641 | Pain in hand, right side | | | R25.1 | Abnormal involuntary movements, tremor |
| | | M79.642 | Pain in hand, left side | 729.81 | Swelling of limb | R22.31 | Swelling of right upper limb |
| | | M79.621 | Pain in upper arm, right side | | | R22.32 | Swelling of left upper limb |
| | | M79.622 | Pain in upper arm, left side | | | R22.33 | Swelling of upper limb bilateral |
| 346.7 | Chronic migraine without aura, without interactive migraine, without migrainosus | G43.709 | Chronic migraine without aura | | | R22.41 | Swelling of right lower limb |
| 451.19 | Thrombophlebitis deep venous, leg | I80.299 | | | | R22.42 | Swelling of left lower limb |
| 356.9 | Peripheral neuropathy | G60.9 | Peripheral neuropathy, idiopathic | | | R22.43 | Swelling of lower limb bilateral |
| 780.93 | Memory loss | R41.3 | Memory loss | 346.1 | Migraine without aura, without mention intractable migraine without mention migrainosus | G43.709 | Migraine chronic, without aura |
| 332 | Parkinson's disease | G20 | Parkinson's disease | | | | |
| 785.9 | Symptoms involving cardiovascular, bruit | R01.0 | Symptoms involving cardiovascular | | | | |
| | | R09.89 | Symptoms involving arterial | | | | |
| 784 | Headache, facial pain | R51 | Headache, facial pain | | | | |
| 340 | Multiple sclerosis | G35 | Multiple sclerosis | | | | |
| 782 | Skin sensation disturbance | R20.0 | Skin sensation disturbance, anesthesia | | | | |
| | | R20.3 | Skin sensation disturbance, hyperesthesia | | | | |
| | | R20.2 | Skin sensation disturbance, paresthesia | | | | |
| | | R20.1 | Skin sensation disturbance, hypoesthesia | | | | |
| | | R20.8 | Skin sensation disturbance, specified NEC | | | | |
| 443.9 | Peripheral vascular disease | I73.9 | Peripheral vascular disease, occlusive | | | | |

Neurology

ICD-10-CM 2014: Reference Mapping Card

| ICD-9-CM | | ICD-10-CM | |
|----------|--|-----------|--|
| 723.4 | Brachial neuritis/radiculitis | M50.11 | Brachial neuritis/radiculitis, C2-C3, C3-C4 |
| | | M50.12 | Brachial neuritis/radiculitis, C4-C5, C5-C6, C6-C7 |
| | | M50.13 | Brachial neuritis/radiculitis, C7-T1 |
| | | M50.13 | Brachial neuritis/radiculitis, cervicothoracic region |
| | | M50.11 | Brachial neuritis/radiculitis, high cervicothoracic region |
| | | M50.12 | Brachial neuritis/radiculitis, mid-cervicothoracic region |
| 780.97 | Altered mental status | R41.82 | Altered mental status |
| 437 | Cerebral atherosclerosis | I67.2 | Cerebral atherosclerosis |
| 327.23 | Obstructive sleep apnea (adult) (pediatric) | G47.33 | Obstructive sleep apnea (adult) (pediatric) |
| 434.11 | Cerebral embolism with cerebral infarction | I63.40 | Cerebral embolism with cerebral infarction |
| 780.2 | Syncope and collapse | R55 | Syncope and collapse |
| 346.73 | Chronic migraine without aura, with interactive migraine, with migrainosus | G43.711 | Chronic migraine without aura, with interactive migraine, with migrainosus |

ICD-10 Made Simple - DOCUMENT!

| | |
|-------------------|---|
| Acuity | Acute, chronic, intermittent |
| Severity | Mild, moderate, severe |
| Etiology | Trauma, diabetes, renal failure, exercise or infection induced |
| Location | Where is it- be specific about which joint, chest, femur, posterior thorax |
| Laterality | Which side is it? Left, right, both |
| Detail | Present on admission status, associated symptom (hypoxia, loss of consciousness), additional medical diagnoses, initial versus subsequent encounter |