

# Ophthalmological Surgery

## ICD-10-CM 2014: Reference Mapping Card

ICD-9-CM		ICD-10-CM	
171.0	Malignant neoplasm of connective and soft tissue of head, face, neck	C49.0	Malignant neoplasm of connective and soft tissue of head, face, neck
190.1	Malignant neoplasm of unspecified orbit	C69.60	Malignant neoplasm of unspecified orbit
190.7	Malignant neoplasm of unspecified lacrimal gland and duct	C69.50	Malignant neoplasm of unspecified lacrimal gland and duct
238.2	Neoplasm, uncertain behavior, of skin	D48.5	Neoplasm, uncertain behavior, of skin
238.8	Neoplasm of uncertain behavior of other specified sites	D48.7	Neoplasm of uncertain behavior of other specified sites
351.0	Bell's palsy	G51.0	Bell's palsy
372.89	Other specified disorders of conjunctiva	H11.89	Other specified disorders of conjunctiva
376.21	Other disorders of orbit	H05.89	Other disorders of orbit
379.93	Other specified disorders of eye and adnexa	H57.8	Other specified disorders of eye and adnexa
709.2	Scar conditions and fibrosis of skin	L90.5	Scar conditions and fibrosis of skin
873.52	Laceration with foreign body of other part of head	S01.82XA	Laceration with foreign body of other part of head, initial encounter
		S01.82XD	Laceration with foreign body of other part of head, subsequent encounter
		S01.82XS	Laceration with foreign body of other part of head, sequela

### ICD-10 Made Simple - DOCUMENT!

<b>Acuity</b>	Acute, chronic, intermittent
<b>Severity</b>	Mild, moderate, severe
<b>Etiology</b>	Trauma, diabetes, renal failure, exercise or infection induced
<b>Location</b>	Where is it- be specific about which joint, chest, femur, posterior thorax
<b>Laterality</b>	Which side is it? Left, right, both
<b>Detail</b>	Present on admission status, associated symptom (hypoxia, loss of consciousness), additional medical diagnoses, initial versus subsequent encounter