

Podiatry

ICD-10-CM 2014: Reference Mapping Card

| ICD-9-CM | | ICD-10-CM | |
|----------|-----------------------------------|-----------|-----------------------------------|
| 703.80 | Diseases of nail, other specified | L60.8 | Diseases of nail, other specified |
| 700.00 | Corns and callosities | L84 | Corns and callosities |
| 728.71 | Plantar fibromatosis | M72.2 | Plantar fibromatosis |
| 703.00 | Ingrowing nail | L60.0 | Ingrowing nail |

| ICD-9-CM | | ICD-10-CM | |
|----------|----------------------------|-----------|--|
| 825.25 | Fracture metatarsal closed | S92.311A | Displaced metatarsal, right foot, initial encounter for closed fracture |
| | | S92.311B | Displaced metatarsal, right foot, initial encounter for open fracture |
| | | S92.311D | Displaced metatarsal, right foot, subsequent encounter for fracture with routine healing |
| | | S92.311G | Displaced metatarsal, right foot, subsequent encounter for fracture with delayed healing |
| | | S92.311K | Displaced metatarsal, right foot, subsequent encounter for fracture with nonunion |
| | | S92.311P | Displaced metatarsal, right foot, subsequent encounter for fracture with malunion |
| | | S92.311S | Displaced metatarsal, right foot, sequela |
| | | S92.321A | Displaced second metatarsal, initial encounter for closed fracture |
| | | S92.321B | Displaced second metatarsal, initial encounter for open fracture |
| | | S92.321D | Displaced second metatarsal, subsequent encounter for fracture with routine healing |
| | | S92.321G | Displaced second metatarsal, subsequent encounter for fracture with delayed healing |
| | | S92.321K | Displaced second metatarsal, subsequent encounter for fracture with nonunion |
| | | S92.321P | Displaced second metatarsal, subsequent encounter for fracture with malunion |
| | | S92.321S | Displaced second metatarsal, sequela |
| | | S92.331A | Fracture third metatarsal, initial encounter for closed fracture |
| | | S92.331B | Fracture third metatarsal, initial encounter for open fracture |

825.25

Fracture metatarsal closed
(continued)

| | |
|----------|---|
| S92.331D | Fracture third metatarsal, subsequent encounter for fracture with routine healing |
| S92.331G | Fracture third metatarsal, subsequent encounter for fracture with delayed healing |
| S92.331K | Fracture third metatarsal, subsequent encounter for fracture with nonunion |
| S92.331P | Fracture third metatarsal, subsequent encounter for fracture with malunion |
| S92.331S | Fracture third metatarsal, sequela |
| S92.341A | Displaced fourth metatarsal, initial encounter for closed fracture |
| S92.341B | Displaced fourth metatarsal, initial encounter for open fracture |
| S92.341D | Displaced fourth metatarsal, subsequent encounter for fracture with routine healing |
| S92.341G | Displaced fourth metatarsal, subsequent encounter for fracture with delayed healing |
| S92.341K | Displaced fourth metatarsal, subsequent encounter for fracture with nonunion |
| S92.341P | Displaced fourth metatarsal, subsequent encounter for fracture with malunion |
| S92.341S | Displaced fourth metatarsal, sequela |
| S92.351A | Displaced fifth metatarsal, initial encounter for closed fracture |
| S92.351B | Displaced fifth metatarsal, initial encounter for open fracture |
| S92.351D | Displaced fifth metatarsal, subsequent encounter for fracture with routine healing |
| S92.351G | Displaced fifth metatarsal, subsequent encounter for fracture with delayed healing |
| S92.351K | Displaced fifth metatarsal, subsequent encounter for fracture with nonunion |
| S92.351P | Displaced fifth metatarsal, subsequent encounter for fracture with malunion |
| S92.351S | Displaced fifth metatarsal, sequela |

Podiatry

ICD-10-CM 2014: Reference Mapping Card

| ICD-9-CM | ICD-10-CM | ICD-9-CM | ICD-10-CM |
|----------|-----------------------------|----------|--|
| 735.40 | Hammertoe | M20.41 | Hammertoe, acquired, right foot |
| | | M20.42 | Hammertoe, acquired, left foot |
| | | Q66.89 | Hammertoe, congenital |
| 110.10 | Dermatophytosis of nail | B35.1 | Dermatophytosis of nail |
| 701.10 | Keratoderma, acquired | L85.1 | Keratoderma, acquired |
| 727.10 | Bunion | M20.11 | Bunion, acquired, right foot |
| | | M20.12 | Bunion, acquired, left foot |
| 355.60 | Plantar nerve lesion | G57.61 | Plantar nerve lesion, right lower limb |
| | | G57.62 | Plantar nerve lesion, left lower limb |
| 726.90 | Tendinitis | M65.271 | Tendinitis, right ankle and foot |
| | | M65.272 | Tendinitis, left ankle and foot |
| 726.71 | Achilles tendinitis | M76.61 | Achilles tendinitis, right leg |
| | | M76.62 | Achilles tendinitis, left leg |
| 726.72 | Tibialis tendinitis | M76.811 | Tibialis tendinitis, anterior, right leg |
| | | M76.812 | Tibialis tendinitis, anterior, left leg |
| | | M76.821 | Tibialis tendinitis, posterior, right leg |
| | | M76.822 | Tibialis tendinitis, posterior, left leg |
| 735.20 | Hallux rigidus | M20.20 | Hallux rigidus |
| 735.00 | Hallux valgus | M20.10 | Hallux valgus |
| 707.15 | Ulcer of other part of foot | L97.509 | Ulcer of other part of foot, NEC |
| 078.12 | Plantar wart | B07.0 | Plantar wart |
| 719.47 | Joint pain, ankle/foot | M25.571 | Joint pain, ankle and joints of right foot |
| | | M25.572 | Joint pain, ankle and joints of left foot |
| 826.00 | Fracture phalanx toe closed | S92.411A | Fracture big toe, proximal, initial encounter for closed fracture |
| | | S92.411B | Fracture big toe, proximal, initial encounter for open fracture |
| | | S92.411D | Fracture big toe, proximal, subsequent encounter for fracture with routine healing |
| | | S92.411G | Fracture big toe, proximal, subsequent encounter for fracture with delayed healing |
| | | S92.411K | Fracture big toe, proximal, subsequent encounter for fracture with nonunion |
| | | S92.411P | Fracture big toe, proximal, subsequent encounter for fracture with malunion |
| | | S92.411S | Fracture big toe, proximal, sequela |
| 826.00 | Fracture phalanx toe closed | S92.421A | Fracture big toe, distal, initial encounter for closed fracture |
| | | S92.421B | Fracture big toe, distal, initial encounter for open fracture |
| | | S92.421D | Fracture big toe, distal, subsequent encounter for fracture with routine healing |
| | | S92.421G | Fracture big toe, distal, subsequent encounter for fracture with delayed healing |
| | | S92.421K | Fracture big toe, distal, subsequent encounter for fracture with nonunion |
| | | S92.421P | Fracture big toe, distal, subsequent encounter for fracture with malunion |
| | | S92.421S | Fracture big toe, distal, sequela |
| | | S92.491A | Fracture big toe, other, initial encounter for closed fracture |
| | | S92.491B | Fracture big toe, other, initial encounter for open fracture |
| | | S92.491D | Fracture big toe, other, subsequent encounter for fracture with routine healing |
| | | S92.491G | Fracture big toe, other, subsequent encounter for fracture with delayed healing |
| | | S92.491K | Fracture big toe, other, subsequent encounter for fracture with nonunion |
| | | S92.491P | Fracture big toe, other, subsequent encounter for fracture with malunion |
| | | S92.491S | Fracture big toe, other, sequela |
| | | S92.501S | Fracture lesser toe(s), proximal, sequela |
| | | S92.511A | Fracture lesser toe(s), proximal, initial encounter for closed fracture |
| | | S92.511B | Fracture lesser toe(s), proximal, initial encounter for open fracture |
| | | S92.511D | Fracture lesser toe(s), proximal, subsequent encounter for fracture with routine healing |
| | | S92.511G | Fracture lesser toe(s), proximal, subsequent encounter for fracture with delayed healing |
| | | S92.511K | Fracture lesser toe(s), proximal, subsequent encounter for fracture with nonunion |

Podiatry

ICD-10-CM 2014: Reference Mapping Card

| | | | | | | | |
|--------|--|----------|--|--------|--|----------|---|
| 826.00 | Fracture phalanx toe closed (continued) | S92.511P | Fracture lesser toe(s), proximal, subsequent encounter for fracture with malunion | 826.00 | Fracture phalanx toe closed (continued) | S92.591G | Fracture lesser toe(s), other, subsequent encounter for fracture with delayed healing |
| | | S92.511S | Fracture lesser toe(s), proximal, sequela | | | S92.591K | Fracture lesser toe(s), other, subsequent encounter for fracture with nonunion |
| | | S92.521A | Fracture lesser toe(s), medial, initial encounter for closed fracture | | | S92.591P | Fracture lesser toe(s), other, subsequent encounter for fracture with malunion |
| | | S92.521B | Fracture lesser toe(s), medial, initial encounter for open fracture | | | S92.591S | Fracture lesser toe(s), other, sequela |
| | | S92.521D | Fracture lesser toe(s), medial, subsequent encounter for fracture with routine healing | 726.91 | Exostosis | M84.871 | Exostosis, right ankle and foot |
| | | S92.521G | Fracture lesser toe(s), medial, subsequent encounter for fracture with delayed healing | | | M84.872 | Exostosis, left ankle and foot |
| | | S92.521K | Fracture lesser toe(s), medial, subsequent encounter for fracture with nonunion | 726.70 | Metatarsalgia NOS | M77.41 | Metatarsalgia, right foot |
| | | S92.521P | Fracture lesser toe(s), medial, subsequent encounter for fracture with malunion | | | M77.42 | Metatarsalgia, left foot |
| | | S92.521S | Fracture lesser toe(s), medial, sequela | 459.81 | Venous insufficiency | I87.2 | Venous insufficiency |
| | | S92.531A | Fracture lesser toe(s), distal, initial encounter for closed fracture | 682.70 | Cellulitis of foot | L03.115 | Cellulitis of right lower limb |
| | | S92.531B | Fracture lesser toe(s), distal, initial encounter for open fracture | | | L03.116 | Cellulitis of left lower limb |
| | | S92.531D | Fracture lesser toe(s), distal, subsequent encounter for fracture with routine healing | | | | |
| | | S92.531G | Fracture lesser toe(s), distal, subsequent encounter for fracture with delayed healing | | | | |
| | | S92.531K | Fracture lesser toe(s), distal, subsequent encounter for fracture with nonunion | | | | |
| | | S92.531P | Fracture lesser toe(s), distal, subsequent encounter for fracture with malunion | | | | |
| | | S92.531S | Fracture lesser toe(s), distal, sequela | | | | |
| | | S92.591A | Fracture lesser toe(s), other, initial encounter for closed fracture | | | | |
| | | S92.591B | Fracture lesser toe(s), other, initial encounter for open fracture | | | | |
| | | S92.591D | Fracture lesser toe(s), other, subsequent encounter for fracture with routine healing | | | | |

Podiatry

ICD-10-CM 2014: Reference Mapping Card

| ICD-9-CM | ICD-10-CM |
|----------|---|
| 733.94 | Stress fracture of the metatarsals |
| M84.377A | Stress fracture of the right toes, initial encounter for fracture |
| M84.377D | Stress fracture of the right toes, subsequent encounter for fracture with routine healing |
| M84.377G | Stress fracture of the right toes, subsequent encounter for fracture with delayed healing |
| M84.377K | Stress fracture of the right toes, subsequent encounter for fracture with nonunion |
| M84.377P | Stress fracture of the right toes, subsequent encounter for fracture with malunion |
| M84.377S | Stress fracture of the right toes, sequela |
| M84.378A | Stress fracture of the left toes, initial encounter for fracture |
| M84.378D | Stress fracture of the left toes, subsequent encounter for fracture with routine healing |
| M84.378G | Stress fracture of the left toes, subsequent encounter for fracture with delayed healing |
| M84.378K | Stress fracture of the left toes, subsequent encounter for fracture with nonunion |
| M84.378P | Stress fracture of the left toes, subsequent encounter for fracture with malunion |
| M84.378S | Stress fracture of the left toes, sequela |
| 734.00 | Flat foot |
| M21.41 | Flat foot, acquired, right foot |
| M21.42 | Flat foot, acquired, left foot |
| 356.90 | Peripheral neuropathy |
| G62.9 | Peripheral neuropathy |
| 110.40 | Dermatophytosis of foot |
| B35.3 | Dermatophytosis of foot |
| 707.14 | Ulcer of heel and midfoot |
| L97.409 | Ulcer of heel and midfoot |
| 736.79 | Acquired foot deformity |
| M21.961 | Acquired foot deformity, right side |
| M21.962 | Acquired foot deformity, left side |

| ICD-9-CM | ICD-10-CM |
|----------|--|
| 733.9 | Bone and cartilage disease |
| M84.871 | Other disorders of continuity of bone right ankle and foot |
| M84.872 | Other disorders of continuity of bone left ankle and foot |
| 845.10 | Sprain of foot, unspecified site |
| S93.601A | Sprain of right foot, initial encounter |
| S93.601D | Sprain of right foot, subsequent encounter |
| S93.601S | Sprain of right foot, sequela |
| S93.602A | Sprain of left foot, initial encounter |
| S93.602D | Sprain of left foot, subsequent encounter |
| S93.602S | Sprain of left foot, sequela |
| 726.79 | Ankle enthesopathy, other |
| M77.9 | Ankle enthesopathy, other |
| 892.1 | Open wound of foot, complication |
| S91.301A | Open wound of right foot, initial encounter |
| S91.301D | Open wound of right foot, subsequent encounter |
| S91.301S | Open wound of right foot, sequela |
| S91.302A | Open wound of left foot, initial encounter |
| S91.302D | Open wound of left foot, subsequent encounter |
| S91.302S | Open wound of left foot, sequela |

ICD-10 Made Simple - DOCUMENT!

| | |
|-------------------|---|
| Acuity | Acute, chronic, intermittent |
| Severity | Mild, moderate, severe |
| Etiology | Trauma, diabetes, renal failure, exercise or infection induced |
| Location | Where is it- be specific about which joint, chest, femur, posterior thorax |
| Laterality | Which side is it? Left, right, both |
| Detail | Present on admission status, associated symptom (hypoxia, loss of consciousness), additional medical diagnoses, initial versus subsequent encounter |